LEVO Summit EL Order form

LEVO.

UDI-DI 0761304573


LEVO Dealer:

Dealer 2023

Date:

Dealer reference / Client name:			LEVO AG Anglikerstrasse 20 CH-5610 Wohlen		
Order number:			Tel.: +41 56 618 44 11 Fax: +41 56 618 44 10 Office@levo.ch		
Standard configuration		60.001.7310			
- M/E Wheelchair: Manual driving, see - Seat plate and backrest upholstery - Flip-up armrests - Armrest height and armrest angle a - Armrests round with built-in rocker - Fold down backrest - Standard color: white - Detail color: carmine red - Easy transfer or two-piece flip-up for Rear wheels LEVO Active compl. bla - Batteries and battery charger - Chest strap and sports or extra stab	djust swit ootre ock ai	able ch st r tires			
Anthropometric Data		112			
	1	Hip width			
	2	Upper leg length	th:	35 cm 38 cm 40 cm 42 cm 45 cm 48 cm 50 cm 41 cm 39 cm 41 cm 43 cm 47 cm 49 cm 41 cm 53 cm 55 cm	Seat width: Option
	3	Lower leg length			
		The lower leg lenght determines the	footrest position and the seat height of the el size and with that the total height of the		
		Please check the desired seat height and j measured from the seat upholstery (with	out the seat cushion).	36 cm 38 cm 40 cm 42 cm 44 cm 46 cm 48 cm 50 cm	Option Option Option Option Option Option Option Option
Please measure the anthropometric		* Only possible with Easy Transfer Foot	plate		
data as shown. If possible, the user should be in a sitting position and	4	Elbow height			
wearing shoes.		Standard armrest height is 18 cm		18 cm	30 cm

	Floor to seat height	in the fron	t. measura	ed without	seat cush	ion						
	Seat height	48 22"	50 22"	52 22"	54	Seat height		48 4"	50 4"	52 4"	54 4"	
					X			-				
	Rear wheels	24"	24"	24"	24"	Front wheels		5"	5"	5"	5"	
		Х	26"	26"	26"			х	6"	6"	6"	
								^				
	Armrest											
. 4	Armrest round										Standard	
D									D			
	Swing-away ches Rotatable to the sid			eased safe	rtv feelina.				27 cm 32 cm		60.005.7040	
	Distance "D" betwe								37 cm		60.005.7042	
	Stand-up operati	ion Up to t	wo option	s are possi	ble. It is n	ot possible to cor	nbine	rocker aı	nd toggle st	witches.		_
	Stand-up operation	on with ro	ocker swi	tch					Right		Standard	
	Stand-up operati								Left		Option 60.007.0060	
	Stand-up operation	on with (C	zggie SWII	LII					Right Left		60.007.0060	
	Hand control	hlo +==	ontrol +	hlo +r-··	not in al.	404					60.007.0080	
	Dual switch for ta			inie tray i	IOL INCIU						60.007.0015	
	Second control (optional):	:		_				_	_		
	Hand control										31.730.0320	
	Dual switch for ta Y-Cable, needed for				not inclu	ded					60.007.0015 31.730.0310	
		, uuui COM	ων υμιιυπ								31.730.0310	
	Frame color											_
	Trafic white							RAL 90			Standard	
	Trafic black							RAL 901	17		Option	
	Metallic colors or	n request						Mét.:			60.008.0020	
	Other RAL colors	on reque	st					RAL:			60.008.0010	
										'		
	Detail color											
	Carmine red							RAL 300 RAL 200			Standard	
	Pure orange Melon yellow							RAL 102			Option Option	
	Light blue Signal blue							RAL 500			Option Option	
	Traffic purple							RAL 400			Option	
	Black										Option	
	Metallic colors or	n request						Mét.:			60.008.0220	
	Reflex colors on r							Reflex:			60.008.0230	
		•										
	Other RAL colors	on reque	st					RAL:			60.008.0210	
	Backrest											_
	Standard sling ba	ckrest he	ight						32 cm		Standard	
									34 cm 36 cm		Option Option	
									38 cm		Option	
									40 cm		Option	
	Backrest extension	on							42 cm		60.009.0160	
									44 cm 46 cm		60.009.0160 60.009.0160	
									48 cm		60.009.0160	
									50 cm		60.009.0160	
	V-Trak backrests										On request	
	Without backrest	:									60.109.7310	
	Backrest angle											
									81°		Ontin-	
	Active								84°		Option Option	
									87°		Option	
									90° 93°		Standard Option	
	Passive								96°		Option	
	1 1											





Seat width	35	38	40	42	45	48	50	
Seat cushion dep √h	33	30	40	42	45	40	30	
35 - 39 cm								
33 - 35 CIII	30.100.3822	30.100.3820	30.100.3830	30.100.3840	30.100.3850	30.100.3855	30.100.3856	
41 - 47 cm								
41 - 47 CIII	30.100.3857	30.100.3860	30.100.3870	30.100.3880	30.100.3890	30.100.3900	30.100.3902	
49 - 55 cm								
49 - 33 CIII	30.100.3907	30.100.3910	30.100.3920	30.100.3930	30.100.3940	30.100.3950	30.100.3956	

Additional seat cushion cover

Seat width	35	38	40	42	45	48	50	
Seat cushion dep √h	33	30	40	42	45	40	30	
35 - 39 cm								
33 - 35 CIII	30.100.3823	30.100.3821	30.100.3831	30.100.3841	30.100.3851	30.100.3854	30.100.3953	
41 - 47 cm								
41 - 47 CIII	30.100.3858	30.100.3861	30.100.3871	30.100.3881	30.100.3891	30.100.3901	30.100.3903	
49 - 55 cm								
49 - 55 CIII	30.100.3908	30.100.3911	30.100.3921	30.100.3931	30.100.3941	30.100.3951	30.100.3957	

Urin proof seat cushion cover

Seat width ▶	35	38	40	42	45	48	50	
Seat cushion depth	33	30	40	42	45	40	30	
35 - 39 cm								
33 - 39 CIII	30.100.3824	30.100.3864	on request	30.100.3842	30.100.3865	on request	on request	
41 - 47 cm								
41 - 47 (111	on request	30.100.3863	30.100.3873	30.100.3882	30.100.3892	on request	on request	
49 - 55 cm								
45 - 35 CIII	on request	on request	on request	on request	30.100.3942	30.100.3942	30.100.3985	

Headrest





V-Trak headrest on request

V-Trak headrest standard, only in combination with V-Trak Axxis backrest V-Trak headrest winged, only in combination with V-Trak Axxis backrest Track extension for V-Trak head support, for V-Trak 60 and 80 cm

02.067.116
02.067.117
02.009.0028

60.011.0010

Option


Lateral supports and hardware

V-Trak lateral supports on request

V-Trak lateral support, pad and cover Medium Right 32.068.0030 Medium Left 32.068.0040

V-Trak lateral support, pad and cover Right 32.068.0010 Large 32.068.0020 Large Left





② Rectangular knee wedge

50x100	Option
60x100	Option
80x100	Option
50x150	Option
80x150	Option

3 Conical knee wedge, gives more support, in particular with spasticity

50-100x100	60.011.0020
90-140x100	60.011.0020
130-180x100	60.011.0020

Footrest



1 Easy

y transfer foot plate, foot plate is closer to the floor which makes transfers easier	20 cm	Option
	25 cm	60.003.0130

Two-piece flip-up footrest

② One piece footrest, flip-up backwards 3 Footrest height adapter, set

Non-slip footrest surface

60.003.0050
32.073.0091

60.003.0040

Option

		Foot plate angle		
			80°	Option
			90°	Standard
			100°	Option
		Rear wheel position		
		Select the appropriate setting for the rear wheels. The shorter the wheelbase is,	Active Standard	Option Option
		the more active the wheelchair becomes and the risk of tipping is greater. Anti-tip aids are recommended in that case.	Passive	Option
		Normally the wheels are positioned according to the frame size.		
		Wheel options		
		Rear wheels with airless tires		60.002.0010
		Rear wheels with black marathon plus tires, in combination with air tires		60.002.0090
		only available for 22" & 24" wheels		
	(1)	Spinergy wheels	Red	60.002.0015
V			Black	60.002.0015
			White	60.002.0015
	0	Camber	2°	60.002.0081
		Cumber	4°	60.002.0081
		Steel hand rim		60.002.0070
		Reinforced wheelaxle for auxiliary drives (E-fix/Smartdrive/Wheeldrive)		60.002.0088
		Accessories		
		Table Tray		
1		35 38 - 40 42 - 50		
		32.070.0115 32.070.0116 32.070.0117		
		Push handles		2 x
		rusii ilaliules	Pair	32.073.0041
2				
	(2)	Anti-tip rolls	Right	32.073.0031
			Lett	32.073.0031
	3	Anti-tip / tip aid combination, swing away 22" & 24":	Right	32.073.0032
			Left	32.073.0032
		26":	Right	32.073.0033 32.073.0033
3	4	Spoke guard transparent	Leit	32.073.0033
		22" 24" 26"		
		2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x 2 x	Pair	
		02.066.1014 02.066.1015 02.066.1017		
5		Other spoke guards on request		
100	(5)	Brake lever extension (6 cm)	Right Left	30.100.5030
			Lett	30.100.5030
		Knee support height adapter for Sports knee support	Pair	2 x
6				32.073.0010
		Knee support height adapter for extra strong knee support		2 x
		The support in Bit address for extra strong kines support	Pair	32.073.0020
	6	Seat depth and footrest quick adjustment kit, only in combination with seat depth M and L		60.004.0020
		Johny III Combination with Scat acptil IVI and L		
		Outrigger for seat inclination		30.104.6570
		Tio down bit for transportation		32.073.0050
		Tie-down kit for transportation		32.073.0030