

# Gripo support pole

---



# Hepro Gripo support pole

One system – endless possibilities

Gripo is a sturdy, flexible supportive aid that helps you stand up and move around your home. Gripo is a patented solution suitable for most homes and is very easy to install. It works great on its own, but can also be supplemented with many useful accessories.

- Support when you need it
- Utilise your own resources
- Simple to install, move and dismantle
- Can be installed without screws, nails or tools
- Wide selection of useful, flexible accessories
- Countless areas of application

## Antimicrobial EVA foam

Antimicrobial EVA foam inhibits the growth of microorganisms such as bacteria, fungi, parasites and viruses by up to 99.99% thereby providing extra protection against the spread of viruses and bacteria after 24 hours.

Why choose products with this added protection?

- Safer choice of materials
- Reduces cross infection
- Lasts as long as the product



**Gripo**

Art. No.

35200



## Grip accessories



### Circular grip - **NEW!**

With antimicrobial EVA foam.  
Available in two sizes:  
30 cm and 40 cm in diameter.  
Universal coupling 22/40/22 mm.

Size	Art. No.
D30	35281
D40	35280



### Multi grip - **NEW!**

With antimicrobial EVA foam. Comes  
with rotation attachment. Can be  
mounted with universal coupling  
22/40/22 mm if the rotation function  
is not required. Can be rotated 360  
degrees around the pole.

Art. No.
35315



### Triangle grip

With EVA foam and universal coupling  
40/22 mm.  
Mounted at the right height, can also  
be used as a forehead/head rest.

Art. No.
35145



## Gripo accessories



### Vertical Mini Grip

Bar diameter 22 mm, length 75 cm. With two universal couplings 40/22 mm. For users unable to get their grip around the Gripo pole. Stands parallel to the pole.

Art. No.

35158



### Double hand grip, complete

With EVA foam and universal coupling 40/22 mm. Width/grip surface 48 cm, bar diameter 22 mm. Facilitates standing from chair/bed. Facilitates transfer to/from wheelchair. Using 2 or 3 grips mounted at different heights, can be used for training standing function by means of the climbing effect.

Art. No.

35159




### Combi Grip

With universal coupling 40/40 mm. Good two-handed grip for users with large hands. Very stable (does not twist). Can be used for grips at 2 heights (climbing). Can be used to lean on when dressing.

Art. No.

35208



# Gripo accessories

## Sister assistance



### Benefits of Sister assistance/Gripo:

- Gives support where you need it.
- Provides a sense of empowerment.
- Relieves strain on the caregiver/helper, which can reduce strain injuries.
- Activates the user, which is important for e.g. blood circulation and gastrointestinal function.
- Support for transfers and repositioning in bed.
- Cost-saving: users and relatives can do more without the assistance of carers.



### Sister assistance

With 2 universal couplings 40/22 mm. Measures 68.5 cm from the pole. Hanging handle with EVA foam and strap.

Art. No.

35148



### Sister assistance tube for lateral support

Without strap and hook. With 2 universal couplings 40/22 mm. Measures 68.5 cm from the pole. No loose parts. Support for standing up and transfers, e.g. on toilet.

Art. No.

35196



# Gripo accessories

## Handrail tube



### Handrail tube

Two sizes 40 and 22 mm, 100 cm length. Universal couplings are ordered separately. Mounted between 2 poles in low position. Provides support and confidence when dressing and undressing.

Size	Art. No.
40 mm	35321
22 mm	35322

### Handrail tube diameter 22 mm

100 cm length, with EVA foam. Universal couplings are ordered separately. Can be mounted at an angle, e.g. as a hand rail on steps or inclines/declines. Mounted in a bathroom at a sink or toilet between 2 poles.

Art. No.
35323

### Handrail tube diameter 40 mm

160 cm length. Universal couplings are ordered separately. Mounted as a walkway between 2 poles. For rooms with a high threshold where wheeled access is not possible. Walkway, e.g. between bed and toilet, in corridors, etc. Helps you to manage by yourself. Can be mounted one after the other as a long walkway between several poles.

Art. No.
35152



## Gripo accessories



### Collapsible seat

With universal coupling 40/40 mm.  
Width 36 cm, depth 40 cm.  
Max. user weight 110 kg.

Art. No.  
35154



### Armrests, side support

Width between armrests 56 cm.  
With universal coupling 40/40 mm.  
Can be combined with folding seat.

Art. No.  
35255



### Rectangular table

Measures 41 x 31 cm.  
With universal coupling 40/22 mm.  
Also suitable as a PC table.

Art. No.  
35165





## Technical requirements and details

Gripo	
Ceiling height requirements	Min. 210 cm – max. 300 cm
Roof construction requirements	Must be able to withstand point load of 100 kg
User weight	Max. 210 kg
Material	Aluminium and plastic
Product weight	4.7 kg, without accessories

## Item number list

### Multi grip

Art. No.	Description	Specifications
35315	Can be rotated 360 degrees around the pole.	Projects 44.5 cm out from Gripo when mounted on the pole Max. user weight 110 kg



### Circular grip

Art. No.	Description	Specifications
35281	Allows the user to move around the pole while maintaining a firm and steady grip at all times.	Circular grip D30 ( 30 cm) Max. user weight 110 kg
35280	Allows the user to move around the pole while maintaining a firm and steady grip at all times.	Circular grip D40 ( 40 cm) Max. user weight 110 kg



## Item number list

### Gripo

Art. No.	Description	Specifications
35200	Gripo Complete	For ceiling height 210 – 300 cm
35202	Gripo Special	For ceiling heights lower than 210 cm
35210	Gripo Long, 15 cm longer outer bar for mounting accessories higher up	For ceiling heights 225 – 320 cm



### Universal coupling with stepped rotation

Art. No.	Description	Specifications
35130	Standard without toothed wheel	Diameter 40/22 mm
35169	Without toothed wheel	Diameter 40/40 mm
35199	Without toothed wheel	Diameter 22/22 mm



### Universal coupling with free rotation

Art. No.	Description	Specifications
35160	With toothed wheel	Diameter 40/22 mm
35166	With toothed wheel	Diameter 40/40 mm



### Universal coupling with catch For easy raising and lowering of the handrail tube

Art. No.	Description	Specifications
35161	End stop for rail bars	Diameter 40/22 mm
35167	End stop for rail bars	Diameter 40/40 mm



### Sister assistance

Art. No.	Description	Specifications
35148	Complete with 2 universal couplings 40/22 mm, hanging handle with EVA foam and strap	Max. user weight 110 kg 68.5 cm from Gripo



### Sister assistance tube for lateral support

Art. No.	Description	Specifications
35196	With sliding stoppers and 2 universal couplings 40/22 mm	Max. user weight 110 kg 68.5 cm from Gripo



### Triangle grip

Art. No.	Description	Specifications
35145	With EVA foam, with universal coupling 40/22 mm	Bar diameter 22 mm Max. user weight 150 kg



### Combi Grip

Art. No.	Description	Specifications
35208	Complete with 2 universal couplings 40/22 mm	Height 24 cm, length 30 cm Bar diameter 22 mm



## Item number list

### Double hand grip, complete

Art. No.	Description	Specifications
35159	With EVA foam, complete with universal coupling 40/22 mm	Width of gripping surface 48 cm Bar diameter 22 mm Max. user weight 150 kg



### Vertical mini grip

Art. No.	Description	Specifications
35158	With 2 universal couplings 40/22 mm	Bar diameter 22 mm Length 75 cm



### Handrail tube

Art. No.	Description	Specifications
35321	Universal coupling ordered separately	100 cm long, bar diameter 22 mm
35322	Universal coupling ordered separately	100 cm long, bar diameter 40 mm
35323	With antimicrobial EVA foam Universal coupling ordered separately	100 cm long, bar diameter 22 mm
35152	Universal coupling ordered separately	160 cm long, bar diameter 40 mm



### Folding seat

Art. No.	Description	Specifications
35154	Complete with universal coupling 40/40 mm	Width 35 cm, depth 40 cm Max. user weight 110 kg



### Armrest side support

Art. No.	Description	Specifications
35255	With universal coupling 40/40 mm	Width between armrests 56 cm



### Top plate for sloping ceiling

Art. No.	Description	Specifications
35320	For installation on sloping ceilings	Adjustable Ceiling pitch 45 degrees



### Top plate for weak ceilings

Art. No.	Description	Specifications
35153	Top plate large	70 x 31 cm



### Table rectangular

Art. No.	Description	Specifications
35165	With universal coupling 20/20 mm	Tabletop, 41 x 31 cm




### Soft grip

Art. No.	Description	Specifications
35298	For a better grip. Zip fastening	Length 20 cm For bar diameter 40 mm



Errors and omissions excepted.





REV. 01. 2022

## Active and safe at every stage of life

HEPRO AS is a modern and future-oriented competence company that develops, produces and sells technical aids for children, young people and adults, along with high quality welfare technology. Our head office is located in Rognan, at the heart of Saltenfjorden, surrounded by mountains and magnificent scenery.

The company was established in 1987 and has extensive experience in developing products and solutions to make everyday life easier for our customers. Our vision is to enable our customers to manage by themselves, actively participate in their own everyday life and break barriers.

Through high quality, fast response times and a short communication chain, Hepro shall be the natural first choice for our customers.

In close cooperation with occupational therapists, we develop products and solutions tailored to our customers' needs for help with mobility, balance, comfort and hygiene. Our aim is to provide confidence, the ability to cope and increased activity through functional and user-oriented products and technology. We engage with the individual user and go above and beyond to deliver products tailored to their individual needs.