



# Inclusive bathrooms solutions Comfort and Safety for All



Product List 24

We strive to be recognised as the brand most attentive to the needs of all users of private and public bathrooms; a point of reference for those looking for simple and safe products designed to guarantee comfort and safety.





# ORVIETO, UMBRIA, ITALY OUR HISTORY OUR ROOTS.



#### Made in Ponte Giulio

Ponte Giulio has focused its operations on the bathroom sector, in both the private and public sphere, proposing a broad range of products and solutions. Almost fifty years of passion and professionalism dedicated to the development of products able to guarantee every user's comfort and safety, recognisable by their style and attention to detail, both typical qualities of Made in Italy.

### **General index**

# **SAFETY** DESIGN

Safety solutions in public bathrooms

P. 13





Furnishing solutions in kids' bathrooms

P. 187



P. **190** 



P. 200



P. 202



P. 203

# **LIFE CARING** DESIGN

Safety solutions in private bathrooms

P. 117





#### **OTHER CONTENTS**

Instructions for the installation of bathrooms aids	210 - 213
Fixing systems	205
General conditions of sale	208
Index by product code	214

24\_Introduction www.pontegiulio.com





**HUG** is an original collection that combines different coordinated products, designed to organise the bathroom in total safety. Versatile accessories and fixtures to look after oneself and loved ones



Straight grab bar, 38 - 175 cm.

P.128 - 129



Vertical grab bar, 175 cm.

P.129







Folding support

P.136





Storage unit

P.180





Shelf

Clothes hanger Toilet roll holder

P.176









Fixed and tilting mirrors

P.172







Folding seat

Backrest

Backrest with armrests

P.147






Stool and Chair

P.146









Washbasin and console with basin on side

B48CMM01

B48CNLØ1

B48CNR01

P.154





Console with basin on side, made in solid surface

846CML22

346CMR22

P.155





Console with basin on side, made in solid surface

846CML23

B46CMR23

P.155






Single drawer and Drawer unit

F47ATSØ1

F47AIS02

P.154






#### Shower tray

B48CPM02

B48CPM0

P.162



Closed storage unit and grab bar

F47APS08 F18UWS02


P.178



Storage unit with shelves and grab bar

F47APS06 F18UWS01

P.177



Container and mirror for anchorage on grab bar

F47APS07


F47ATS17

P.177/178






SOLO Shower is an innovative "system" that includes shower sets, shower columns and grab bars, to configure the shower area: a series of elements that channel the water and at the same time offer a secure hold in case of need. Taking a shower becomes a pleasurable way of escaping the stress of daily life.



Horizontal grab bar

P.124



Horizontal grab bar with shower head attachment

P.124



Footrest

P.125




Storage unit for support bar

P.180




Vertical grab bar with sliding shower head attachment

P.125



Shower set ø 20 mm.

P.163



Shower set ø 25 mm.

P.164 - 165



Shower set ø 32mm.

HE1GDSØ1

H51GORØ1

H51GOL Ø

P.169





Horizontal grab bar with left shower head

18UGLØ3

G18UGRØ3


P.169



#### Shower tray

B48CPM21/22/23/24

P.162



Shower column ø 32mm.


H51GJS03

GJSØ3 H51GJRØ

H51G 71 03

P.165 - 166





Shower column ø 32mm., with shower head and mixer


H51GLSØ4

H51GLL04

H51GLRØ4

P.166 - 168







Shower column ø 32mm., with shower head and bathtub mixer

H51GLSØ5

H51GLL 05

H51GLR09

P.167 - 168



Stool

G12XTS0

P.63






**OMNIA** is a collection that is well suited to any kind of setting, private or public. Safety bars, toilet pans and washbasins, mirrors and accessories have been conceived to be placed everywhere. The combination of aesthetics and functionality allows them to suit well both in a home environment and in spaces dedicated to hospitality, such as a hotel room. OMNIA is thus an across-the-board system, an answer to the furnishing needs of any type of user.





Straight grab bar, 37 - 133 cm.

P.142 - 143



Fold-down grab bar

P.144



Fold-down grab bar, with roll paper holder

P.144



Sool

P.147



Shower folding seat



Removable shower folding seat



Showerr folding seat with floor support

P.148





WC

Bidet

P.157 - 158





Wall hung WC

Wall hung bidet

P.157 - 158





Wash basin

P.156



Wash basin made of solid surface

P.156





module

Bidet sanitary module



Container P.179



Coat hook



Storage unit

P.158 - 159



Bathroom mirror





P.173



Safety solutions for community bathrooms





Living, Assisting, living safely, these words all summarise the concept underlying the "Safety design" range; a broad and articulate selection of products and solutions that can be applied in the most diverse range of contexts outside the home: airports, railway stations, service stations, libraries, theatres, community halls, canteens and sports facilities, but also universities, schools, or simply offices, bars, and restaurants. These are "places" more generically defined as "public", where people of all ages, gender, and with different backgrounds occasionally meet. Of course, bathrooms designed for shared and collective use, in addition to being characterised by infinitely different sizes and forms, also require products with specific characteristics: sturdiness, easy maintenance and installation, compliance with health and hygiene regulations, but also the possibility to source spare parts over time. At the same time, a shared space might also be a nursing home, safe house or residential care facility providing care and assistance for non-self-sufficient, often elderly people.



# **Aids**

**Grab bars** 

Ponte Giulio means "safety" for bathrooms; this concept finds its most immediate expression in grab bars, in folding grab bars, in any "aid" that assists those who, for different reasons, find it difficult to use the bathroom in daily life due to limited balance or movements.





## PAINT

Essential and inexpensive without sacrificing safety and quality: these are the essential characteristics for those who want to have useful accessories to make the use of the bathroom safe. The "Paint" line meets these requirements; the aids, designed with classic shapes, are made of steel tubes with external powder finish; a polyamide flange cover protects the flange and hides the fixing screws.

#### THE SURFACE FINISH OF THE GRAB BARS

The Grab bars and grab bars in the "Paint" line are finished with powdercoated traditional "W2" white color. On request, all colours in the RAL chart can be used for the grab bar and Grab bar finishes, excluding the flange covers and plate covers, where provided for.





#### PLATE SYSTEM

The folding Grab bars of the "paint" line are offered with the "plate system" in two versions: a "compact" version and an "extended" version: the "compact" version occupies an area of 82 cm2 on the wall, it features an AISI304 stainless steel plate for wall mounting - which also acts as a joint for the grab bar body - equipped with a back-plate and a polyamide-6 plate cover that hides the fixing screws. The "extended" version features an AISI304 stainless steel plate - which also acts as a joint for the grab bar body - equipped with a counter-plate to reduce the risk of damage to the wall. The surface area is 219 cm2, in order to allow the Grab bar to rest on the plate itself.





6





#### PAINT \_ STRAIGHT SAFETY GRAB BAR

Material	Steel, Polyamide		
Colours	W2		

Code	AxBxC [mm]	A1 [mm]
G06JAS01	303x100x83	220
G06JAS02	383x100x83	300
G06JAS03	533x100x83	450
G06JAS13	453x100x83	370
G06JAS05	683x100x83	600
G06JAS14	803x100x83	720
G06JAS06	983x100x83	900
G06JAS07	1283x100x83	1200




Grab Bar Fastener -Structurally Engineered Wall Anchor Y96SES56

Mounting set for perforated clay/lime bricks

Y90SES61





PAINT \_ VERTICAL, SAFETY GRAB BAR FROM WALL TO WALL

Material	Steel, Polyamide		
Colours	W2		

Code	AxBxC [mm]	B1xC1 [mm]
G06JAS10	83x175x1603	159x1520



Grab Bar Fastener -Structurally Engineered Wall Anchor Y96SES56

Mounting set for perforated clay/lime bricks





#### PAINT \_ VERTICAL, SAFETY GRAB BAR FROM WALL TO FLOOR

Material	Steel, Polyamide	
Coloure	W2	

Code	AxBxC [mm]	B1xC1 [mm]
G06JAS12	83x175x1801	159x1760



Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 










#### PAINT \_ L-SHAPE SAFETY GRAB BAR

Material	Steel, Polyamide
Colours	W2

Code		AxBxC [mm]	A1xC1 [mm]		
G06JBR19	DX	433x100x743	350x660		
G06JBL19	SX	433x100x743	350x660		




Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 



Y90SES61







#### PAINT \_ 135° ANGLE SAFETY GRAB BAR

Material	Steel, Polyamide	
Colours	W2	

Code	AxBxC [mm]	A1xC1 [mm]	
G06JAS08	483x100x251	400x168	




Paper roll holder for installation on grab bar

F17AGN03



Grab Bar Fastener -Structurally Engineered Wall Anchor Y96SES56





#### PAINT \_ LATERAL, SAFETY GRAB BAR FROM WALL TO FLOOR

Material	Steel, Polyamide	
Colours	W2	

Code	AxBxC [mm]	A1xB1xC1 [mm]
G06JCS38	233x600x780	150x559x739
G06JCS39	233x800x780	150x759x739

Mounting set for perforated clay/lime bricks Y90SES61





#### **PAINT** \_ CORNER SAFETY GRAB BAR


Material	Steel, Polyamide
Colours	W2



Code	AxBxC [mm]	A1xB1 [mm]
G06JBS01	706x706x83	665x665
G06JBS02	806x806x83	765x765
G06JBS03	1001x1001x83	960x960

Grab Bar Fastener -Structurally Engineered Wall Anchor Y96SES56

Mounting set for perforated clay/lime bricks



#### PAINT CORNER SAFETY GRAB BAR WITH VERTICAL SUPPORT

Material	Steel, Polyamide
Colours	W2

Code		AxBxC [mm]	A1xB1xC1 [mm]	
G06JBR06	DX	706x706x1267	665x665x1184	
G06JBL06	SX	706x706x1267	665x665x1184	



Shower head chromed, 3 functions with button 0130

H51GHS35



Ergonomic shower head holder, adjustable using only one hand Y87J0S04



Shower head holder

Y87J0S02


Mounting set for perforated clay/lime bricks

Y90SES61

Shower hose



H51GHS36



#### PAINT \_ CORNER SAFETY GRAB BAR WITH VERTICAL SUPPORT AND HAND-SHOWER HOLDER

Material	Steel, Polyamide
Colours	W2

Code		AxBxC [mm]	A1xB1xC1 [mm]
G06JBR04	DX	751x751x1267	710x710x1184
G06JBL04	SX	751x751x1267	710x710x1184



Shower hose

H51GHS36



functions with button Ø130

H51GHS35

Shower head chromed, 3




Mounting set for perforated clay/lime bricks

Y90SES61



Ergonomic shower head holder, adjustable using only one hand Y87J0S04



#### PAINT L-SHAPE SAFETY GRAB BAR WITH HAND-SHOWER **HOLDER**

Material Steel, Polyamide W2 Colours

Code		AxBxC [mm]	A1xC1 [mm]
G06J0R01	DX	453x100x1267	370x1184
G06J0L01	SX	453x100x1267	370x1184

Shower hose



Shower head chromed, 3 functions with button Ø130

H51GHS35



Ergonomic shower head holder, adjustable using only one hand

Y87J0S04

Mounting set for perforated clay/lime bricks

Y90SES61







#### PAINT \_ VERTICAL SAFETY GRAB BAR WITH HAND-SHOWER **HOLDER**

Material Steel, Polyamide W2 Colours

Code	AxBxC [mm]	C1 [mm]
G06J0S01	83x100x1283	1200

Shower hose



H51GHS36



Shower head chromed, 3 functions with button Ø130

H51GHS35



Grab Bar Fastener -Structurally Engineered Wall Anchor

**Y96SES56** 



Mounting set for perforated clay/lime bricks

Y90SES61



Ergonomic shower head holder, adjustable using only one hand

Y87J0S04

### 41+



#### PAINT T-SHAPED SAFETY GRAB BAR, EQUIPPED WITH ADJUSTABLE HAND SHOWER HOLDER

Material	Steel, Polyamide
Colours	W2

Code	AxBxC [mm]	A1xC1 [mm]
G06JBS16	553x100x1267	470x1184

Shower head chromed, 3 functions with button 0130 H51GHS35



Ergonomic shower head holder, adjustable using only one hand Y87J0S04



Shower head holder

Y87J0S02

Y90SES61

Mounting set for perforated clay/lime bricks

Shower hose



H51GHS36

**리니+** 





Material	Steel, Polyamid
Colours	W2

Code	AxBxC [mm]	A1xC1 [mm]
G06JCS05	233x600x247	150x164
G06JCS07	233x800x247	150x164

Mounting set for perforated clay/lime bricks







#### **PAINT** \_ FOLDING SAFETY GRAB BAR


Material	Steel, Stainless steel, Polyamide
Colours	W2

Code	AxBxC [mm]	
G06JCS12	135x600x190	
G06JCS14	135x800x190	
G06JCS13	135x750x190	



Paper roll holder for installation on grab bar

F17AGN03



#### PAINT \_ FOLDING SAFETY GRAB BAR WITH REINFORCING JOINT

Material	Steel, Stainless steel, Polyamide
Colours	W2

Code	AxBxC [mm]	
G06JCS34	133x800x225	
G06JCS32	133x600x225	
G06JCS33	133x750x225	



Paper roll holder for installation on grab bar

F17AGN03



#### PAINT \_ FOLDING SAFETY GRAB BAR ON FLOOR MOUNTED PEDESTAL

Material	Steel, Polyamide
Colours	W2

Code	AxBxC [mm]
G06JCS52	135x692.5x842



Paper roll holder for installation on grab bar

F17AGN03

## TUBOCOI OR

TUBOCOLOR® grab bars without intermediate joints are made with galvanised tubular steel, with a non-slip, biocompatible, antibacterial, and self-extinguishing vinyl cover. They can be fastened to any type of wall by means of a glass reinforced polyamide flange, with 4 holes to insert the screws, and a flange cover with a diameter of 80 mm. Tubocolor® are delivered disassembled and ready to be assembled by the installer.



#### ANTIBACTERIAL PROTECTION

Grab bars of the "Tubocolor" line guarantee protection against bacteria and fungi, preventing their proliferation, thanks to the use of "Biocote" technology which creates a surface where microbes cannot proliferate; active 24 hours a day for the expected duration of the product.





#### FLANGE SYSTEM

The corner grab bars and Grab bars (or for corners) feature a flange "system" with a round shape - ø 80 mm - which uses a polyamide wall mounting flange - loaded with glass fibre - and a protective flange cover in polyamide-6, which conceals the screws.


#### PLATE SYSTEM

The folding Grab bars of the "tubocolor" line are offered with the "plate system" in two versions: a "compact" version and an "extended" version; they both feature an AISI304 stainless steel plate for wall mounting - which also acts as a joint for the grab bar body - equipped with a counter-plate to reduce the risk of damage to the wall, and a polyamide-6 plate cover.

The difference between the two concerns the surface area occupied on the wall, which is equal to 107 cm2 for the compact version and 262 cm2 for the extended version; the







#### TUBOCOLOR STRAIGHT SAFETY GRAB BAR

Material	Steel,	Polyam	nide, Vi	nyl						
Colours	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					
Code	AxBxC [	mm]		A1 [mm	1]					
G01.IAS01 vv	302~10	U^82		220						

Code	AxBxC [mm]	A1 [mm]	
G01JAS01xx	302x100x82	220	
G01JAS02xx	402x100x82	320	
G01JAS41xx	432x100x82	350	
G01JAS03xx	502x100x82	420	
G01JAS42xx	532x100x82	450	
G01JAS04xx	602x100x82	520	
G01JAS43xx	680x100x80	600	
G01JAS05xx	702x100x82	620	
G01JAS06xx	802x100x82	720	
G01JAS07xx	902x100x82	820	
G01JAS44xx	980x100x80	900	



Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 



Y90SES61

12 P4





Colours

## TUBOCOLOR \_ STRAIGHT SAFETY GRAB BAR, WITH TOWEL

**HOLDER** Material Steel, Polyamide, Vinyl D1 D2

		ICI IO	•••	i iii	10
Code		AxBxC [mm]		A1xC1[	mm]
G01JER01xx	DX	401x100x171		260x11	1
G01JEL01xx	SX	401x100x171		260x11	1
G01JER02xx	DX	601x100x171		460x11	1

D4




G01JEL02 xx SX 601x100x171

Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 

460x111





## TUBOCOLOR STRAIGHT SAFETY GRAB BAR WITH ONE 90°

Material	Steel, I	Polyam	ide, Vir	nyl						
Colours	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					


Code	AxBxC [mm]	A1 [mm]
G01JAS32xx	441x125x82	400
G01JAS33xx	541x125x82	500
G01JAS34xx	641x125x82	600



Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 









Material Steel, Polyamide, Vinyl Colours D1 D2 D4 G1 G2 11 12 P4 R7 Y1 R1 W1 Υ3

Code	AxBxC [mm]
G01JES10xx	242x135x105



Grab Bar Fastener -Structurally Engineered Wall Anchor **Y96SES56** 



Y90SES61





#### TUBOCOLOR \_ GRAB BAR FOR PROTECTION OF SIPHON AND TOILET SEAT-COVER


Material	Steel, Polyamide, Vinyl									
Colours	B1 B2	2 D1	D2	D4	G1	G2	I1	12	P4	
	R1 R	7 W1	Y1	Y3						
Code	AxBxC [mm]	A1 [mn	1]							
G01JAS15xx	402x250x8	320								



















12

P4


11













Shower hose

H51GHS36



Code

G01J0S06xx

Shower head chromed, 3 functions with button Ø130





R1 R7

AxBxC [mm]

761x761x1202

Ergonomic shower head holder, adjustable using only one hand Y87J0S04

Υ1 Υ3

A1xB1xC1 [mm]

720x720x1120



# **64**+



#### TUBOCOLOR U-SHAPE, SAFETY GRAB BAR


Material	Steel, Polyamide, Vinyl									
Colours	B1	B2	D1	D2	D4	G1	G2	11	12	P4
	R1	R7	W1	Y1	Y3					

Code	AxBxC [mm]	A1 [mm]	
G01JAS21 xx	252x120x246	170	





G1 G2 11 12








functions with button Ø130 H51GHS35



holder, adjustable using only one hand Y87J0S04



Y90SES61



#### TUBOCOLOR \_ STRAIGHT SAFETY GRAB BAR WITH VERTICAL SUPPORT AND HAND-SHOWER HOLDER

Material	Steel, Polyamide, Vinyl									
Colours	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					
Code	AxBxC [mm]			A1xC1[	mm]					
G01JBS16xx	1242x100x1202			1160x11	120					









Shower head chromed, 3 functions with button Ø130



Ergonomic shower head holder, adjustable using only one hand Y87J0S04






Mounting set for perforated clay/lime bricks


Y90SES61

Wall Anchor Y96SES56



Y90SES61






#### TUBOCOLOR \_ FIXED GRAB BAR

Material	Steel, Stainless steel, Polyamide, Vinyl									
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	


Code	AxBxC [mm]
G41JCS05 xx	113x600x234
G41JCS07xx	113x700x234



#### TUBOCOLOR \_ FIXED, LATERAL SAFETY GRAB BAR WITH REINFORCING JOINT

Material	Steel, I	Steel, Polyamide, Vinyl								
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G41JCS45xx	113x850x234



#### TUBOCOLOR \_ FOLDING SAFETY GRAB BAR

Material	Steel, S	Stainle	ss stee	I, Polya	mide, \	/inyl				
Colours	B1	D1	D2	D4	11	12	P4	R7	W1	Y3

Code	AxBxC [mm]
G01JCS12xx	135x600x191
G01JCS14xx	135x800x191

Paper roll holder for installation on grab bar F17AGN03






#### **TUBOCOLOR** \_ FOLDING SAFETY ARMREST

Marenial	Steel, S	Steel, Stainless steel, Polyamide, Polyethylene (PE)								
Arm	W1									
Bracket cover	B1	B2	C1	D1	D2	D4	G1	G2	I1	12
	P4	R1	R7	W1	Y1	Y3				
Code	AxBxC [	mm]								
G27JCS81XX	110x450	0x131								

The arm in only supplied in W1 white colour. The other colour options available are only for the bracket.





#### **TUBOCOLOR** \_ FOLDING SAFETY ARMREST


110x750x131

G27JCS83XX

Material	Steel,	Stainle	ss stee	l, Polya	ımide, l	Polyeth	ylene (	PE)		
Arm	W1									
Sracket cover	B1	B2	C1	D1	D2	D4	G1	G2	I1	12
	P4	R1	R7	W1	Y1	Y3				
Code	AxBxC	[mm]								
G27JCS82 X	X 110x60	0x131								

The arm in only supplied in W1 white colour. The other colour options available are only for the bracket.





#### TUBOCOLOR FOLDING SAFETY GRAB BAR WITH REINFORCING JOINT

Material	Steel,	Stainle	ss stee	l, Polya	mide, \	/inyl				
Colours	B1	D1	D2	D4	11	12	P4	R7	W1	Y3

Code	AxBxC [mm]
G01JCS09xx	135x600x191
G01JCS41xx	135x650x191
G01JCS42xx	135x750x191
G01JCS10xx	135x800x191





#### TUBOCOLOR \_ FOLDING GRAB BAR WITH FOLDING FLOOR-STANDING GRAB BAR

Material	Steel, S	Stainle	ss stee	I, Polya	mide, \	/inyl				
Colours	B1	D1	D2	D4	I1	12	P4	R7	W1	Y3

Code	AxBxC [mm]
G01JCS37xx	135x800x817






TUBOCOLOR _ FOLDING SAFETY GRAB BAR
-------------------------------------

Material	Steel,	Stainle	ss stee	l, Polyai	mide, \	Vinyl				
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	

Code	AxBxC [mm]	
G41JCS09xx	113x600x234	
G41JCS10xx	113x700x234	





#### TUBOCOLOR \_ FOLDING GRAB BAR WITH REINFORCEMENT

Material	Steel,	Stainles	ss stee	l, Polyar	mide, \	Vinyl				
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G41JCS47 xx	113x850x234









#### TUBOCOLOR \_ FOLDING AND ROTATING SAFETY GRAB BAR

Material	Steel, S	Stainle	ss stee	l, Polyai	mide,	Vinyl				
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G41JCS01xx	113x600x234
G41JCS03xx	113x700x234







#### TUBOCOLOR \_ FOLDING AND SWIVEL GRAB BAR WITH REINFORCEMENT JOINT

Material	Steel, S	Stainles	s stee	l, Polyai	mide, \	/inyl				
Colours	B1	D1	D2	D4	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G41JCS46xx	113x850x234






#### TUBOCOLOR \_ FOLDING GRAB BAR ON FLOOR MOUNTED **PEDESTAL**

Material	Steel, F	Polyam	nide, Vii	nyl						
Grab bar	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					
Column	W2									

Code	AxBxC [mm]	B1 [mm]
G01JCS52xx	135x692,5x842	600
G01JCS53xx	135x892,5x842	800



#### The floor mounted pedestal is only supplied in white colour



Column

#### BARIATRIC

Ponte Giulio has developed a line of grab bars and supports specific for bariatric use, in order to help users live the bathroom as independently as possible. The products are designed to withstand a load up to 450 Kg. They are manufactured in high-quality zin-plated steel and coated in vinyl, which is soft and warm-to-touch and offers built-in antimicrobial protection, making the bathroom an easy-accessible, safe and comfortable space is all its areas





#### ANTIBACTERIAL PROTECTION

Both the Grab bars and the grab bars of the "Tubocolor" line guarantee protection against bacteria and fungi, preventing their proliferation, thanks to the use of "Biocote" technology which creates a surface on which microbes cannot proliferate; active 24 hours a day for the expected duration of the product.



#### FLANGE SYSTEM


The corner grab bars and Grab bars (or for corners) feature a flange "system" with a round shape - ø 80 mm - which uses a polyamide wall mounting flange - loaded with glass fibre - and a protective flange cover in polyamide-6, which conceals the screws.

#### PLATE SYSTEM

The folding Grab bars of the "tubocolor" line are offered with the "plate system" in two versions: a "compact" version and an "extended" version; they both feature an AISI304 stainless steel plate for wall mounting - which also acts as a joint for the grab bar body - equipped with a counter-plate to reduce the risk of damage to the wall, and a polyamide-6 plate cover.

The difference between the two concerns the surface area occupied on the wall, which is equal to 107 cm<sup>2</sup> for the compact version and 262 cm<sup>2</sup> for the extended version; the






#### BARIATRIC SAFETY GRAB BAR WITH THIRD GRAB BAR **FLANGE**

Material	Steel, Stainless steel, Polyamide, Vinyl	
Colours	W1	

Code	AxBxC [mm]	A1 [mm]
G02JAS11	486,8x71x82,5	406,4
G02JAS12	539,7x71x82,5	457,2
G02JAS13	692.5x71x82.5	610





#### BARIATRIC SAFETY GRAB BAR WITH TWO EXTRA GRAB BAR **FLANGES**

Material	Steel, Stainless steel, Polyamide, Vinyl
Colours	W1

Code	AxBxC [mm]	A1 [mm]
G02JAS14	996,9x71x82,5	914,4

Mounting set for perforated clay/lime bricks







#### BARIATRIC VERTICAL SAFETY GRAB BAR WITH TWO EXTRA GRAB BAR FLANGES AND SHOWER HEAD HOLDER

Steel, Stainless steel, Polyamide, Vinyl W1 Colours

Code	AxBxC [mm]	C1[mm]
G02J0S02	82x76,7x1202.5	1120

Shower hose



Shower head chromed, 3 functions with button Ø130

H51GHS35




Ergonomic shower head holder, adjustable using only one hand

Y87J0S04



Y90SES61





#### **BARIATRIC** \_ SAFETY GRAB BAR FOR CORNER WITH EXTRA FLANGE

Material Steel, Stainless steel, Polyamide, Vinyl W1

Colours

Code	AxBxC [mm]	A1xB1 [mm]
G02JBS11	760x760x80	720x720









#### BARIATRIC \_ FOLDING GRAB BAR WITH FLOOR-STANDING SUPPORT AND POSITION LOCK.


Material	Steel, Stainless steel, Polyamide, Vinyl
Coloune	W1

Code	AxBxC [mm]	
G41JCS75	113x850x850	
G41JCS74	113x700x850	



### STAINLESS STEEL

The stainless steel grab bars are particularly suitable for use in public areas. Every detail is made exclusively of AISI304 stainless steel, in order to guarantee durability, reduced maintenance interventions and practical cleaning operations. The products are available in these finishes: Satin - N1, Matt black - DM, antimicrobial White - WA



#### SAFETY DISTANCE FROM THE WALL

"American with Disabilities Act" establishes that a Grab bar grab bar must be 38 millimetres away from the wall. This prevents the hand from slipping between the wall and the bar itself, avoiding potential fractures to the wrist in the event of a fall.





#### FLANGE SYSTEM

The grab bars feature a flange "system" with a round shape - ø 78 mm - based on an AISI304 stainless steel flange for wall mounting and an AISI304 stainless steel flange cover that protects the flange and hides the screws.

#### PLATE SYSTEM

The folding Grab bars are offered with a plate for wall mounting, which also acts as a joint for the grab bar body. The surface area occupied on the wall is equal to 178 cm2, allowing the Grab bar to rest on the plate itself.





Code	AxBxC [mm]	A1 [mm]
Finitura DM		
G56JAS01xx	384x70x79	305
G56JAS02xx	485x70x79	406
G56JAS03xx	536x70x79	457
G56JAS04xx	689x70x79	610
G56JAS05xx	841x70x79	762
G56JAS06xx	892x70x79	813
G56JAS07xx	993x70x79	914
Finitura N1		
G56JAS01xx	384x70x79	305
G56JAS02xx	485x70x79	406
G56JAS03xx	536x70x79	457
G56JAS04xx	689x70x79	610
G56JAS05xx	841x70x79	762
G56JAS06xx	892x70x79	813
G56JAS07xx	993x70x79	914
Finitura N2		
G56JAS01xx	384x70x79	305
G56JAS02xx	485x70x79	406
G56JAS03xx	536x70x79	457
G56JAS04xx	689x70x79	610
G56JAS05xx	841x70x79	762
G56JAS06xx	892x70x79	813
G56JAS07xx	993x70x79	914
Finitura WA		
G56JAS01xx	384x70x79	305
G56JAS02xx	485x70x79	406
G56JAS03xx	536x70x79	457
G56JAS04xx	689x70x79	610
G56JAS05xx	841x70x79	762
G56JAS06xx	892x70x79	813
G56JAS07xx	993x70x79	914

Storage container for installation on grab bars

F47ANS02



Grab Bar Fastener -Structurally Engineered Wall Anchor Y96SES56

Mounting set for perforated clay/lime bricks

Y90SES61

# Z ∴ ADA \\ \



#### SATIN STEEL \_ WALL-TO-WALL VERTICAL SAFETY GRAB BAR


Material	Stainle	ess stee	el		
Colours	DM	N1	N2	WA	

Code	AxBxC [mm]	C1 [mm]
Finitura DM		
G56JAS11xx	79x70x1399	1320
Finitura N1		
G56JAS11xx	79x70x1399	1320
Finitura N2		
G56JAS11xx	79x70x1399	1320
Finitura WA		
G56JAS11xx	79x70x1399	1320

Mounting set for perforated clay/lime bricks

Y90SES61






SATIN STEEL \_ FIXED, LATERAL SAFETY GRAB BAR

Material	Stainle	ess stee	el	
Colours	DM	N1	N2	WA



Code	AxBxC [mm]	A1xC1 [mm]
Finitura DM		
G56JCS05 xx	229x600x218	150x139
G56JCS07xx	229x800x218	150x139
Finitura N1		
G56JCS05 xx	229x600x218	150x139
G56JCS07xx	229x800x218	150x139
Finitura N2		
G56JCS05 xx	229x600x218	150x139
G56JCS07xx	229x800x218	150x139
Finitura WA		
G56JCS05 xx	229x600x218	150x139
G56JCS07xx	229x800x218	150x139



#### SATIN STEEL \_ L-SHAPE SAFETY GRAB BAR

Material	Stainless steel				
Colours	DM	N1	N2	WA	

Code		AxBxC [mm]	A1xC1 [mm]
Finitura DM			
G56JBR19xx	DX	485x70x892	406x813
G56JBL19xx	SX	485x70x892	406x813
Finitura N1			
G56JBR19xx	DX	485x70x892	406x813
G56JBL19xx	SX	485x70x892	406x813
Finitura N2			
G56JBR19xx	DX	485x70x892	406x813
G56JBL19xx	SX	485x70x892	406x813
Finitura WA			
G56JBR19xx	DX	485x70x892	406x813
G56JBL19xx	SX	485x70x892	406x813

Shower head chromed, 3 functions with button Ø130

H51GHS35

Ergonomic shower head holder, adjustable using only one hand

Y87J0S04C1

Shower head holder

Mounting set for perforated clay/lime bricks

Y90SES61

Storage container for installation on grab bars


Y87J0S02C1



H51GHS36

Shower hose

F47ANS02



### ${\bf SATIN\ STEEL}\ \_L\ SHAPE\ SAFETY\ GRAB\ BAR\ EQUIPPED\ WITH\ SHOWER\ HEAD\ HOLDER$

Material	Stainless steel				
Colours	DM	N1	N2	WA	

Code		AxBxC [mm]	A1xC1 [mm]
Finitura DM			
G56J0R01xx	DX	449x70x1263	370x1184
G56J0L01xx	SX	449x70x1263	370x1184
Finitura N1			
G56J0R01xx	DX	449x70x1263	370x1184
G56J0L01xx	SX	449x70x1263	370x1184
Finitura N2			
G56J0R01xx	DX	449x70x1263	370x1184
G56J0L01xx	SX	449x70x1263	370x1184
Finitura WA			
G56J0R01xx	DX	449x70x1263	370x1184
G56J0L01xx	SX	449x70x1263	370x1184

Shower hose



Shower head chromed, 3 functions with button Ø130

H51GHS35



Ergonomic shower head holder, adjustable using only one hand

Y87J0S04C1

Mounting set for perforated clay/lime bricks

Y90SES61



F47ANS02



#### SATIN STEEL \_ 110° ANGLE SAFETY GRAB BAR


Material	Stainless steel			
Colours	DM	N1	N2	WA

Code	AxBxC [mm]	A1xC1 [mm]
Finitura DM		
G56JAS15xx	488x70x365	409x286
Finitura N1		
G56JAS15xx	488x70x365	409x286
Finitura N2		
G56JAS15xx	488x70x365	409x286
Finitura WA		
G56JAS15xx	488x70x365	409x286

Grab Bar Fastener Structurally Engineered
Wall Anchor
Y96SES56








#### SATIN STEEL \_ 110° ANGLE SAFETY GRAB BAR WITH 3 FIXING POINTS

Material	Stainless steel
Colours	DM N1 N2 WA

Code	AxBxC [mm]	A1xC1 [mm]
Finitura DM		
G56JAS14 xx Finitura N1	704x70x329	625x250
G56JAS14 xx Finitura N2	704x70x329	625x250
G56JAS14 xx Finitura WA	704x70x329	625x250
G56JAS14xx	704x70x329	625x250

Mounting set for perforated clay/lime bricks





#### SATIN STEEL \_ WALL-TO-FLOOR SIDE SAFETY GRAB BAR

Material	Stainless steel
Colours	DM N1 N2 WA

Code	AxBxC [mm]	A1xB1xC1 [mm]
Finitura DM		
G56JCS38 xx	206x801x877	127x761.5x838
Finitura N1		
G56JCS38 xx	206x801x877	127x761.5x838
Finitura N2		
G56JCS38 xx	206x801x877	127x761.5x838
Finitura WA		
G56JCS38xx	206x801x877	127x761.5x838

Mounting set for perforated clay/lime bricks











Code	AxBxC [mm]	A1xB1 [mm]
Finitura DM		
G56JBS03xx	703x703x79	664x664
G56JBS04xx	703x1007x79	664x968
Finitura N1		
G56JBS03xx	703x703x79	664x664
G56JBS04xx	703x1007x79	664x968
Finitura N2		
G56JBS03xx	703x703x79	664x664
G56JBS04xx	703x1007x79	664x968
Finitura WA		
G56JBS03xx	703x703x79	664x664
G56JBS04xx	703x1007x79	664x968




Mounting set for perforated clay/lime bricks









SATIN STEEL SAFETY GRAB BAR FOR CORNER WITH UPRIGHT, EQUIPPED WITH SHOWER HEAD HOLDER

Material	Stainless steel			
Colours	DM	N1	N2	WA

Code		AxBxC [mm]	A1xB1xC1 [mm]
Finitura DM			
G56JBR04xx	DX	749x749x1263	710x710x1184
G56JBL04xx	SX	749x749x1263	710x710x1184
Finitura N1			
G56JBR04xx	DX	749x749x1263	710x710x1184
G56JBL04xx	SX	749x749x1263	710x710x1184
Finitura N2			
G56JBR04xx	DX	749x749x1263	710x710x1184
G56JBL04xx	SX	749x749x1263	710x710x1184
Finitura WA			
G56JBR04xx	DX	749x749x1263	710x710x1184
G56JBL04xx	SX	749x749x1263	710x710x1184

Shower hose



Shower head chromed, 3 functions with button Ø130






Ergonomic shower head holder, adjustable using only one hand Y87J0S04C1

Mounting set for perforated clay/lime bricks

Y90SES61



#### SATIN STEEL \_ SAFETY GRAB BAR FOR CORNER WITH UPRIGHT

Materiai	Stainle	ss ste	el		
Colours	DM	N1	N2	WA	

Code		AxBxC [mm]	A1xB1xC1 [mm]
Finitura DM			
G56JBR06xx	DX	704x704x1263	665x665x1184
G56JBL06xx	SX	704x704x1263	665x665x1184
Finitura N1			
G56JBR06xx	DX	704x704x1263	665x665x1184
G56JBL06xx	SX	704x704x1263	665x665x1184
Finitura N2			
G56JBR06xx	DX	704x704x1263	665x665x1184
G56JBL06xx	SX	704x704x1263	665x665x1184
Finitura WA			
G56JBR06xx	DX	704x704x1263	665x665x1184
G56JBL06xx	SX	704x704x1263	665x665x1184

Shower head chromed, 3 functions with button Ø130





Ergonomic shower head holder, adjustable using only one hand

Y87J0S04C1

Shower head holder

Y87J0S02C1

Mounting set for perforated clay/lime bricks


Y90SES61

Storage container for installation on grab bars F47ANS02



H51GHS36

Shower hose



#### SATIN STEEL \_ "T" SAFETY GRAB BAR EQUIPPED WITH SHOWER HEAD HOLDER

Material	Stainless steel			
Colours	DM	N1	N2	WA

Code	AxBxC [mm]	A1xC1 [mm]	
Finitura DM			
G56JBS16xx	549x70x1263	470x1184	
Finitura N1			
G56JBS16xx	549x70x1263	470x1184	
Finitura N2			
G56JBS16xx	549x70x1263	470x1184	
Finitura WA			
G56JBS16xx	549x70x1263	470x1184	

Shower hose




Shower head chromed, 3 functions with button Ø130 H51GHS35

Ergonomic shower head holder, adjustable using only one hand Y87J0S04C1

Mounting set for perforated clay/lime bricks

Y90SES61




#### SATIN STEEL \_ FOLDING GRAB BAR

Material	Stainless steel			
Colours	DM	N1	N2	WA

Code	AxBxC [mm]
Finitura DM	
G56JCS09xx	112x600x220
G56JCS10xx	112x800x220
G56JCS11xx	112x750x220
Finitura N1	
G56JCS09xx	112x600x220
G56JCS10xx	112x800x220
G56JCS11xx	112x750x220
Finitura N2	
G56JCS09xx	112x600x220
G56JCS10xx	112x800x220
G56JCS11xx	112x750x220
Finitura WA	
G56JCS09xx	112x600x220
G56JCS10xx	112x800x220
G56JCS11xx	112x750x220

Paper roll holder for installation on grab bar F17AGN03



#### **SATIN STEEL** \_ FOLDING GRAB BAR WITH REINFORCEMENT


Material	Stainless steel				
Colours	DM	N1	N2	WA	

Code	AxBxC [mm]
Finitura DM	
G56JCS12xx	112x600x220
G56JCS14xx	112x800x220
G56JCS18 xx	112x750x220
Finitura N1	
G56JCS12xx	112x600x220
G56JCS14xx	112x800x220
G56JCS18 xx	112x750x220
Finitura N2	
G56JCS12xx	112x600x220
G56JCS14xx	112x800x220
G56JCS18xx	112x750x220
Finitura WA	
G56JCS12xx	112x600x220
G56JCS14xx	112x800x220
G56JCS18 xx	112x750x220



Paper roll holder for installation on grab bar

F17AGN03




#### SATIN STEEL \_ FOLDING GRAB BAR WITH INTEGRATED ROLL HOLDER

Material	Stainle	ess ste	el	
Colours	DM	N1	N2	WA

Code	AxBxC [mm]	
Finitura DM		
G56JCS28xx	112x600x220	
G56JCS30xx	112x800x220	
G56JCS29xx	112x750x220	
Finitura N1		
G56JCS28xx	112x600x220	
G56JCS30xx	112x800x220	
G56JCS29xx	112x750x220	
Finitura N2		
G56JCS28xx	112x600x220	
G56JCS30xx	112x800x220	
G56JCS29xx	112x750x220	
Finitura WA		
G56JCS28xx	112x600x220	
G56JCS30xx	112x800x220	
G56JCS29xx	112x750x220	





#### SATIN STEEL \_ FOLDING GRAB BAR ON FLOOR MOUNTED PEDESTAL

Material	Stainless steel				
Colours	DM	N1	N2	WA	

Code	AxBxC [mm]	A1 [mm]
Finitura DM		
G56JCS16xx	135x693x842	565
Finitura N1		
G56JCS16xx	135x693x842	565
Finitura N2		
G56JCS16xx	135x693x842	565
Finitura WA		
G56JCS16xx	135x693x842	565

The floor mounted pedestal is only available in N1, satin finish







**SATIN STEEL** BACK REST

Material Stainless steel, Polyurethane (PU or PUR) Wall support N2 D1 Backrest

Code	AxBxC [mm]	A1 [mm]
Finitura DM;D1		
G56JDS28xx	700x156x225	628
Finitura N1;D1		
G56JDS28xx	700x156x225	628
Finitura N2;D1		
G56JDS28xx	700x156x225	628
Finitura WA;D1		
G56JDS28xx	700x156x225	628

## **Seats**

### Shower chairs, stools and benches

When we talk about "safety" for the bathroom, it is rare to consider that the most useful and essential element for this purpose is a seat.


Anyone, regardless of their age, sex or ability, can easily and safely perform daily actions, such as washing their face, having a shower or preparing for a bath, while seated.

Ponte Giulio offers a wide range of seats, stools and benches designed to meet the different needs of different contexts, near the washbasin, near the shower or near the bathtub, with the aim of making each environment safe and comfortable.



#### d **○ +** (€






#### MAXIMA REMOVABLE CHAIR WITH NYLON SLATTED SEAT AND BACKREST

Material Steel, Polyamide, Vinyl В1 D2 D4 W1 Colours 12 P4 Y3

Code	AxBxC [mm]
G40JDS17xx	334x520x455

#### q BIM 📮 🕂 ( €






#### MAXIMA \_ REMOVABLE CHAIR WITH FOLDING SLATTED SEAT

Material	Steel, I	Polyam	ide, Vin	yl						
Colours	B1	D2	D4	11	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G40JDS40xx	381x450x569

#### d 🗘 📭 🛨





#### MORPHOS \_ REMOVABLE CHAIR WITH SLATTED SEAT AND BACKREST, EQUIPPED WITH FOLDING ARMS

Material	Steel, Polyamide, Vinyl								
Colours	D2	D4	11	12	P4	R7	W1	Y3	

Code	AxBxC [mm]	
G03JDS16xx	598x553x400	
G03JDS33xx	645x553x400	

#### BIM 🔎 🖒





#### PAINT \_ FOLDING CHAIR WITH SEAT IN ABS, EQUIPPED WITH ADDITIONAL WALL SUPPORT

Material	ABS, Steel, Stainless steel, Polyamide
Colours	W2

Code	AxBxC [mm]	
G06JDS07	431x400x200	







#### STANDARD \_ STOOL

Material	Stainless steel, Engineering polymers
Seat	WE

.eqs	NΊ	N2
,		

Code	AxBxC [mm]
G12XIS02XX	410x368x434







Material	ABS, Steel, Stainless steel	
Colours	D4 W1	

Code	AxBxC [mm]
G24UHS01xx	400x418x80








#### TECNO \_ FOLDING SEAT, EQUIPPED WITH LEG FOR FLOOR SUPPORT

Material	ABS, Steel, Stainless steel
Seat	W1
Floor support	W2

Code	AxBxC [mm]	
G24UHS02	400x418x514	

q 👶 🕇 ( €






#### TUBOCOLOR \_ STOOL WITH SLATTED SEAT

Material	Steel,	Polyam	ide, Vir	nyl						
Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G01JDS30xx	385x334x430
G01JDS60xx	385x380x430

#### q 🚓 🛨 ( €






#### TUBOCOLOR \_ STOOL WITH SLATTED SEAT

Material	Steel, P	olyami	de, Viny	/l					
Colours	B1	D2	D4	11	12	P4	R7	W1	Y3

Code	AxBxC [mm]
G01JDS31xx	450x334x500
G01JDS56xx	450x380x500

#### d 🚓 🕇 (6





TUBOCOLOR	BENCH WITH SLATTED SEAT

Material	Steel, l	Polyam	ide, Vin	yl						
Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G01JDS61xx	630x380x500
Finitura B1, D2, D4, I1, I2	, P4, R7, W1
G01JDS41xx	630x334x500
Finitura Y3	
G01JDS41xx	630x334x500

#### c BIM ♣ + C€






#### TUBOCOLOR \_ STOOL WITH SLATTED SEAT, EQUIPPED WITH **HANDLES**

laterial	Steel, Polyamide, Vinyl									
olours	B1	D2	D4	11	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G01JDS44xx	590x435x640

#### q 👶 🕇 ( €






#### TUBOCOLOR \_ CHAIR WITH SLATTED SEAT AND BACKREST

Material	Steel,	Polyam	ide, Vir	ıyl						
Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	

Code	AxBxC [mm]
G01JDS39xx	334x460x800
G01JDS59xx	380x460x800

#### d 🔝 📮 + (6



#### TUBOCOLOR \_ FOLDING CHAIR, FOR BATHTUB, WITH SLATTED SEAT

Material	Steel, S	Stainle	ss steel	, Polya	mide,	Vinyl				
Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	



AxBxC [mm]
400x710x130,5
400x834x130,5
447 740 400 5
447x710x130,5
4.47, 00.4, 400 F
447x834x130,5

#### c 📫 🕇 (6




#### TUBOCOLOR \_ REMOVABLE CHAIR WITH SLATTED SEAT AND **BACKREST**

Mate	rial	Steel, P	olyami	ide, Vin	yl						
Colou	rs	B1	D2	D4	11	12	P4	R7	W1	Y3	
-											

Code	AxBxC [mm]	
G01JDS17xx	334x495x540	
G01JDS53xx	381x495x540	

#### d €3 (€



TUBOCOLO	or _ removable ch	HAIR WITH SEAT IN ABS
Material	ABS, Steel, Vinyl	
Coloupo	W1	

Code	AxBxC [mm]
G01JDS24	330x511x540


#### d (3)



#### TUBOCOLOR \_ REMOVABLE SEAT FOR BATHTUB

	Material	ABS, Steel, Vinyl
c	Colours	W1

Code	AxBxC [mm]	
G24JDS28	650x310x152	
G24JDS29	700x310x152	




#### TUBOCOLOR REMOVABLE SEAT FOR BATHTUB WITH SLATS AND ADJUSTABLE ARMS

Material ABS, Steel, Vinyl Colours В1 D2 D4 12 P4 R7 W1 11 Υ3

Code	AxBxC [mm]	
G01JDS29xx	800x334x162	
G01JDS55xx	800x381x162	








TUBOCOLOR _ REMOVABLE CHAIR WITH SLATTED SEAT										
Steel, I	Polyam	ide, Vir	ıyl							
B1	D2	D4	I1	12	P4	R7	W1	Y3		
	Steel,	Steel, Polyam	Steel, Polyamide, Vir	Steel, Polyamide, Vinyl						

Code	AxBxC [mm]
G01JDS50xx	334x494x540
G01JDS02xx	381x495x540

#### q 👶 📮 🕂 ( €






#### TUBOCOLOR \_ REMOVABLE CHAIR WITH SLATTED, FOLDING SEAT

Material	Steel, P	olyami	ide, Viny	/l					
Colours	B1	D2	D4	l1	12	P4	R7	W1	Y3

Code	AxBxC [mm]	
G01JDS11xx	334x530x615	
G01JDS51xx	381x530x615	
G01JDS12xx	455x530.5x615	







#### **URBAN PEOPLE** \_ FOLDING CHAIR WITH SLATTED SEAT

Material	Steel, S	Stainles	ss steel	, Polya	mide, \	/inyl				
Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	

Code	AxBxC [mm]	
G27JDS02xx	448x382x130,5	
G27JDS01xx	401x382x131	




Flange cover and junction set

Y87JIS47







#### **URBAN PEOPLE** \_ FOLDING CHAIR WITH SLATTED SEAT, EQUIPPED WITH ADDITIONAL WALL SUPPORT

۰	Material	Steel, S	tainles	s steel	Polya	mide, V	'inyl				
ĺ	Colours	B1	D2	D4	I1	12	P4	R7	W1	Y3	


Code	AxBxC [mm]	A1 [mm]
G27JDS07xx	401x382x234	291
G27JDS08xx	448x382x234	338

Flange cover and junction set

Y87JIS47

d 🙆 🗘 🕇 (6





#### **URBAN PEOPLE** \_ FOLDING CHAIR WITH SLATTED SEAT, EQUIPPED WITH ADDITIONAL WALL SUPPORT

Material	Steel, S	Stainle	ss steel,	Polya	mide, \	/inyl				
Colours	B1	D2	D4	l1	12	P4	R7	W1	Y3	

Code	AxBxC [mm]	A1 [mm]
G27JDS20xx	448x444x234	338

Flange cover and junction set



Y87JIS47



# Sanitaryware

The toilet and the washbasin represent the key elements of any bathroom. We could prefer a classic style, rather than a minimal one, have a console sink instead of a washbasin or choose to install a urinal instead of a toilet, but without these items the bathroom would not exist.

The bathroom fixtures offered by Ponte Giulio have special features such as floor-mounted toilets with a height of 500 millimetres, washbasins with elbow rests and with a suitable depth to leave room for the knees. All of this in classic and modern styles, to allow for them to be integrated in private or public bathrooms.





#### 130 \_ ERGONOMIC, CERAMIC WASHBASIN WITH ELBOW RESTS

Material Porcelain Colours WB











#### 130 \_ TOILET, FLOOR-STANDING, WITH INTEGRATED DRAIN CONNECTOR

Material	Porcelain
Colours	WB

Code	AxBxC [mm]	Drain
B40CBC06	375x550x500	Floor
B40CBC07	375x580x500	Wall

	Seat with seat cover		Seat with seat cover		Seat		WC fastening kit
5	B41DE027	0	B41DE025		B41DE028	111	Y96SES29
					Seat with seat cover		Seat with seat cover
				2	B41DE057	.2	B41DEC27





#### 130 \_ TOILET, WITH FRONT OPENING, WITH INTEGRATED DRAIN CONNECTOR

Material	Porcelain	
Colours	WB	

Code	AxBxC [mm]	Drain
B40CB006	375x545x500	Floor
B40CB007	375x580x500	Wall

Seat with seat cover

Seat with seat cover

Seat

WC fastening kit

B41DE027

B41DE025

B41DE028

Seat with seat cover

Y96SES29



B41DE057

BIM 🗘 ( E




#### 130 \_ TOILET, WITH FRONT OPENING, WALL-HUNG

Material	Porcelai
Colours	WB

Code	AxBxC [mm]
B40CA002	370x550x400



Seat with seat cover



B41DDS34

Wc self-supporting structure



Wc self-supporting structure

B41DDS28

Seat with seat cover

Mounting bracket

B41DDS01

Seat with front opening

Seat with seat cover

B41DE050



B41DE036

WC edge cover



B41DE026



B41DE021






#### 130 WALL-HUNG TOILET

Porcelain
WB

Code	AxBxC [mm]	
B40CAC05	370x750x405	








#### WALL-HUNG TOILET, WITH FRONT OPENING

Too _ WILL HONG TOILLI, WITH TROTT OF LITTING		
Material	Porcelain	
Colours	WB	

Code	AxBxC [mm]	
B40CA005	370x750x405	



# **₽** 67 €



#### 130T WALL HUNG TOILET WITH FRONT OPENING

Porcelain
WB

Code	AxBxC [mm]
B40CA006	370x750x405





Wc self-supporting



Wc self-supporting structure



B41DDS01

Seat with seat cover



WC edge cover



Seat with front opening



Seat with seat cover

B41DE050



B41DE036



B41DE021



B41DE026

€ C€





#### CASUAL \_ MONOBLOC TOILET WITH OPENING, WALL DRAIN

Material	Porcelai
Colours	WB

Code	AxBxC [mm]
B40CD055	380x755x925

Pneumatic button



Seat with seat cover



Seat with front opening



WC fastening kit

H52HGS13



B41DE004



Y96SES29

Float tap



H52HES01

Pneumatic flush



H52HLS07



## CASUAL \_ MONOBLOC TOILET WITH FRONT OPENING, FLOOR

Porcelain WB

Code	AxBxC [mm]
B40CD054	380x755x925





BIM 🗘 ( E



#### CASUAL+ \_ ERGONOMIC WASHBASIN WITH ELBOW REST

Material Porcelain WB Colours

Code	AxBxC [mm]
B40CMS07	640x555x177







#### CASUAL+ \_ TOILET WITH FRONT OPENING, INTEGRATED DRAIN CONNECTOR

Material	Porcelain
Colours	WB

Code	AxBxC [mm]	Drain
B40CB010	380x570x485	Floor
B40CB011	380x600x485	Wall



Front opening seat with seat cover

Seat with seat cover

WC fastening kit

B41DE030


Y96SES29





FORM \_ WASHBASIN TOP

Acrylic sto
W3



Bracket, enameled steel

1" 1/4 push-open sink drain

White solid surface cap

Overflow kit for washbasin





H52HAS24



H52HAM16



H51HAS06





#### FORM WASHBASIN TOP

Acrylic stone	
W3	

Code	AxBxC [mm]
B46TLM34	1000x600x180
B46TLM36	1400x600x180



B41DCS13





Material Acrylic stone W3 Colours

Code	AxBxC [mm]
B46TLM11	1000x550x180
B46TLM12	1200x550x180
B46TLM13	1400x550x180
B46TLM14	1600x550x180

1" 1/4 push-open sink drain Wash basin trap, "push Side panel, for gluing on Side panel, for gluing on open" H52HAS24 Y46TLR01 H52HAS13 Y46TLL01 Syphon Bracket, enameled steel Overflow kit for washbasin H51HAS07 B41DCS13 H51HAS06





#### FORM \_ WASHBASIN TOP IN ACRYLIC STONE, WITH DOUBLE OVAL SHAPED BASIN

Material Acrylic stone W3 Colours

Code	AxBxC [mm]	
B46TLM61	1500x550x120	







#### **SURFACES** \_ CONSOLES

Material Acrylic stone W3 Colours

Code	AxBxC [mm]	
B46CNM24	1500x500x120	
B46CNM25	1800x500x120	

1" 1/4 push-open sink drain White solid surface cap H52HAS24 H52HAM16







#### **SURFACES** \_ WASHBASIN TOP

4aterial	Acrylic stor
Colours	W3

Code	AxBxC [mm]	
B46TLM90	900x550x120	
B46TLM91	1000x550x120	
B46TLM92	1200x550x120	








#### **SURFACES** WASHBASIN TOP

	_	
Material	Acrylic stone	
Colours	W3	
		Material Acrylic stone

Code	AxBxC [mm]	
B46TLM58	1000x550x120	
B46TLM59	1100x550x120	
B46TLM60	1200x550x120	

Syphon	Upstand for wash basin top	Side panel, for gluing on	Side panel, for gluing on
H51HAS07	Y46TLM24	Y46TLL01	Y46TLR01
Bracket, enameled steel	Overflow kit for washbasin	1° 1/4 push-open sink drain	White solid surface cap
B41DCS13	9 H51HAS06	H52HAS24	H52HAM16





#### PRESS \_ WASHBASIN TOP

Material	Acrylic stone
Colours	W3

Code		AxBxC [mm]		
B46TLR91	DX	1000x550x120		
B46TLL91	SX	1000x550x120		
B46TLR92	DX	1200x550x120		
B46TLL92	SX	1200x550x120		

	Side panel, for gluing on		Upstand for wash basin top		Upstand for wash basin top		Upstand for wash basin top
	Y46TLR01		Y46TLM25		Y46TLM24		Y46TLM23
	White solid surface cap		Wash basin trap, "push		Overflow kit for washbasin		Side panel, for gluing on
T	H52HAM16	9	open" H52HAS13		H51HAS06		Y46TLL01
	Bracket, enameled steel		Syphon		1" 1/4 push-open sink drain		Trap, push-open closure
	B41DCS13		H51HAS07	49	H52HAS24	•	H52HAM17






### PRINT \_ WASHBASIN TOP

Material	Acrylic stone
Colours	W3

Code	AxBxC [mm]	
B46TLM83	800x600x180	
B46TLM84	1000x600x180	
B46TLM85	1200x600x180	
B46TLM86	1400x600x180	
B46TLM87	1600x600x180	

	Trap, push-open closure		White solid surface cap		1" 1/4 push-open sink drain		Wash basin trap, "push open"
**	H52HAM17	T	H52HAM16	4 5	H52HAS24	1	H52HAS13
			Bracket, enameled steel		Syphon		Overflow kit for washbasii
		1	B41DCS13		H51HAS07	0	H51HAS06





#### STANDARD \_ WASHBASIN TOP IN ACRYLIC STONE, WITH DOUBLE RECTANGULAR SHAPED BASIN

Material Acrylic stone Colours W3

Code	AxBxC [mm]
B46TLM48	1500x500x120









Material	Porcelain
Colours	WB

Code	AxBxC [mm]
B43CMS02	545x485x200





#### SALVASPAZIO SPACE-SAVING, FLOOR-MOUNTED MONOBLOC TOILET WITH FLUSHING CISTERN

Material Porcelain Colours WB

Code	AxBxC [mm]	
B43CDS51	375x660x855	

Floor drain fitting



H52HCS01



Flush battery

H52HES05

Wall drain connection



Pneumatic flush

H52HES01



H52HLS07

Float tap

H52HCS13



H52HCS03



Wall drain fitting



Seat with seat cover



B41DEC45

( €



**STANDARD** \_ CERAMIC WASHBASIN

Material Porcelain Colours WB




Code	AxBxC [mm]
B41C0S06	505x395x180

Mounting bolts



Y90SES42





#### **STANDARD** \_ CERAMIC WASHBASIN

Material	Porcelai
Colours	WB

Code	AxBxC [mm]
B41C0S05	420x270x170

Mounting bolts



Y90SES42





#### **STANDARD** \_ MEDICAL WASHBASIN

Material	Porcelain
Colours	WB

Code	AxBxC [mm]
B41C0S03	610x445x235

Shelves for channel wash basin







#### **STANDARD** \_ MEDICAL WASH TROUGH

Material	Porcelain
Colours	WB

Code	AxBxC [mm]
B41C0S01	890x445x205
B41C0S02	1190x450x205

Shelves for channel wash basin




#### Ĉ,




#### **STANDARD** \_ ABOVE-FLOOR SQUAT TOILET

Material	Porcelain	
Colours	WB	








**STANDARD** \_ BUILT-IN SQUAT TOILET

Material	Porcelai
Colours	WB







**STANDARD** \_ SLOP SINK

Material Porcelain Colours WB

Code	AxBxC [mm]	
B41C0C01	415x520x520	

Wall drain fitting





Floor drain fitting, 90°



Floor drain fitting



Wall drain connection




H52HCS13



H52HCS03







#### **STANDARD** \_ FOOT BATH

Material	Porcelair
Colours	WB

	Code	AxBxC [mm]
E	344CQS02	405x617x305

Siphon trap without hole cover H52HAS03





#### **STANDARD** RAISED SEAT WITH FRONT OPENING

Material ABS W1 Colours

Code	AxBxC [mm]
B41DE012	372x462x102

<u>۵</u>+



#### STANDARD \_ RAISED SEAT WITH FRONT OPENING AND SEAT COVER

Material ABS W1 Colours

Code AxBxC [mm] B41DE024 372x462x127

63



#### **STANDARD** \_ RAISED SEAT

Material	Polypropylene
Colours	W1

Code	AxBxC [mm]
B41DE032	455x398x150







#### **STANDARD** \_ RAISED SEAT WITH SEAT COVER

Material	Polypropylene	
Colours	W1	



Code	AxBxC [mm]
B41DE033	455x402x153






## **STANDARD** \_ FLUSHING CISTERN WITH BUTTON

	_
Material	ABS
Colours	W1

Code	AxBxC [mm]
H52HJS02	440x285x753

€ (€






#### **STANDARD** \_ FLUSHING CISTERN

Material	ABS
Colours	W1

Code	AxBxC [mm]	
H52HJS03	440x285x753	



#### STANDARD WALL-MOUNTED FLUSHING CISTERNWALL-MOUNTED FLUSHING CISTERN

Material Polypropylene

Code	AxBxC [mm]
H52HHS04	460x199,4x940

Flushing plate Connection pipe

H52HCS04

H52HGS25



### STANDARD \_ WALL-MOUNTED FLUSHING CISTERN WALL-MOUNTED FLUSHING CISTERN

Material ABS, Polypropylene

Code	AxBxC [mm]
H52HHS11	485x80x530


The article comes complete with a blind plate and a pneumatic flushmounted control for free-standing installation.



## **Shower**

Depending on the context in which it is installed, the shower must meet specific requirements; in a professional environment, such as in hotels, the aspects that need to be considered are practicality, maintenance costs and functionality. In the context of assistance and care, in places like nursing homes or hospitals, the shower area must have other characteristics. Here at Ponte Giulio we are aware of all of this, therefore we have selected shower curtain rods which allow for every possible configuration.






## POLISHED STEEL STRAIGHT SHOWER CURTAIN ROD,

Material	Stainless steel	
Colours	N2	

Code	AxBxC [mm]
G29JRS01	800x80x80
G29JRS02	900x80x80
G29JRS03	1000x80x80
G29JRS04	1100x80x80
G29JRS05	1200x80x80
G29JRS06	1300x80x80

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.



C91DFS01





#### POLISHED STEEL L SHAPED SHOWER CURTAIN ROD, **EQUIPPED WITH RINGS**

Material	Stainless steel
Colours	N2

Code	AxBxC [mm]	A1xB1 [mm]
G29JRS10	790x940x80	750x900
G29JRS11	840x840x80	800x800
G29JRS12	940x940x80	900x900
G29JRS13	1040x1040x80	1000x1000
G29JRS14	1240x1240x80	1200x1200
G29JRS15	1540x1540x80	1500x1500


Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

	Shower curtain in polyester, fire retardant and waterproof	ĵ	Vertical mount for curtain rail	î	Vertical mount for curtain rail	î	Vertical mount for curtain rail
	C53FFT02	ĵ	G29JTS12	J	G29JTS11	ļ	G29JTS10
L	Detachable joint		Connecting joint	ananihih	Shower curtain in polyester, fire retardant	000	Shower curtain in polyester, fire retardant
	Y88JNS17	THE .	Y88SDS68		and waterproof C53FFT04	100	and waterproof C53FFT03
						-	Ball joint
							C91DFS01



**₹**45



#### POLISHED STEEL U SHAPE SHOWER CURTAIN ROD, **EQUIPPED WITH RINGS**

Material	Stainless steel
Colours	N2

Code	AxBxC [mm]	A1 [mm]
G29JRS25	980x650x80	900
G29JRS20	880x800x80	800
G29JRS21	980x900x80	900
G29JRS22	1080x1000x80	1000
G29JRS23	1280x1200x80	1200
G29JRS24	1580x1300x80	1500

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

	Shower curtain in polyester, fire retardant and waterproof	Ĩ	Vertical mount for curtain rail	ĵ	Vertical mount for curtain rail	ĵ	Vertical mount for curtain rail	
	C53FFT02	J	G29JTS12	Ţ	G29JTS11	J	G29JTS10	
4	Detachable joint	· .	Ball joint		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof	-
9	Y88JNS17		C91DFS01		C53FFT04		C53FFT03	
							Connecting joint	
						900		

Y88SDS68






#### SATIN STEEL STRAIGHT SHOWER CURTAIN ROD Ø 32, **EQUIPPED WITH RINGS**

Material	Stainless steel	
Colours	N1	

Code	AxBxC [mm]
G55JRS01	800x78,7x78,7
G55JRS02	900x78,7x78,7
G55JRS03	1000x78,7x78,7
G55JRS04	1100x78,7x78,7
G55JRS05	1200x78,7x78,7
G55JRS06	1300x78,7x78,7

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.







## SATIN STEEL \_ L SHAPE SHOWER CURTAIN ROD Ø 32 MM., EQUIPPED WITH RINGS

Material	Stainless steel
Colours	N1

Code	AxBxC [mm]	A1xB1 [mm]
G55JRS10	789,4x939,4x78,7	750x900
G55JRS11	839,4x839,4x78,7	800x800
G55JRS12	939,4x939,4x78,7	900x900
G55JRS13	1039,4x1039,4x78,7	1000x1000
G55JRS14	1239,4x1239,4x78,7	1200x1200
G55JRS15	1539,4x1539,4x78,7	1500x1500


Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

	Shower curtain in polyester, fire retardant and waterproof C53FFT02	Ţ	Ceiling support fo shower curtain rod  G55JTS12	Ţ	Ceiling support fo shower curtain rod  G55JTS11	Ī	Ceiling support for shower curtain rod  G55JTS10
4	Detachable joint	1	Connecting joint		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof
	Y88JNS17	200	Y88SDS68		C53FFT04		C53FFTØ3  Ball joint
							•

C91DFS01





#### SATIN STEEL \_ U SHAPE SHOWER CURTAIN ROD Ø 32 MM., **EQUIPPED WITH RINGS**


Material	Stainless steel
Colours	N1

Code	AxBxC [mm]	B1 [mm]
G55JRS25	650x978,7x650	900
G55JRS20	800x878,7x79	800
G55JRS21	900x978,7x79	900
G55JRS22	1000x1078,7x79	1000
G55JRS23	1200x1278,7x79	1200
G55JRS24	1500x1578,7x1500	1500

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

Shower curtain in polyester, fire retardant and waterproof C53FFT02	Ţ	Ceiling support fo shower curtain rod  G55JTS12	Ţ	Ceiling support fo shower curtain rod  G55JTS11	1	Ceiling support for shower curtain rod  G55JTS10
Detachable joint Y88JNS17		Connecting joint Y88SDS68		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof C53FFT03
					C.	Ball joint



#### PRESTIGIO PLUS STRAIGHT SHOWER CURTAIN ROD Ø 26.9, **EQUIPPED WITH RINGS**


Material	Stainless steel
Colours	N2

Code	AxBxC [mm]
G18UJS01	900x33,7x33,7
G18UJS02	1000x33,7x33,7
G18UJS03	1100x33,7x33,7
G18UJS04	1200x33,7x33,7
G18UJS05	1300x33,7x33,7
G18UJS06	1400x33,7x33,7
G18UJS07	1500x33,7x33,7
G18UJS08	1600x33,7x33,7
G18UJS09	1700x33,7x33,7
G18UJS10	1800x33,7x33,7

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.


Curtain shower rod ceiling support G18UTS04	Curtain shower rod ceiling support G18UTSØ3	Curtain shower rod ceiling support G18UTSØ2	Curtain shower rod ceiling support G18UTSØ1
	Shower curtain in polyester, fire retardant and waterproof	Shower curtain in polyester, fire retardant and waterproof	Shower curtain in polyester, fire retardant and waterproof



Curtain shower rod ceiling support	Curtain shower rod ceili support	ng Curtair suppor	shower rod ceiling t	1	Curtain shower rod ceiling support
	G18UJS24	1564x1532x33,7	1500x1500		
	G18UJS23	1264x1232x33,7	1200x1200		
	G180JS22	1064x1032x33,7	1000x1000		

G18UTS04 G18UTS03 G18UTS02 G18UTS01 Shower curtain in Shower curtain in Shower curtain in polyester, fire retardant polyester, fire retardant polyester, fire retardant and waterproof and waterproof and waterproof C53FFT04 C53FFT02 C53FFT03









#### TUBOCOLOR L SHAPE SHOWER CURTAIN ROD Ø 32 MM., **EQUIPPED WITH RINGS**

laterial	Alumir	nium, P	olyami	de						
olours	B1	B2	D1	D2	D4	G1	G2	l1	12	P4
	R1	R7	W1	Y1	Y3					

Code	AxBxC [mm]	A1xB1 [mm]
G01JRS10xx	790x940x80	750x900
G01JRS11xx	840x840x80	800x800
G01JRS12xx	940x940x80	900x900
G01JRS13xx	1040x1040x80	1000x1000
G01JRS14xx	1240x1240x80	1200x1200
G01JRS15xx	1540x1540x80	1500x1500

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

1	Vertical mount for curtain rail	T	Vertical mount for curtain rail	1	Vertical mount for curtain rail	T	Vertical mount for curtain rail
	G01JTS13		G01JTS12		G01JTS11		G01JTS10
C.	Ball joint		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof
	C91DFS01		C53FFT04		C53FFT03		C53FFT02
					Connecting joint	4	Detachable joint
				111	Y88SDS68	Ť	Y88JNS17





#### TUBOCOLOR \_ U SHAPE SHOWER CURTAIN ROD Ø 32 MM., **EQUIPPED WITH RINGS**

Material	Alumir	nium, P	olyam	ide						
Colours	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					
Code	AxBxC [ı	nm]		A1 [mm	1]					
G01JRS20xx	880x80	08x0		800						

Code	AxBxC [mm]	A1 [mm]
G01JRS20xx	880x800x80	800
G01JRS21xx	980x900x80	900
G01JRS22xx	1080x1000x80	1000
G01JRS23xx	1280x1200x80	1200
G01JRS24xx	1580x1500x80	1500

Please note that the length of the curtain must be greater than that of the selected curtain rod.

The item requires a ceiling support, to be ordered separately from the optionals, available in different sizes according to need. Remember that the ceiling support, similarly to the curtain rod, can be cut to adapt to the dimensions during installation.

ī	Vertical mount for curtain rail	Т	Vertical mount for curtain rail	Т	Vertical mount for curtain rail	7	Vertical mount for curtain rail
	G01JTS13		G01JTS12		G01JTS11		G01JTS10
C.	Ball joint		Shower curtain in polyester, fire retardant and waterproof		Shower curtain in polyester, fire retardant and waterproof	177	Shower curtain in polyester, fire retardant and waterproof
	C91DFS01		C53FFT04		C53FFT03		C53FFT02
			-	6.5	Connecting joint	d	Detachable joint
				THE.	Y88SDS68		Y88JNS17

# **Mirrors and lighting**

Completing the bathroom with a mirror not only makes the room unique in style but also increases the level of comfort. Tested to withstand humid environments, our bathroom mirrors are practical and give light to the room, making it more spacious. Some have built-in lighting, others can be equipped with lighting fixtures, all use LED technology. This type of lighting, in addition to saving energy, offers a homogeneous light source.










#### INOX BATHROOM MIRROR WITH TILTED STAINLESS STEEL FRAME

Material	Stainless steel, Glass
Colours	N1

Code	AxBxC [mm]
F70ATS01	457x100x760
F70ATS02	457x100x910

c Cs





#### INOX \_ BATHROOM MIRROR WITH STAINLESS STEEL FRAM

Material	Stainle	ess stee	l, Glass
Colours	DM	N1	

Code	AxBxC [mm]
F70ATS03xx	460x19x760
F70ATS04xx	457x15x910

C<sub>3</sub>





#### INOX \_ BATHROOM MIRROR WITH STAINLESS STEEL FRAME, **EQUIPPED WITH SHELF**

Material	Stainless steel, Glass	
Colours	N1	

Code	AxBxC [mm]
F70ATS05	457x130x775
F70ATS06	457x130x925

c 📆





#### **INOX** \_ MIRROR IN STAINLESS STEEL WITH FRAME

Material	Stainless steel	
Colours	N2	

Code	AxBxC [mm]	
F70ATS14	285x7x440	








#### INOX \_ CABINET WITH FRONT PANEL EQUIPPED WITH MIRROR.

Material	Stainless steel, Glass
Colours	N1

Code	AxBxC [mm]
F70APS11	465x130x615








#### INOX \_ CABINET, BUILT-IN, WITH MIRROR DOOR IN STAINLESS STEEL

Material	Stainless steel, Glass
Colours	N1

Code	AxBxC [mm]
F70APS02	464x101x616







#### PAINT \_ TILTING BATHROOM MIRROR, IN SAFETY GLASS


Material	Steel, Glass
Colours	WA

Code	AxBxC [mm]
F41JPS25	552x100x600

Lamp with LED band - 6W, 500Lm, 4000°K







#### **STANDARD** BATHROOM MIRROR IN SAFETY GLASS

Material Glass

Code	AxBxC [mm]	
F41JPS35	445x5x595	
F41JPS36	695x5x745	



#### Wall mounting LED lamp -6W. 640Lm. 4000°K

## Mirror wall assembling kit

Mirror wall assembling kit







F17ATN01







#### STANDARD \_ TILTING BATHROOM MIRROR, IN SAFETY GLASS


Steel, Stainless steel, Glass N2 Colours

Code	AxBxC [mm]
F41JPS21	695x76x749
F41JPS20	445x73x595

Lamp with LED band - 6W, 500i.m. 4000°K Y91ASS08








#### STANDARD \_ TILTING BATHROOM MIRROR, IN SAFETY GLASS, WITH STEEL PROFILE AT THE TOP AND BOTTOM

Material Steel, Stainless steel, Glass W2 Colours D8 N2

Code	AxBxC [mm]
F41JPS27xx	445x73x595
F41JPS28xx	695x76x747

Lamp with LED band - 6W, 500Lm, 4000°K





#### **STANDARD** \_ TILTING BATHROOM MIRROR, IN SAFETY GLASS WITH LEVER

Material	Steel, Stainless steel, Glass
Colours	W2

Code	AxBxC [mm]	
F41JPS29	595x113x554	

Lamp with LED band - 6W, 500Lm, 4000°K Y91ASS08



## **Accessories**

Furnishings, containers

Each bathroom is integrated and customised with a few elements, sometimes essential, such as a mirror or a shelf; other times, more obvious, a towel holder or a clothes hook. Ponte Giulio offers items suitable for the most diverse contexts, from private to public, from hotels to hospitals, therefore with technical and aesthetic characteristics specific for particular uses, but in any case all of the products are designed to be suitable for a context that enhances safety, rationality and style.





#### INOX \_ LIQUID SOAP DISPENSER, 1.4 LITRES

Material	Stainless stee	
Colours	DM	N1

Code	AxBxC [mm]
F70ACS01xx	185x97,5x165







#### INOX \_ LIQUID SOAP DISPENSER, 1.2 LITRES

Material Stainless steel Colours DM N1

Code	AxBxC [mm]
F70ACS03xx	210x97,5x123







#### INOX \_ LIQUID SOAP DISPENSER, 1.2 LITRES

Material Stainless steel Colours DM N1

Code	AxBxC [mm]
F70ACS04xx	123x97,5x210







#### INOX \_ LIQUID SOAP DISPENSER, FOR INSTALLATION ON COUNTERTOP, 1 LITRE

Material Stainless steel, Engineering polymers N2 Colours

Code	AxBxC [mm]	
F70ACS02	86x119,6x301	



#### INOX \_ HAND TOWEL DISPENSER - 400 C-FOLD TOWELS

Material	Stainless steel	
Colours	DM N1	

Code	AxBxC [mm]
F70AAS05xx	280x105x370





#### INOX \_ HAND TOWEL DISPENSER - 200 C-FOLD TOWELS

Material	Stainless steel
Colours	N1

	1	
_		

Code	AxBxC [mm]
F70AAS06	280x105x200






#### INOX \_ HAND TOWEL DISPENSER - 600 C-FOLD TOWELS - FOR RECESSED WALL MOUNTING

Material	Stainless ste
Colours	N1

Code	AxBxC [mm]
F70AAS08	362x108x711

Ĉ,





#### INOX \_ HAND TOWEL DISPENSER - 350 C-FOLD TOWELS - WITH INCORPORATED WASTE BIN, FOR RECESSED WALL MOUNTING

Stainless stee
N1

Code	AxBxC [mm]
F70AAS10	362x108x711







## INOX \_ HAND TOWEL ROLL DISPENSER IN STAINLESS STEEL

Material	Stainless steel
Colours	N1

Code	AxBxC [mm]
F70AAS13	438x241x508

6.3





## INOX \_ PAPER TOWEL ROLL HOLDER CONTAINER FOR DIAMETERS UP TO 250 MM.

Material	Stainle	ss steel
Colours	DM	N1

Code	AxBxC [mm]
F70AES03xx	270x114x270

C<sub>3</sub>



## INOX \_ PAPER TOWEL HOLDER CONTAINER WITH DOUBLE HOUSING

Material	Stainless steel	
Colours	N1	

Code	AxBxC [mm]
F70AES04	512x149x290

Ĉ,





4aterial	Stainless steel
Colours	N1

Code	AxBxC [mm]
F70ANS01	610x200x96





## INOX \_ FOLDING SHELF WITH SPRING COUNTERWEIGHT








Code	AxBxC [mm]
F70ANS03	147x369x54





## INOX \_ PAPER TOWEL HOLDER CONTAINER WITH RESERVE.

Material	Stainless steel	
Colours	N1	

Code	AxBxC [mm]
F70AES01	153x170x335

63



## INOX \_ SHELF WITH DOUBLE ROLL HOLDER

Material	Stainless steel
Colours	N1



Gone	AXBXC [IIIII]
EZANECAS	460,427,406





## INOX \_ WALL-HUNG RECTANGULAR WASTE BIN

Material	Stainless steel	
Colours	N1	

Code	AxBxC [mm]	
F70AFS01	356x150x457	
F70AFS02	390x205x580	








## INOX \_ WALL-HUNG RECTANGULAR WASTE BIN

Material	Stainless steel
Colours	N1

Code	AxBxC [mm]
F70AFS04	275x120x229







## INOX \_ WALL-HUNG RECTANGULAR WASTE BIN

Material	Stainless steel
Colours	N1

Code	AxBxC [mm]
F70AFS06	200x102x246





## NYLON \_ SINGLE CLOTHES HOOK

Material	Polyan	nide								
Colours	B1	B2	D1	D2	D4	G1	G2	11	12	P4
	R1	R7	W1	Y1	Y3					

Code	AxBxC [mm]
17AKN03xx	69x46x40










Material	Polyan									
Colours	B1	B2	D1	D2	D4	G1	G2	I1	12	P4
	R1	R7	W1	Y1	Y3					


Code	AxBxC [mm]	
F17AKN04xx	69x43x40	



























## NYLON \_ GLASS HOLDER AND GLASS

AxBxC [mm]

103x115x86

Material	Polyamide											
Colours	B1	B2	D1	D2	D4	G1	G2	11	12	P4		
	R1	R7	W1	Y1	Y3							

Code F17ALN01xx



63



# STANDARD \_ SIGN, "MEN'S BATHROOM"

Material Aluminium W1 Colours

Code AxBxC [mm] N41KSS01 130x3x130

4



## STANDARD \_ SIGN, "WOMEN'S BATHROOM"

Material Aluminium W1 Colours

AxBxC [mm] Code N41KSS02 130x3x130





## STANDARD \_ SIGN, "WOMEN'S - MEN'S BATHROOM"

Material Aluminiu	Aluminium	
Colours W1		

Code AxBxC [mm] N41KSS05 130x3x130









## STANDARD \_ SIGN, "BATHROOM WITH BABY CHANGING TABLE"

Material	Aluminium
Colours	W1

Code	AxBxC [mm]	
N41KSS04	130x3x130	







## **STANDARD** \_ SIGN, "DISABLED ACCESSIBLE BATHROOM"

Material	Aluminiur	
Colours	W1	









## **STANDARD** \_ WALL-MOUNTED FOLDING CHANGE TABLE

Material	Polypropylene	
Colours	D2	

Code	AxBxC [mm]	
F70APS01	914x520x531	

# **Taps and Fittings**

Functionality, reliability, hygiene and cost-efficiency are the most important characteristics of the collection of taps and fittings offered by Ponte Giulio.





## **ERGONOMICA** SINGLE-CONTROL MIXER FOR WASHBASIN WITH LONG LEVER

Material Brass, Polyethylene (PE) Colours C1

Code	AxBxC [mm]
H50GBS14	50x156x218

1" 1/4 push-open sink drain









## **ERGONOMICA** \_ SINGLE-CONTROL MIXER FOR WASHBASIN WITH SWIVEL SPOUT AND LONG LEVER

Material Brass C1 Colours

Code	AxBxC [mm]	
H50GBS27	50x159x280	

1" 1/4 push-open sink drain



H52HAS24





## STANDARD \_ BIDET SHOWER - WC JET - EXTERNAL INSTALLATION

Material	Brass
Colours	C1

Code	AxBxC [mm]	
H51GHS32	64x123x162	

**LIFE CARING** DESIGN

Safety solutions in private bathrooms



The private bathroom, an intimate space dedicated to personal care, is in continuous evolution just like every other area of the home; over the last five years, increasing attention has been afforded to the potential or real needs of a variety of users - children, the elderly, families, couples, or "singles" – each with very different characteristics. In this perspective, even each person's different abilities are aspects that need to be "expanded" on as an opportunity to use the space in an inclusive way. In this sense, the bathroom "space" needs to be usable, welcoming, comfortable, safe, and accessible to all, and at the same time, like the rest of the home, acquire a "smart" connotation for its active and integrated management, allowing a dialogue between digital tools now available to all thanks to the IoT.

It is based on these considerations that the "Life Caring Design" concept was born, through which Ponte Giulio aims to offer solutions for every bathroom context, and for every space, whether public or private.

Products made with the care and attention of those who have forever specialised in bathroom safety and comfort.



# **Aids**

Grab bars

Ponte Giulio means "safety" for bathrooms; this concept finds its most immediate expression in grab bars, in folding arms, in any "aid" that assists those who, for different reasons, find it difficult to use the bathroom in daily life due to limited balance or movements.

# SOLO

In stylistic terms, SOLO aids are minimalist and represent the ideal complement for the shower sets and columns in the same series, presented in this document in the "Shower" section. It consists in a limited selection of horizontal and vertical grab bars, and also includes a footrest, designed mainly for showering. Made entirely of AISI 304 stainless steel, they are guaranteed to last over time and can withstand loads of more than 150 kilograms.





#### FLANGE SYSTEM

The grab bars, both in the vertical and in the horizontal version, feature a flange system that uses an AISI 304 stainless steel flange ø 58 mm. equipped with an ABS counter-flange and a stainless steel flange cover ø 64 mm.






## **SOLO** \_ HORIZONTAL SAFETY GRAB BAR

Material	ABS, Stainless steel
Colours	N1 N2

Code	AxBxC [mm]	A1 [mm]
G18UQS03xx	471x70x64,4	406,4
G18UQS04xx	572,4x70x64,4	507,4





## SOLO \_ HORIZONTAL SAFETY GRAB BAR WITH SHOWER HEAD ATTACHMENT

Material	ABS, Stainless steel				
Colours	N1 N2				

Code		AxBxC [mm]	A1 [mm]
G18UQL05xx	SX	687x70x64,4	609,6
G18UQR05xx	DX	687x70x64,4	609,6











F47ANS02

Water outlet




H51GIS02



c

d



## SOLO \_ VERTICAL SAFETY GRAB BAR WITH SLIDING SUPPORT FOR SHOWER HEAD

Material ABS, Stainless steel N1 N2 Colours

Code	AxBxC [mm]	C1 [mm]
G18UQS08xx	64,4x70x877,2	812,8









Ø130 mm., 3 ways hand shower H51GHS52



Water outlet



H51GIS02





Material	ABS, Stainless steel
Colours	N1 N2









# PRESTIGIO+


Prestigio+, coordinated in the "HUG" collection, is a line of aids developed mainly to respond to the need for adaptability, scalability, and personalisation; the choice of a simple "cylinder" as opposed to the classic flange system for wall mounting, as well as the trunk shaped end, determine the pared-back and minimalist style of this line. "Prestigio+" aids are elegant, compact and sturdy, they meet the most stringent standards and are made using quality raw materials. Available in the following versions: single straight, corner, for corner, with or without vertical upright. The body of these aids in AISI304 stainless steel guarantees a safe support for anyone using them; they are available with a polished finish or epoxy powder treatment. "Prestigio+" aids are mainly designed for use in bathrooms used by lots of people, such as in hotels, but their simplicity and elegance also make them suitable for private environments.





FLANGE SYSTEM

The straight, corner grab bars and grab bars for corners feature a cylinder "system" - ø 31 mm - for wall mounting; in this way fixing is guaranteed with a single screw, with limited "damage" to the wall.





## PRESTIGIO PLUS \_ STRAIGHT, FLANGELESS SAFETY GRAB BAR

Material	ABS, Stainless steel, Aluminium									
Bar's body	D8	DM	E4	E5	E6	G9	N1	N2	P5	R2
	WE									
Other parts	C1									

Code	AxBxC [mm]	A1 [mm]
Finitura D8, DM, G9,	N1, N2, P5, R2, WE	
G18UAS32xx	386x82x32	280
G18UAS33xx	486x82x32	380
G18UAS34xx	586x82x32	480
G18UAS35 xx	686x82x32	580
G18UAS37xx	906x82x32	800
G18UAS38 xx	1006x82x32	900
G18UAS39xx	1306x82x32	1200
Finitura E4, E5, E6		
G18UAS32xx	386x82x32	280
G18UAS33 xx	486x82x32	380
G18UAS34xx	586x82x32	480
G18UAS35 xx	686x82x32	580
G18UAS37 xx	906x82x32	800
G18UAS38 xx	1006x82x32	900
G18UAS39xx	1306x82x32	1200








## PRESTIGIO PLUS \_ L SHAPED SAFETY GRAB BAR

Material	ABS, Stainless steel, Aluminium								
Bar's body	D8	DM	G9	N1	N2	P5	R2	WE	
Other parts	C1								

Code		AxBxC [mm]	A1xC1 [mm]
G18UBL34xx	SX	406x82x403	300x334
G18UBR34xx	DX	406x82x403	300x334



## PRESTIGIO PLUS \_ L SHAPE SAFETY GRAB BAR

Material	ABS, Stainless steel, Aluminium								
Bar's body	D8	DM	G9	N1	N2	P5	R2	WE	
Other parts	C1								


Code		AxBxC [mm]	A1xC1 [mm]
G18UBL35 xx	SX	406x82x603	300x534
G18UBR35 xx	XC	406x82x603	300x534





## PRESTIGIO PLUS \_ L SHAPE SAFETY GRAB BAR


Materiai	ABS, Stainless steel, Aluminium					
Bar's body	D8 DM G9 N1 N2 P5 R2 WE					
Other parts	C1					

Code		AxBxC [mm]	A1xC1 [mm]
G18UBL36xx	SX	506x82x703	400x634
G18UBR36xx	DX	506x82x703	400x634











# HUG

The "HUG" folding and removable support is characterised by an essential shape, making it suitable for insertion in any bathroom, whether elegant or functional. It is practical, due to the fact that it can be removed, to offer a context free of aids and therefore suitable both for places where assistance is required and for hotels. This product is the first item of its kind offered by Ponte Giulio as a "design-for-all" for the toilet area.

The body of the support is made of aluminium and it is available with three finishes with epoxy-polyester power and with a polished chrome treatment. The item can be equipped with an arm support, made of polyurethane, and a toilet roll holder, made of stainless steel.





#### PLATE SYSTEM

For this item, there is a "bracket"-made of aluminum-that serves as an actual wall anchor on which a plate is inserted that integrates the base and fulcrum joint to allow the arm to be folded.

This system allows for the grab bar to be removed, leaving just the bracket attached to the wall. Once the grab bar has been removed, the bracket can be concealed by covering it with a plastic casing, available in four finishes, the same as the grab bar.





## **HUG** \_ FOLDING AND REMOVABLE ARM

Material	ABS, A	lumini	um						
Arm finish (xx)	C1	DD	DM	E4	E5	E6	РВ	WE	
Flange cover finish (XX)	C1	D4	DD	DM	E4	E5	E6	РВ	WE

Code	AxBxC [mm]					
Finitura C1;C1, C1;D4, C1;PB, C1;WE, DD;C1, DM;DM, PB;C1, WE;C1						
G18JCS07 xx XX	100x600x120					
G18JCS08 xx XX	100x700x120					
G18JCS09 xx XX	100x850x120					
Finitura DD;D4, DD;PB, DI	D;WE, PB;D4, PB;PB, PB;WE, WE;D4, WE;PB, WE;WE					
G18JCS07 xx XX	100x600x120					
G18JCS08 xx XX	100x700x120					
G18JCS09 xx XX	100x850x120					

## For the price of E4, E5 and E6 finishes, please contact us

Fixing plate cover Fixing plate cover Roll holder for installation Arm rest pad on arm rest F18JMS01 F18JIS01C1 F18JIS01 F18AGS01







# **FAMIIY**


The "Family" line has been designed with the desire to make a simple grab bar "multi-use". Four basic straight bars, which can be used as simple towel holders, can turn into furnishing accessories, integrating shelves, hooks or other functional elements. The body made with a square-section profile in stainless steel - AISI304, equipped with a simple cylinder for wall mounting, gives these items a touch of sophistication in their simplicity, for use predominantly in and domestic and hospitality.





#### FLANGE SYSTEM

The grab bars features a cylinder "system" for wall mounting; in this way, fixing is guaranteed with a single screw, with limited "damage" to the wall. Most of all, this allows for a refined and extremely "minimal" aesthetic result, while maintaining an important load-bearing capacity.



## **FAMILY** \_ STRAIGHT SAFETY GRAB BAR

Material	ABS, Stainless steel, Aluminium
Bar's body	N2
cap and cylinder	C1

Code	AxBxC [mm]	A1 [mm]	
G18JAS04	598x65x30	512	
G18JAS01	298x65x30	212	

G18JAS02 398x65x30 312 G18JAS07 898x65x30 812










Toilet roll holder









## FAMILY \_ VERTICAL SAFETY GRAB BAR


Material	ABS, Stainless steel, Aluminium					
Bar's body	N2					
cap and cylinder	C1					

Code	AxBxC [mm]	A1 [mm]
G18JAS07	898x65x30	812

# **OMNIA**

Original and elegant in its distinguishing flat oval shape, the OMNIA safety bars stand out for their particularly ergonomic grip and modularity. In fact, they can be enriched with numerous accessories and tools, to make them much more than just safety aids. The bars become the centrepiece of a furnishing system that can be completely customized to many tastes and needs, thanks to wide and narrow shelves, toilet-roll holders, hooks, towel holders and even an hanger. The accessories above the bar, such as the container and the shelf, can be placed along it where they are most needed. All others can be easily fitted under the side end of the bar, either left or right, and can also be purchased later.





#### FLANGE SYSTEM


The straight grab bars feature a parallelepiped aluminum block "system" for wall mounting; in this way, fixing is guaranteed with a single screw, with limited "damage" to the wall.



For this item, there is a "bracket"-made of aluminum-that serves as an actual wall anchor on which a plate is inserted that integrates the base and fulcrum joint to allow the arm to be folded.

This system allows for the grab bar to be removed, leaving just the bracket attached to the wall. Once the grab bar has been removed, the bracket can be concealed by covering it with a plastic casing, available in four finishes, the same as the grab bar.








## OMNIA \_ STRAIGHT SAFETY GRAB BAR - LENGTHS FROM 570 TO 1140 MM.

Material ABS, Stainless steel Colours DD N2 WE

Code	AxBxC [mm]	A1 [mm]
Finitura N2		
G19UAS03xx	528,6x63x40	457,2
G19UAS04xx	681x63x40	609,6
G19UAS05xx	833,4x63x40	762
G19UAS06xx	884,2x63x40	812,8
G19UAS07xx	884,2x63x40	985,8
G19UAS08xx	1138,2x63x40	1066,8
Finitura DD, WE		
G19UAS03xx	528,6x63x40	457,2
G19UAS04xx	681x63x40	609,6
G19UAS05xx	833,4x63x40	762
G19UAS06xx	884,2x63x40	812,8
G19UAS07xx	884,2x63x40	985,8
G19UAS08xx	1138,2x63x40	1066,8

J	Shelf to fit on bar		Toilet roll holder to fit on bar	L-shaped towel holder to fit on bar		Hook to fit on bar
	F19ANS02	J	F19AGS01	F19AMS01	J	F19AKS03
	Help button to be bar on handle		Container	 Shelf to rest on bar	1	Hanger to fit on bar
7	M73NGE02	10	F19A0S01	F19ANS03	-	F19AKS02



F19JIS01

Y88JKS99

# **Seats**

Shower chairs, stools and benches

When we talk about "safety" for the bathroom, it is rare to consider that the most useful and essential element for this purpose is a seat.

Anyone, regardless of their age, sex or ability, can easily and safely perform daily actions, such as washing their face, having a shower or preparing for a bath, while seated.

Ponte Giulio offers a wide range of seats, stools and benches designed to meet the different needs of different contexts, near the washbasin, near the shower or near the bathtub, with the aim of making each environment safe and comfortable.







#### BELLA FOLDING SHOWER SEAT WITH BACKREST AND SEAT IN WOODEN SLATS

Material	Stainless steel, Okumè	
Structure	N1	
Seat	L7	

Code	AxBxC [mm]
G56UHS13	520x419x406

## BIM 🖒 CE 🌚





#### HUG CHAIR WITH BACKREST FITTED WITH ARMRESTS

Material	Stainle	ss stee	el, Poly	urethar	ie (PU i	or PUR	1)
Seat (xx)	DD	PB	WE				
Structure (XX)	DM	G9	N1	N2	P5	R2	WE

Code	AxBxC [mm]				
Cinituma DD-M1	กท-พว	DR·N1	DD-N12	WE-N	

Finitura DD;N1, DD;N2, PB;N1, PB;N2, WE;N1, WE;N2

536x527x750

Finitura DD;DM, DD;G9, DD;P5, DD;R2, DD;WE, PB;DM, PB;G9, PB;P5, PB;R2, PB;WE, WE;DM, WE;G9, WE;P5, WE;R2, WE;WE

G12JDS04xxXX 536x527x750

# BIM 🖒 CE 🌚





#### HUG STOOL

G12JDS04xxXX

1100 _ 0100L								
Material	Stainle	ess stee	el, Poly	urethar	ne (PU	or PUR	)	
Seat (xx)	DD	PB	WE					
Structure (XX)	DM	G9	N1	N2	P5	R2	WE	

Code	AxBxC [mm]
Finitura DD;N1, DD;N2, I	PB;N1, PB;N2, WE;N1, WE;N2
G12JDS02 xx XX	410x370x445
Finitura DD;DM, DD;G9, WE;P5, WE;R2, WE;WE	DD;P5, DD;R2, DD;WE, PB;DM, PB;G9, PB;P5, PB;R2, PB;WE, WE;DM, WE;G9,
G12JDS02xxXX	410x370x445





#### **HUG** \_ FOLDING SHOWER SEAT

Material	Stainless steel, Aluminium, Polyurethane (PU or PUR)
Seat	DD DM PB WE
Plate	N1



Code	AxBxC [mm]
G12JDS05xx	420x460x100







#### **HUG** \_ FOLDING AND REMOVABLE SHOWER SEAT

Material	Stainless steel, Aluminium, Polyurethane (PU or PUR)	
Seat	DD DM PB WE	
Hinge plate	N1	



G12JDS08xx 420x470x100





Code





F18JIS02 G12JDS07

AxBxC [mm]












Material	ABS, Sta	inless ste	el, Aluminiun	า	
Seat	BB	BF DE	) WE		
Legs structure	C2				

Code	AxBxC [mm]
G19UIS01xx	380x326x450

eč.







#### OMNIA \_ FOLDING AND REMOVABLE SHOWER SEAT Material ABS, Aluminium Seat ВВ BF DD WE Fixing flange N1

Code	AxBxC [mm]
G19UHS03xx	380x395x90

Anchor plate cover



F19JIS02









#### **URBAN PEOPLE** \_ SHOWER STOOL

egs	N1
-	

Code	AxBxC [mm]	
Finitura D4		
G27JDS30xx	416x390x500	
Finitura D2, I1, W1		
G27JDS30xx	416x390x500	







`	Material	ABS, Stainless steel				
	Colours	D2	D4	I1	W1	

1	0	
1		1

Code	AxBxC [mm]
G27JDS43xx	415x425x105


Bracket cover/hole plug kit, chrome finish



S87SBD02

# q 👶 🙋 ( €





#### FAMILY \_ FOLDING SEAT WITH LEGS FOR FLOOR SUPPORT

Code	AxBxC [mm]
G27JDS44xx	415x425x488

Bracket cover/hole plug kit, chrome finish



S87SBD02





# Sanitaryware


Toilets, bidets, washbasins and sanitary modules

The toilet, the bidet and the washbasin represent the key elements of any bathroom. We could prefer a classic style, rather than a minimal one, have a console sink instead of a washbasin or choose to install a urinal instead of a toilet, but without these items the bathroom would not exist.


The bathroom fixtures offered by Ponte Giulio have special features such as floor-mounted toilets and bidets with a height of 500 millimetres, washbasins with elbow rests and with a suitable depth to leave room for the knees. All of this in classic and modern styles, to allow for them to be integrated in private or public bathrooms.







F47AIS02



H52HAS22

Drawers for under-top

basin installation

F47AIS02



H52HAS24

Under-top fastening

bracket left side

B41DCL34


H52HAM16


Single drawer for under-


top basin installation

F47AIS01

B41DCR34







d





#### OMNIA \_ WALL-HUNG BIDET

Material	Porcelain					
Colours	01	03	08	11	13	23

Code	AxBxC [mm]	
Finitura 01		
OMN2201 xx	380x550x330	
Finitura 03, 08, 11, 1	3, 23	
OMN2201 xx	380x550x330	






#### **OMNIA** \_ FLOOR-STANDING BIDET

Material Colours

Code	AxBxC [mm]	
Finitura 01		
OMN2301 xx	370x600x450	
Finitura 03, 08, 11, 13	3, 23	
OMN2301 xx	370x600x450	





#### OMNIA \_ SANITARY MODULE FOR BIDET

Material	Steel, Stainless steel, Acrylic stone	
Front panel	DA W3	
Sides	N1	_


Code	AxBxC [mm]	
Finitura DA;N1		
R39PBM09xx	500x183x1200	
Finitura W3;N1		
R39PBM09xx	500x183x1200	

Mounting bracket



B41DDS11





## **OMNIA** \_ SANITARY MODULE FOR TOILET

Material	Steel, Stainless steel, Acrylic stone
Front panel	DA W3
Sides	N1

Code	AxBxC [mm]	
Finitura DA;N1		
R39PBM08xx	500x150x1206	
Finitura W3;N1		
R39PBM08xx	500x150x1206	

Mounting bracket



B41DDS11





#### ROSSARI 2 \_ FLOOR-MOUNTED, RIMLESS TOILET

Material	Porcel	ain	
Colours	WB	WO	

Code	AxBxC [mm]
B42CBC11xx	365x600x500
B42CBC12xx	370x600x470
B42CBC13xx	370x600x450

Front opening seat with seat cover	Seat with seat cover, "soft close"	Seat with seat cover	Fixing set
B41DE040	B41DEC41	B41DEC40	Y96SES87
Wall drain connection	Wall drain fitting	Edge-covering	Open front seat with seat cover, "soft close"
H52HCS03	H52HCS02	B41DE039	B41DE041
		Floor drain fitting, 90°	Floor drain fitting
	H52HCS13	H52HCS12	H52HCS01





#### ROSSARI 2 \_ FLOOR-MOUNTED, BACK-TO-WALL, RIMLESS TOILET WITH FRONT OPENING


Material	Porcelair
Colours	WB

Code	AxBxC [mm]
B42CB011	370x590x500









#### SALVASPAZIO \_ WASHBASIN

Material	Porcelain	
Colours	WB	

Code	AxBxC [mm]	
B43CMS03	655x450x175	





1" 1/4 push-open sink drain





Self-supporting frame for washbasin






Y90SES42

# **Shower**

Shower trays, enclosure and accessories

The shower area for private environments must be configured according to the composition of the family unit and therefore also according to the age of the users. For children, but also for the elderly, if there is no bar and a seat in the shower, it may be dangerous. Ponte Giulio, who has always given extreme importance to safety, offers a selection of items designed to furnish and configure this specific area of the bathroom, to make it comfortable, elegant and safe.






B48CPM02

900x900x55










H52HAS07






### SOLO \_ STAINLESS STEEL SHOWER SET 700 Ø20

Material	Stainless steel
Rail	N1 N2
Other elements	C1 N1

Code	AxBxC [mm]	
Finitura N1;N1		
F18X0S03 xx XX	72x90x703	
Finitura N2;C1		
F18X0S03 xx XX	72x90x703	



W88JIS02







Hand shower holder



H51GIS02







#### SOLO \_ STAINLESS STEEL SHOWER SET 900 Ø20

Material	Stainless steel	
Rail	N1 N2	
Other elements	C1 N1	

Code	AxBxC [mm]	
Finitura N1;N1		
F18X0S01xxXX	72x90x903	 
Finitura N2;C1		
F18X0S01xxXX	72x90x903	






W88JIS02




H51GIS04



H51GIS03



H51GIS02







## SOLO STAINLESS STEEL SHOWER SET 900 Ø20


Material	ABS, Stainless steel	
Colours	DM	

Code	AxBxC [mm]
F18X0S05	75x95x907









#### SOLO \_ STAINLESS STEEL SHOWER SET 700 Ø20

Material	ABS, Stainless steel
Colours	DM

Code	AxBxC [mm]	
F18X0S07	75x95x707	

Hand shower holder H51GIS04



Water outlet with hand shower hook fitting H51GIS03




H51GIS02

Water outlet








#### **SOLO** \_ SAFE SHOWER COLUMN WITH HAND-SHOWER. SHOWER HEAD IN ABS

Material	ABS, Stainless steel	
Colours	N1 N2	

Code	AxBxC [mm]	C1[mm]
H51GJS02xx	250x518x919	650








# ${\bf SOLO}$ \_ SAFE SHOWER COLUMN WITH HAND SHOWER . SHOWER HEAD IN STAINLESS STEEL

OHOWERTHE	TID III ON III ILLOO OTLLL
Material	ABS, Stainless steel
Colours	N1 N2

Code	AxBxC [mm]	C1 [mm]	
H51GJS03xx	244x513x919	650	




#### **SOLO** SAFE SHOWER COLUMN WITH HAND SHOWER AND SAFETY SIDE BAR. SHOWER HEAD IN ABS

Material	ABS, Stainless steel	
Colours	N1 N2	

Code		AxBxC [mm]	A1xC1 [mm]
H51GJR02xx	DX	525x518x919	300x650
H51GJL02xx	SX	525x519x919	300x650








#### **SOLO** \_ SAFE SHOWER COLUMN WITH HAND SHOWER AND SAFETY SIDE BAR. SHOWER HEAD IN STAINLESS STEEL

Material	ABS, Stainless steel
Colours	N1 N2

Code		AxBxC [mm]	A1xC1 [mm]
H51GJR03xx	DX	520x514x919	300x650
H51GJL03xx	SX	520x514x919	300x650







#### **SOLO** \_ SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER AND SHOWER HEAD IN STAINLESS STEEL

Material	ABS, Stainless steel	
Colours	N1 N2	

Code	AxBxC [mm]	A1xC1 [mm]
H51GLS04xx	302x548x1282	150x650





#### **SOLO** \_ SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER AND SHOWER HEAD IN ABS

Material	ABS, Stainless steel		
Colours	N1 N2		

Code	AxBxC [mm]	A1xC1 [mm]
H51GLS02xx	302x553x1282	150x650








#### SOLO SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER WITH SPOUT AND SHOWER HEAD IN ABS

Material	ABS, Stainless stee		el
Colours	N1	N2	

Code	AxBxC [mm]	A1xC1 [mm]
H51GLS03xx	303x553x1336	150x650








#### **SOLO** \_ SAFE SHOWER COLUMN IN STAINLESS STEEL EQUIPPED WITH SHOWER HEAD. COMPLETE WITH THERMOSTATIC MIXER WITH SPOUT

Material	ABS, Stainless ste	e
Colours	N1 N2	

Code	AxBxC [mm]	A1xC1 [mm]
H51GLS05xx	303x548x1336	150x650








#### **SOLO** \_ SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER AND SAFETY SIDE BAR. SHOWER HEAD IN ABS

Material	ABS, Stainless steel
Colours	N1 N2

Code		AxBxC [mm]	A1xC1 [mm]
H51GLR02xx	DX	551x553x1283	150x650
H51GLL02xx	SX	551x553x1283	150x650







**SOLO** SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER AND SAFETY SIDE BAR. SHOWER HEAD IN STAINLESS STEEL

Material	ABS, Stainless steel		
Colours	N1 N2		


Code		AxBxC [mm]	A1xC1 [mm]
H51GLR04xx	DX	551x548x1283	150x650
H51GLL04xx	SX	551x548x1283	150x650



F47ANR12



F47ANL12



SOLO SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER WITH SPOUT AND SAFETY SIDE BAR. SHOWER HEAD IN ABS

Material	ABS, Stainless steel		
Colours	N1	N2	

Code		AxBxC [mm]	A1xC1 [mm]
H51GLR03xx	DX	552x553x1336	150x650
H51GLL03xx	SX	552x553x1336	150x650



F47ANR12



F47ANL12



**SOLO** \_ SAFE SHOWER COLUMN WITH HAND SHOWER. EQUIPPED WITH THERMOSTATIC MIXER WITH SPOUT AND SAFETY SIDE BAR. SHOWER HEAD IN STAINLESS STEEL

Material	ABS, Stainless stee		
Colours	N1 N2		

Code		AxBxC [mm]	A1xC1 [mm]
H51GLR05xx	DX	552x548x1336	150x650
H51GLL05xx	SX	552x548x1336	150x650






F47ANL12








#### SOLO \_ SAFE SHOWER SET WITH BODY IN STAINLESS STEEL

ABS, Stainless ste		
N1	N2	
		-,

Code	AxBxC [mm]	C1 [mm]
H51G0S01xx	179x204x735	650







#### **SOLO** \_ SAFE SHOWER SET IN STAINLESS STEEL WITH SIDE SAFETY BAR

Material	ABS, Stainless steel		
Colours	N1 N2		

Code		AxBxC [mm]	A1xC1 [mm]
H51G0R01xx	DX	469x204x735	300x650
H51G0L01xx	SX	469x204x735	300x650











#### **SOLO** \_ HORIZONTAL SAFETY GRAB BAR WITH WATER OUTLET FOR HAND SHOWER

Material	ABS, Stainless steel		
Colours	N1	N2	

Code	AxBxC [mm]	A1 [mm]
G18UGL03xx SX	384x111x665	236
G18UGR03xx DX	384x111x665	236







#### **STANDARD** \_ SHOWER ENCLOSURE WITH SPLIT DOORS

Material	Aluminium, Glass
----------	------------------

Code	AxBxC [mm]	
C53FBS21	900x900x1950	







#### STANDARD \_ LOW SHOWER ENCLOSURE WITH SWING DOORS

Material Aluminium, Glass

Code	AxBxC [mm]
C53FES24	900x900x1000

# **Mirrors and Lighting**

Completing the bathroom with a mirror not only makes the room unique in style but also increases the level of comfort. Tested to withstand humid environments, our bathroom mirrors are practical and give light to the room, making it more spacious. Some have built-in lighting, others can be equipped with lighting fixtures, all use LED technology. This type of lighting, in addition to saving energy, offers a homogeneous light source.







#### **FAMILY** TILTING MIRROR WITH SAFETY GLASS AND REVERSIBLE TILTING LEVER

Material Stainless steel, Glass N1 Colours

Code	AxBxC [mm]	
F18ATS01	385x64x700	








#### **HUG** \_ TILTING BATHROOM MIRROR, WITH INTEGRATED LIGHTING SYSTEM

Material Glass, Engineering polymers

Code	AxBxC [mm]
F47JPS05	660x78x750







#### HUG BATHROOM MIRROR WITH INTEGRATED LIGHTING SYSTEM

Material Glass, Engineering polymers

Code	AxBxC [mm]
F47ATS22	660x30x950

Ĉ,






#### HUG BATHROOM MIRROR WITH INTEGRATED LIGHTING SYSTEM

Material Glass, Engineering polymers

Code	AxBxC [mm]
F47ATS23	1000x30x950





#### OMNIA BATHROOM MIRROR WITH INTEGRATED FRONT LIGHTING SYSTEM

Material Glass

Code	AxBxC [mm]
F19ATS01	650x20x850





#### OMNIA \_ BATHROOM MIRROR WITH INTEGRATED FRONT AND REAR LIGHTING SYSTEM

Material Glass

Code	AxBxC [mm]
F19ATS02	650x20x850





#### OMNIA \_ BATHROOM MIRROR WITH INTEGRATED FRONT, REAR TOP AND BOTTOM LIGHTING SYSTEM

Material Stainless steel. Glass

Code	AxBxC [mm]
F19ATS03	650x74x850

Rescue request module M73NGE03



M73MXE02



#### STANDARD \_ TILTING MIRROR WITH SAFETY GLASS AND REVERSIBLE TILTING LEVER

Material Steel, Stainless steel, Glass


Code	AxBxC [mm]
F47JPS02	557,5x255x708



# **Accessories**


Furnishings, containers


There are some contexts in which, rather that using simple accessories, it would be wiser to choose useful containers for items that are used in the bathroom: from linen to various trinkets. Of course, if these objects could also guarantee a valid support for people with mobility problems, they would prove to be very useful. Ponte Giulio has also thought about this for those who want to be able to use the bathroom independently.



F18AKS02xx

42x50x42





G18UAS39

G18UAS40





#### OMNIA \_ COAT HOOK

Material	Stainless steel, Acrylic stone, Wooden Fiber			
End-cap	L8 W3			
Body	C1 DD WE			

Code	AxBxC [mm]
Finitura W3;C1, W3;DD,	W3;WE
F19AKS01 xx XX	60x48x60
Finitura L8;C1, L8;DD, L	.8;WE
F19AKS01 xx XX	60x48x60



d.



#### **OMNIA** \_ CONTAINER


Material	ABS			
Colours	BB	BF	DD	WE

Code	AxBxC [mm]
F19A0S01 xx	230x85x1000

Fixing element for container

B19DJS01





### **OMNIA** STORAGE UNIT WITH SWIVEL CASTORS

Material	Wooden Fiber		
Colours	DL WL		

Code	AxBxC [mm]	
F19ATS01 xx	400x300x550	







#### **SOLO** \_ STORAGE CONTAINER FOR GRAB BARS

Material	Engineering polymers
Colours	W1

Code	AxBxC [mm]
F47ANS02	272x100x70







### **HUG** \_ CONTAINER FOR INSTALLATION ON VERTICAL GRAB BAR

Material	Polyure	ethane	(PU or	PUR)			
Colours	DD	PB	WE				

Code	AxBxC [mm]
F47ANS01xx	272x100x70

## **Bathtubs**

The pleasure of having an invigorating and relaxing bath, as well as the simplest daily hygiene, becomes simple and natural thanks to our bathtubs with doors, because it can be done safely and independently. Easy access bathtubs make life easier for those who use it, but also for those who assist. All bathtubs are designed to minimise inspections and maintenance, offering, on the other hand, many customisation possibilities. This is to meet all types of needs, whether related to the room in which it will be installed, often with little space, or to the physical and health conditions of the end user.

The version with external opening thanks to the wide opening, allow for practical access, making it safe, functional and unique in its kind.

All Ponte Giulio walk-in bathtubs are "made in Italy", both the components and the manufacturing.








#### 650 BATHTUB WITH OUTWARD OPENING DOOR, WITH DOOR OPENING LEVER ON THE BATHTUB BODY

Material	Steel, Polycarbonate, Foamed silicone, VTI
Coloune	WT

Code	AxBxC [mm]
M74MDS06	1150x780x930







#### 650 \_ BATHTUB WITH INWARD OPENING DOOR, EQUIPPED WITH GRAB BAR

Material	Steel, Foamed silicon	e, VTR
Colours	WT	

Code	AxBxC [mm]
M74MDS12	1300x750x920



# **Taps and Fittings**

Functionality, reliability, hygiene and cost-efficiency are the most important characteristics of the collection of taps and fittings offered by Ponte Giulio.

c

d





#### **OMNIA** \_ SINGLE LEVER BASIN MIXER

Material	Brass	
Colours	C1	WE

Code	AxBxC [mm]
Finitura C1	
H50GBS32xx	48x48x175
Finitura WE	
H50GBS32xx	48x48x175

1" 1/4 push-open sink drain







#### **OMNIA** \_ SINGLE-LEVER BIDET MIXER

Material	Brass
Colours	C1 WE

Code	AxBxC [mm]	
Finitura C1		
H50GBS33xx	48x48x142	
Finitura WE		
H50GBS33xx	48x48x142	

1" 1/4 push-open sink drain







#### SENIOR \_ SINGLE-CONTROL MIXER FOR WASHBASIN WITH **ERGONOMIC LEVER**

Material	Brass
Colours	C1

Code	AxBxC [mm]	
H50GBS15	50x156x187	

1" 1/4 push-open sink drain










#### OMNIA \_ CONCEALED, WALL-MOUNTED SHOWER MIXER.

Material	Brass	
Colours	C1	WE

Code	AxBxC [mm]		
Finitura C1			
H50GBS34xx			
Finitura WE			
H50GBS34xx			



Material	Brass		
Colours	C1	WE	



Wall-mounted shower arm

H50GNS02











Furnishing solutions in kids' bathrooms

24 Kids design 187






There is a special type of "community" aggregation found in schools, where plurality is represented by a specific social category: children.

Personal hygiene is a habit that must be encouraged from an early age, and in this sense, caring for a child regardless of the place or environment requires special care and attention; dedicating oneself to children is a priority in every culture, and the formation of future citizens represents an important and continuous commitment. For this special social category up to 12 years of age, Ponte Giulio has developed a furnishing system with the aim of introducing children to use of the bathroom and getting them used to the culture of personal hygiene.

"Kids design" groups together all the indispensable elements to configure and furnish the various types of bathroom environments dedicated to children. The use of references to the animal world, the plant world, and the use of bright colours characterise products that aim to stimulate the imagination and playful expression typical of children, in a balanced way. In a nutshell, these products aim to combine visual appeal and functionality in such a way as to become the ideal solution for bathrooms in children's communities such as kindergartens and preschools, but also playrooms, service areas, restaurants and bars.



H51HAS05

H51HAS07

F44ATM01

H52HAS24







#### BIRDO \_ TOILET, KIDS', WITH DECORATIONS. INTEGRATED DRAIN CONNECTOR

Material	Porcelair
Colours	WB

Code	AxBxC [mm]	Orain
B44CBD07	295x400x295	Floor
B44CBD08	290x395x295	Wall

Wooden seat cover Wooden seat cover Soft seat cover B41DES01B2 B41DES01W1 B41DEM02



WC fastening kit

Y96SES29

Wooden seat cover





#### BIRDO \_ TOILET, KIDS', WALL-HUNG, WITH DECORATIONS

	Material	Porcelair
`	Colours	WB

Code	AxBxC [mm]
B44CAD02	295x395x260

Wooden seat cover B41DES01P1 Wooden seat cover

B41DES01W1


Soft seat cover B41DEM02 Pair of mounting brackets for hung WC

B41DDS06


Wooden seat cover











Code	AxBxC [mm]
B41EBD15	1515x155x1061










B41DDS09









#### BIRDO \_ SANITARY MODULE FOR TOILET WITH DECORATION

Materiai	HPL
Colours	BE

Code	AxBxC [mm]
B41EBD11	515x210x1061






Flush tank, ABS



**WC** support bracket

B41DDS07





#### **BIRDO** PARTITION FOR TOILET-BIDET AREA

Material Steel, Polyamide, Vinyl, HPL BE Colours

Code	AxBxC [mm]
B41EES11	67x556,5x1247




#### MILK \_ MINI CONSOLE WITH SQUARE BASIN, EQUIPPED WITH FIXING FRAME


Material Acrylic stone W3 Colours


Code	AxBxC [mm]
B44CNM03	550x420x89

Syphon Drain siphon 1" 1/4 push-open sink drain H52HAS24 H51HAS07 H51HAS05













#### CATERPILLAR \_ TOILET, KIDS', WITH INTEGRATED DRAIN CONNECTOR

Material Porcelain Colours WB

Code	AxBxC [mm]	Drain
B44CBS01	295x395x305	Floor
B44CBS02	295x395x305	Wall

Wooden seat cover B41DES01B2 Wooden seat cover

Soft seat cover

WC fastening kit

B41DES01W1

B41DEM02

Y96SES29

Wooden seat cover







#### CATERPILLAR \_ TOILET, KIDS', WALL-HUNG

Material Porcelain WB Colours

Code	AxBxC [mm]	
B44CAS01	295x395x265	



Wooden seat cover



Wooden seat cover



Soft seat cover



B41DEM02


Pair of mounting brackets for hung WC

B41DDS06

Wooden seat cover



B41DES01P1



CATERPILLA	AR _ PARTITION FOR TOILET-BIDET AREA
Material	Steel, Polyamide, Vinyl, HPL
Colours	YD
Code	AxBxC [mm]
B41EES01	67x430x1200

67x606x1200



B41EES02







#### BIRDO \_ MIRROR, IN SAFETY GLASS, WITH DECORATED FRAME IN THE SHAPE OF A LION'S HEAD

Material	Glass, HI
Colours	BE

Code	AxBxC [mm]
F41ATS01	470x21x470







WILK _ BATHROOM MIRROR WITH FRAME IN ACRYLIC STONE		
Material	Acrylic stone, Glass	
Frame	Y6	
Screw cover disks	RS	
Code	AxBxC [mm]	

1000x12x600









#### MILK \_ SQUARE FLOWER SHAPED BATHROOM MIRROR WITH LOBED CORNERS

Material Glass

F44ATM01

Code	AxBxC [mm]
F44ATS02	400x5x400

Mirror wall assembling kit







### CATERPILLAR \_ DISC SHAPED BATHROOM MIRROR


Material Glass

Code	AxBxC [mm]
F41JPS17	250x5x250

Mirror wall assembling kit



63



#### BIRDO DECORATED PANEL WITH GLASS HOLDER SHELF AND **TOWEL HOOKS**

Material Polyamide, HPL Colours BE

Code	AxBxC [mm]
B41EBD13	1198x146x499




BIRDO \_ DECORATED PANEL WITH SHELF AND TOWEL HOOKS

Material Polyamide, HPL BE Colours

0.1	1 0 0 1	
Code	AxBxC [mm]	
B41EBD14	1257x172x309	

www.pontegiulio.com







#### STANDARD \_ "MULTICOLOUR" SINGLE-CONTROL MIXER FOR WASHBASIN

aterial	Brass		
	Y4		

В7

Code	AxBxC [mm]
H50GBS25	50x157x156

1" 1/4 push-open sink drain







 $\begin{array}{l} \textbf{STANDARD} \ \_" \textbf{MULTICOLOUR"} \ \textbf{WALL-MOUNTED} \ \textbf{SINGLE-CONTROL} \ \textbf{MIXER} \ \textbf{WITH} \ \textbf{SWIVEL} \ \textbf{SPOUT} \end{array}$ 


Material	Brass	
	Y4	
	В7	

Code	AxBxC [mm]	
H50GBS26	214x235x165	

1" 1/4 push-open sink drain



www.pontegiulio.com



# **Fixing systems**

The anchors are distinguished according to their operating principle, the material they are made of or the basic support of the installation. In general, they can be divided into two types: mechanical and chemical; mechanical anchors resist by exploiting the friction between the materials. Chemical anchors resist by exploiting the bond that is created between a synthetic resin, the base material and the anchor bar. In this section of the price list we have chosen to offer only mechanical anchors: alongside a selection of traditional anchors, some other excellent ones, in terms of characteristics, quality and practicality, have been chosen. Remember that the "aids" must be attached to walls by qualified expert personnel, who are responsible for choosing the most suitable fastening elements according to the wall on which the aid must be installed.

x 🗷 205

#### FASTENING ELEMENTS FOR LIGHT WALLS

Wingits®, the strongest anchor system for light walls in the world.

#### Characteristics

No reinforcements are required on the walls.

- Fast installation
- It does not lose its holding capacity.
- It is fire resistant and does not fear contact with water.
- It has unmatched strength.
- It has been used for over 15 years in the USA.
- Used by the most important American hotel chains.

#### SIMPLE DOUBLE ANCHOR



Code **Y96SES56** 

Material

Structural plastic

#### SIMPLE SINGLE ANCHOR



**Y96SES65** 

Material Structural plastic

Code

#### STRUCTURAL ANCHOR

Code

**Y96SES68** 



Material Structural plastic

#### DRILL BITS FOR CERAMIC Ø 19 mm.

Code

Y96SFS01



Steel, Tungsten carbide

#### DRILL BITS FOR CERAMIC Ø 22 mm.



Y96SFS02




Steel, Tungsten carbide

#### TRADITIONAL FASTENING ELEMENTS

Fastening elements with nylon dowels can be used in concrete, solid and perforated bricks and plasterboard.

They consist of a bush with expanding sections, coupled with a steel screw. For approved systems, each dowel is associated with a special screw, in order to obtain maximum tightness. Due to the sensitivity of the plastic material to temperature, it is normally necessary for the temperature not to drop below 0°C during installation.

## **6X70 FASTENING ELEMENT** Y96SES61 Code Material Nylon, Stainless steel



#### General conditions of sale

- 1. Ponte Giulio S.p.A. reserves the right to change the products dimensions and any technical features without any prior notice.
- 2. Prices are EXW factory Orvieto, Italy.
- 3. Prices might change without any prior notice.
- 4. Goods travel at customer's risk. The receiver will inspect the products upon their delivery and report any damages to the forwarder. For the packaging of ceramic materials on pallets and/or in suitably reinforced cardboard boxes, there will be a 1.5% charge for the packaging.
- 5. If the receiver is unable to check the goods upon their delivery, he can accept them and report any damages within 8 days.
- 6. Ponte Giulio S.p.A. reserves the right to make partial shipments. Ponte Giulio S.p.A. will meet the shipping terms except in those cases due to force major or beyond the will of Ponte Giulio S.p.A. such as curtailments, strikes, lack of transportation etc. In such cases the customer has no right to compensation or refund.
- 7. Products cannot be returned without authorization from ponte Giulio S.p.A. The authorization must be requested to Ponte Giulio S.p.A. in writing via email specifying the quality and quantity of products involved and reason for returning them. Ponte Giulio S.p.A. will authorize, at its discretion, the return by confirmation in writing.
- 8. Returns will be authorized only for products which are standard and currently in production with transportation at the expense of the customer. Ponte Giulio S.p.A. will refund 90% of the original sale price except any additional charges for restoration due to alteration or caused by negligence of the customer. Coloured or custom made products can not be returned.
- 9. These sales conditions are deemed accepted by the customer when the order is placed.

- 10. Orders which are fulfilled and invoiced, even partially, will be subject to the conditions decided upon. Payments for shipped goods will not depend on the order fulfillment.
- 11. It's Ponte Giulio's discretion to provide, in the form of discount, panels, displayers or similar tools aimed at exhibiting the products.
- 12. Usually ponte Giulio do not accept orders for products different from those in the catalogue. However Ponte Giulio reserves the right to assess the feasibility and size of special orders at prices that will be calculated at each time.
- 13. The acceptance of orders is subject to the approval from Ponte Giulio S.p.A. The agreed payment terms are always shown in the invoice. In case of non-fulfillment of the payment conditions, Ponte Giulio S.p.A. will be entitled to add charges for interest on arrears payments, with reference to terms released by Euribor. Failure to meet an invoice due date, Ponte Giulio S.p.A. is authorized to stop the fulfillment of all pending orders.
- 14. Ponte Giulio S.p.A. keeps the property of goods until the total payment of the relevant invoice.
- 15. For any dispute the court of Terni, Italy is the only one in charge. The content of this clause has been object of individual agreement between the parties.
- 16. Ponte Giulio S.p.A. retains ownership of the goods until the relative invoice has been fully paid.
- 17. For any controversy, the Courthouse of Terni is the only one that has jurisdiction as indicated by the parties. The content of this clause has been the subject of individual negotiation between the parties.

#### Information on the protection of personal data

- 1. (pursuant to article 13, Italian Legislative Decree 196 of 30.06.2003)
- 2. "Personal Data Protection Code".
- 3. The company Ponte Giulio S.p.A., holder of the data relating to existing and future business relationships with its customers, in compliance with the provisions of art.13 of the Italian Legislative Decree 30.06.2003 no. 196 "Personal Data Protection Code", gives the following information on the processing of its customers' personal data:
- 4. The data is collected for contractual, commercial, statistical and promotional purposes.
- 5. The data is processed using digital, telematic, magnetic and paper supports.
- 6. Data collection is mandatory in order to comply with all accounting, legal and commercial obligations. Failure to provide data that is not attributable to legal or contractual obligations will be assessed each time by the Data Controller who will determine the resulting decisions regarding the importance of such data with respect to the management of the business relation.
- 7. The recipients of the data, without prejudice to the communications and disclosures made in compliance with legal obligations, may be the following subjects: company personnel according to their

- areas of competence (sales, production, administration,) agents and representatives of the writer, factoring company, debt collection companies, credit insurance companies, credit institutions, leasing companies, professionals and consultants, data processing companies, commercial information companies, companies operating in the transport sector.
- 8. The data will be processed for the entire duration of the contractual relationships established and also subsequently for the fulfillment of all legal obligations as well as for future commercial and marketing purposes, in relation to promotional and product sales operations, carried out by sending advertisements or the using other commercial communication systems.
- 9. The interested party may exercise the rights referred to in art. 7 of the Italian Legislative Decree 30.06.2003 no. 196.
- 10. The Data Controller is Ponte Giulio S.p.A., Loc. Ponte Giulio snc, 05018 Orvieto (TR).
- 11. To contact the Data Processor, appointed for the purposes of art. 7 of the Italian Legislative Decree 30.06.2003 no. 196, you can contact the following address: Orvieto, località Ponte Giulio s.n.c. - Tel. 0763316044 - email: privacy@pontegiulio.it.




#### INSTRUCTIONS FOR THE INSTALLATION OF WALL-MOUNTED AIDS

#### Fixing cylinders and flanges


Product types in which these systems are used

- Grab bars
- Safety grab bars for corners
- Corner safety grab bars
- Fixed lateral grab bars
- Handrail


#### Fixing flanges



Flange 3 holes - Stainless steel with satin finish Stainless steel - AISI 304, ø 77 mm



Flange 4 holes - Paint, Tubocolor® Polyamide-6, fibreglass reinforced, ø 77 mm





Flange 3 holes - Solo Stainless steel - AISI 304, ø 58 mm

#### Single hole fixing





Single hole cylinder - Prestigio+ Aluminium ø 21 mm





Single hole cylinder - Family Aluminium ø 22 mm





Single hole parallelepiped block - OMNIA Stainless steel 30x36 mm

Please bear in mind that the particular configuration of the fixing systems, based on a cylinder that uses only one wall anchor point, requires great care during installation. The references in the table with the anchors recommended according to the type of wall, cannot be considered exhaustive. It is advisable to contact Ponte Giulio in case of doubts or to obtain specific installation instructions.

#### Anchors recommended according to the type of wall

Remember that the aids must be installed by qualified expert personnel, who are responsible for choosing the most suitable fastening elements according to the wall on which the aid must be installed.

Among other things, the installer must make sure

that the wall, corresponding with the entire flange, is perfectly flat, without joints or protruding tiles. It is also necessary to make sure that the wall is suitable for the installation of the aid and that there are no weak points.

Type of wall		Recommended dowel
Concrete	300	Dowels type "LH8" Fischer Screws for chipboard TSP 6x70 stainless steel Drill hole with ø 8 mm bit.
"Gasbeton" blocks Light natural stone		Dowels type "LH8" Fischer Screws for chipboard TSP 6x70 stainless steel Drill hole with ø 8 mm bit.
Hollow bricks	South	Dowels type "LH8" Fischer Screws for chipboard TSP 6x70 stainless steel Drill hole with ø 8 mm bit. Drill hole with rotation only, avoiding percussion
Solid bricks Compact natural stone	Sadajana (	Dowels type "LH8" Fischer Screws for chipboard TSP 6x70 stainless steel Drill hole with ø 8 mm bit.
Plasterboard Plywood or laminates  Coupled in wooden or multilayer fixing plate - 20 mm thick, installed between the uprights or against the wall	(	Screws for chipboard TSP 6x70 stainless steel  Drill hole with Ø 8 mm bit.
Plasterboard Plywood or laminates	lik.	Screws TSP M8x60 stainless steel DIN 965 A2

Drill hole with ø 8 mm bit.

thickness of the sheet

The actual loadability of the system depends on the

wall

Coupled in steel fixing plate, installed

between the uprights or against the

#### INSTRUCTIONS FOR THE INSTALLATION OF WALL-MOUNTED AIDS


#### Fixing plates

Product types in which these systems are used


- Folding grab bars
- Fixed lateral grab bars
- Folding seats




"Reduced" plate Paint Stainless steel - AISI 304 [WxH] 94.5x60 mm.




"Extended" plate Paint, Polished stainless steel Stainless steel - AISI 304 [WxH] 94.5x220 mm.




Tubocolor® "reduced" plate Stainless steel - AISI 304 [WxH] 95.7x60 mm.




Tubocolor® "extended" plate Stainless steel - AISI 304 [WxH] 83.5x190.5 mm.



Tubocolor® "fixed" plate Stainless steel - AISI 304 [WxH] 83.5x216.5 mm.




"Reduced" plate Urban People, Stainless steel - AISI 304 [WxH] 83,5x115 mm.




"Extended" plate Stainless steel with satin finish Stainless steel - AISI 304 [WxH] 82x220 mm.




Bracket for OMNIA seats Aluminium - [WxH] 202x80 mm.



Bracket for removable OMNIA Aluminium - AISI 304 [WxH] 90x180 mm.



Bracket for removable plate HUG Aluminium - [WxH] 100x120 mm.



#### Bracket for removable seat OMNIA Aluminium - [WxH] 168x75 mm.

It should be noted that the particular configuration of the bracket for removable plate must be carried out carefully. The references in the table with the anchors recommended according to the type of wall, cannot be considered exhaustive. It is advisable to contact Ponte Giulio in case of doubts or to obtain specific installation instructions.

#### Anchors recommended according to the type of wall

Remember that the aids must be installed by qualified expert personnel, who are responsible for choosing the most suitable fastening elements according to the wall on which the aid must be installed.

Among other things, the installer must make sure

that the wall, corresponding with the entire flange, is perfectly flat, without joints or protruding tiles. It is also necessary to make sure that the wall is suitable for the installation of the aid and that there are no weak points.

Type of wall		Recommended dowel
Concrete		Dowels type "S14W" Fischer Screws TE 10x90 DIN 571 Stainless steel For plates with holes ø 10 mm. drill hole ø 14 mm.
"Gasbeton" blocks Light natural stone	warmur .	Bushing type "FIP 14x80 M10i" Fischer Screws TSPCE M 10x30 DIN 7991 Drill hole with conical bit PBB, inject resin type "Fischer FIS V or FIS VS".
Hollow bricks		Bushing type "FIP 14x80 M10i" Fischer Mesh dowels type "FIP 20x85 R" Fischer Screws TSPCE M 10x30 DIN 7991  Drill hole with 20 mm bit, with rotation only, avoiding percussion. Inject resin type "FIS V or FIS VS" Fischer
Solid bricks Compact natural stone	ex dem	Bushing type "FIP 14x80 M10i" Screws TSPCE M 10x30 DIN 7991 Drill hole with ø 16 mm bit, inject resin type "FIS V or FIS VS" Fischer.
Plasterboard Plywood or laminates  Coupled in wooden or multilayer fixing plate - 20 mm thick, installed between the uprights or against the wall	< 20000110	Screws for chipboard TE 10x80 DIN 571  Drill guide hole with 7 mm bit.
Plasterboard		Screws TBCE class 10.9 M 10x80 ISO 7380

The actual loadability of the system depends on the

Drill hole with ø 8 mm bit.

thickness of the sheet

Plywood or laminates

www.pontegiulio.com

wall

Coupled in steel fixing plate, installed

between the uprights or against the

#### **INDEX BY PRODUCT CODE**

The list of articles, presented in this price list, is proposed below sorted by product code, in alphanumerical mode. For each line, the code is associated with the sale price per single article and

then, where applicable, for "multiples" of "3" pieces, all expressed in Euro. Lastly, the page number on which the article is described is shown.

Code	P.	Code	P.	Code	P.
B40CAC05	72	B41EES02	199	B46CML22	155
B40CA002	71	B41EES11	193	B46CML23	155
B40CA005	72	B42CBC11	159	B46CMM16	152
B40CA006	73	B42CBC12	159	B46CMM17	152
B40CBC06	70	B42CBC13	159	B46CMM18	152
B40CBC07	70	B42CB011	160	B46CMR22	155
B40CB006	71	B43CDS51	81	B46CMR23	155
B40CB007	71	B43CMS01	152	B46CNM05	153
B40CB010	75	B43CMS02	80	B46CNM06	153
B40CB011	75	B43CMS03	160	B46CNM24	77
B40CD054	74	B44CAD02	191	B46CNM25	77
B40CD055	73	B44CAS01	198	B46CPM21	162
B40CMS01	70	B44CAS03	192	B46CPM22	162
B40CMS07	74	B44CBD07	191	B46CPM23	162
B41C0D01	190	B44CBD08	191	B46CPM24	162
B41C0S01	82	B44CBS01	198	B46TLL88	75
B41C0S02	82	B44CBS02	198	B46TLL89	75
B41C0S03	82	B44CBS06	197	B46TLL91	79
B41C0S05	82	B44CMD02	190	B46TLL92	79
B41C0S06	81	B44CMS01	197	B46TLM11	76
B41CQC01	83	B44CNM01	190	B46TLM12	76
B41CQS01	83	B44CNM03	193	B46TLM13	76
B41CQS02	83	B44CNM04	194	B46TLM14	76
B41DE012	84	B44CNM05	194	B46TLM34	76
B41DE024	84	B44CNM06	194	B46TLM36	76
B41DE032	84	B44CNM07	195	B46TLM48	80
B41DE033	85	B44CNM11	195	B46TLM58	78
B41EBD11	193	B44CNM12	195	B46TLM59	78
B41EBD12	202	B44CNM13	196	B46TLM60	78
B41EBD13	201	B44CNM14	196	B46TLM61	77
B41EBD14	201	B44CNM15	196	B46TLM83	79
B41EBD15	192	B44CNM16	197	B46TLM84	79
B41EES01	199	B44CQS02	84	B46TLM85	79

P46TLNB6	Code	P.	Code	P.	Code	P.
BAGTLM90   78	B46TLM86	79	F19AIS01	179	F70AES04	108
B46TLM91   78	B46TLM87	79	F19AKS01	179	F70AFS01	109
B46TLM92         78         F19ATS02         173         F70AF506         110           B46TLR88         75         F19ATS03         173         F70ANS01         108           B46TLR89         75         F41ATS01         200         F70ANS03         109           B46TLR91         79         F41JPS17         201         F70APS02         101           B46CMR01         154         F41JPS20         102         F70APS02         101           B48CNR01         154         F41JPS25         101         F70ATS01         100           B48CNR01         154         F41JPS28         102         F70ATS02         100           B48CNR01         154         F41JPS28         102         F70ATS02         100           B48CNR02         162         F41JPS28         102         F70ATS03         100           B49CMR01         156         F41JPS35         102         F70ATS04         100           C53FB521         168         F41JPS36         102         F70ATS06         10           C53FE524         170         F44ATN01         200         G01JJS01         28           F17AGN02         112         F47ANS02         180         G01JJS02	B46TLM90	78	F19A0S01	179	F70AFS02	109
BAGTLR88         75         F19ATS03         173         F70ANN501         108           BAGTLR89         75         F41ATS01         200         F70ANS03         109           BAGTLR91         79         F41µPS17         201         F70APS01         114           BAGTLR92         79         F41µPS20         102         F70APS01         101           BABCNM01         154         F41µPS21         102         F70APS01         100           BABCNR01         154         F41µPS25         101         F70ATS01         100           BABCNR01         154         F41µPS28         102         F70ATS02         100           BABCPW02         162         F41µPS28         102         F70ATS03         100           BABCPW03         162         F41µPS28         102         F70ATS03         100           BABCPW03         162         F41µPS36         102         F70ATS05         100           CSSFB521         169         F41µPS36         102         F70ATS06         10           CSSFB524         170         F44ATW01         200         F70ATS06         10           CSJFE524         170         F44ATS02         200         601µAS01	B46TLM91	78	F19ATS01	173	F70AFS04	110
B46TLR89         75         F41ATS91         200         F70ANS03         109           B46TLR91         79         F41JPS17         201         F70APS01         114           B46TLR92         79         F41JPS20         102         F70APS02         101           B48CM01         154         F41JPS21         102         F70APS01         100           B48CM01         154         F41JPS25         101         F70ATS02         100           B48CM01         154         F41JPS28         102         F70ATS02         100           B48CM02         162         F41JPS28         102         F70ATS02         100           B48CM03         162         F41JPS29         103         F70ATS03         100           B48CM041         156         F41JPS36         102         F70ATS06         100           C53FB521         169         F41JPS36         102         F70ATS06         100           C53FB524         170         F44ATM01         200         F70ATS14         100           C53FB524         170         F44ATM01         200         F70ATS14         10           C01JPS91         188         F44ATS02         200         G01JAS01	B46TLM92	78	F19ATS02	173	F70AFS06	110
B46TLR91         79         F4JJPS17         201         F70APS01         114           B46TLR92         79         F4JJPS20         102         F70APS02         101           B48CM01         154         F4JJPS21         102         F70APS01         101           B48CM01         154         F4JJPS25         101         F70ATS01         100           B48CM02         162         F4JJPS28         102         F70ATS02         100           B48CM03         162         F4JJPS28         102         F70ATS04         100           B49CM01         156         F4JJPS28         102         F70ATS04         100           B49CM01         156         F4JJPS28         102         F70ATS04         100           B49CM01         156         F4JJPS26         102         F70ATS06         100           C53FES21         169         F4JJPS36         102         F70ATS06         100           C53FES24         170         F4AATN01         200         F70ATS14         100           C91FS01         88         F4ATS02         200         G9JJAS01         28           F17AGN02         112         F47ANS01         180         G9JJAS02	B46TLR88	75	F19ATS03	173	F70ANS01	108
B46TLR92         79         F4JJPS20         102         F70APS02         101           B48CMM01         154         F4JJPS21         102         F70APS11         101           B48CNL01         154         F4JJPS25         101         F70ATS01         100           B48CNB01         154         F4JJPS28         102         F70ATS02         100           B48CPM02         162         F4JJPS28         102         F70ATS03         100           B48CPM03         162         F4JJPS28         102         F70ATS06         100           B49CMW01         166         F4JJPS36         102         F70ATS06         100           C53FB521         169         F4JJPS36         102         F70ATS06         100           C53FE524         170         F4AHTN01         200         F70ATS14         100           C91DF501         88         F4AATS02         200         G91JAS01         28           F17AGN02         112         F47ANS01         180         G91JAS02         28           F17AGN03         26         F47ANS02         180         G91JAS03         28           F17AGN04         112         F47APS06         177         G91JAS06	B46TLR89	75	F41ATS01	200	F70ANS03	109
B48CMM01         154         F4JJPS21         102         F70APS11         101           B48CNL01         154         F4JJPS25         101         F70ATS01         100           B48CNR01         154         F4JJPS27         102         F70ATS02         100           B48CPM02         162         F4JJPS28         102         F70ATS03         100           B49CPM03         162         F4JJPS35         102         F70ATS04         100           B49CPM01         156         F4JJPS36         102         F70ATS06         100           C53FBS21         169         F4JJPS36         102         F70ATS06         100           C53FBS21         169         F4JJPS36         102         F70ATS06         100           C91DFS01         88         F44ATTM01         200         F70ATS06         100           C91DFS01         88         F44ATS02         200         601JAS01         28           F17AGN02         112         F47ANS01         180         601JAS02         28           F17AGN03         26         F47ANS02         180         601JAS03         28           F17AHN01         112         F47APS06         177         601JAS06	B46TLR91	79	F41JPS17	201	F70APS01	114
B48CNL01         154         F41JPS25         101         F70ATS01         100           B48CNR01         154         F41JPS27         102         F70ATS02         100           B48CPM02         162         F41JPS28         102         F70ATS03         100           B48CPM03         162         F41JPS29         103         F70ATS04         100           B49CPM01         156         F41JPS35         102         F70ATS05         100           C53FB521         169         F41JPS36         102         F70ATS06         100           C53FB521         169         F41JPS36         102         F70ATS06         100           C53FB524         170         F44ATM01         200         601JAS01         28           F17AGN02         112         F47ANS01         180         601JAS01         28           F17AGN03         26         F47ANS02         180         601JAS03         28           F17AGN04         112         F47APS06         177         601JAS04         28           F17ALN01         111         F47APS06         177         601JAS06         28           F17AKN01         202         F47ATS17         178         601JAS06	B46TLR92	79	F41JPS20	102	F70APS02	101
B48CNR01         154         F41JPS27         102         F70ATS02         100           B48CPM02         162         F41JPS28         102         F70ATS03         100           B48CPM03         162         F41JPS29         103         F70ATS04         100           B49CMM01         156         F41JPS35         102         F70ATS05         100           C53FES21         169         F41JPS36         102         F70ATS06         100           C53FES24         170         F44ATM01         200         F70ATS14         100           C91DFS01         88         F44ATS02         200         G01JAS01         28           F17AGN02         112         F47ANS01         180         G01JAS02         28           F17AGN03         26         F47ANS02         180         G01JAS03         28           F17AGN04         112         F47APS06         177         G01JAS04         28           F17AJN01         111         F47APS08         178         G01JAS06         28           F17AKN01         202         F47ATS17         178         G01JAS07         28           F17AKN02         202         F47ATS22         172         G01JAS08	B48CMM01	154	F41JPS21	102	F70APS11	101
BABCPM02         162         F41JPS28         102         F70ATS03         100           B48CPM03         162         F41JPS29         103         F70ATS04         100           B49CMM01         156         F41JPS35         102         F70ATS05         100           C53FBS21         169         F41JPS36         102         F70ATS06         100           C53FES24         170         F44ATM01         200         F70ATS14         100           C91DFS01         88         F44ATS02         200         G0JJAS01         28           F17AGN02         112         F47ANS01         180         G0JJAS02         28           F17AGN03         26         F47ANS02         180         G0JJAS03         28           F17AHN01         112         F47APS06         177         G0JJAS04         28           F17AHN01         111         F47APS07         177         G0JJAS05         28           F17AKN01         202         F47ATS17         178         G0JJAS05         28           F17AKN01         202         F47ATS22         172         G0JJAS08         32           F17AKN02         202         F47ATS23         172         G0JJAS08	B48CNL01	154	F41JPS25	101	F70ATS01	100
B48CPM03         162         F41JPS29         103         F70ATS04         100           B49CMM01         166         F41JPS35         102         F70ATS05         100           C53FBS21         169         F41JPS36         102         F70ATS06         100           C53FES24         170         F44ATN01         200         F70ATS14         100           C91DFS01         88         F44ATS02         200         G01JAS01         28           F17AGN02         112         F47ANS01         180         G01JAS02         28           F17AGN03         26         F47ANS02         180         G01JAS03         28           F17AGN04         112         F47APS06         177         G01JAS04         28           F17AHN01         112         F47APS07         177         G01JAS05         28           F17AHN01         111         F47APS08         178         G01JAS06         28           F17AKN01         202         F47ATS17         178         G01JAS06         28           F17AKN02         202         F47ATS22         172         G01JAS08         32           F17AKN03         110         F47APS02         174         G01JAS10	B48CNR01	154	F41JPS27	102	F70ATS02	100
B49CMM01         156         F41JPS35         102         F70ATS05         100           C53FBS21         169         F41JPS36         102         F70ATS06         100           C53FES24         170         F44ATM01         200         F70ATS14         100           C91DFS01         88         F44ATS02         200         601JAS01         28           F17AGN02         112         F47ANS01         180         601JAS02         28           F17AGN03         26         F47ANS02         180         601JAS03         28           F17AGN04         112         F47APS06         177         601JAS04         28           F17AHN01         112         F47APS07         177         601JAS05         28           F17ALN01         111         F47APS08         178         601JAS06         28           F17AKN01         202         F47ATS17         178         601JAS06         28           F17AKN02         202         F47ATS22         172         601JAS08         32           F17AKN03         110         F47ATS23         172         601JAS09         30           F17AKN04         110         F47JPS02         174         601JAS10	B48CPM02	162	F41JPS28	102	F70ATS03	100
C53FBS21         169         F41JPS36         102         F70ATS06         100           C53FES24         170         F44ATM01         200         F70ATS14         100           C91DFS01         88         F44ATS02         200         601JAS01         28           F17AGN02         112         F47ANS01         180         601JAS02         28           F17AGN03         26         F47ANS02         180         601JAS03         28           F17AGN04         112         F47APS06         177         601JAS04         28           F17AHN01         112         F47APS07         177         601JAS05         28           F17AJN001         111         F47APS08         178         601JAS06         28           F17AKN01         202         F47ATS17         178         601JAS07         28           F17AKN02         202         F47ATS22         172         601JAS08         32           F17AKN03         110         F47ATS23         172         601JAS09         30           F17AKN04         110         F47JPS02         174         601JAS10         30           F17AKN05         111         F47JPS05         172         601JAS11	B48CPM03	162	F41JPS29	103	F70ATS04	100
C53FES24 170 F44ATM01 200 F70ATS14 100 C91DFS01 88 F44ATS02 200 601JAS01 28 F17AGN02 112 F47ANS01 180 601JAS02 28 F17AGN03 26 F47ANS02 180 601JAS03 28 F17AGN04 112 F47APS06 177 601JAS04 28 F17AHN01 112 F47APS07 177 601JAS05 28 F17AJN01 111 F47APS08 178 601JAS07 28 F17AKN01 202 F47ATS17 178 601JAS07 28 F17AKN02 202 F47ATS22 172 601JAS08 32 F17AKN03 110 F47ATS23 172 601JAS09 30 F17AKN04 110 F47JPS02 174 601JAS10 30 F17AKN05 111 F47APS05 172 601JAS11 30 F17AKN05 111 F47APS05 107 601JAS12 30 F17ANN01 111 F70AS06 107 601JAS12 30 F17ANN01 111 F70AS06 107 601JAS12 30 F17ANN01 111 F70AS06 107 601JAS13 30 F17ANN01 111 F70AS08 107 601JAS13 30 F18AGS03 176 F70AS10 107 601JAS13 37 F18AFS02 176 F70AS10 107 601JAS13 37 F18AFS01 172 F70ACS01 106 601JAS19 30 F18XOS01 163 F70ACS02 106 601JAS20 32 F18XOS03 163 F70ACS02 106 601JAS22 29 F18XOS07 165 F70AES01 109 601JAS33 29	B49CMM01	156	F41JPS35	102	F70ATS05	100
C91DFS01         88         F44ATS02         200         G01JAS01         28           F17AGN02         112         F47ANS01         180         G01JAS02         28           F17AGN03         26         F47ANS02         180         G01JAS03         28           F17AGN04         112         F47APS06         177         G01JAS04         28           F17AHN01         112         F47APS07         177         G01JAS05         28           F17ANN01         111         F47APS08         178         G01JAS06         28           F17AKN01         202         F47ATS17         178         G01JAS07         28           F17AKN02         202         F47ATS22         172         G01JAS08         32           F17AKN03         110         F47ATS23         172         G01JAS08         32           F17AKN04         110         F47JPS02         174         G01JAS10         30           F17AKN05         111         F47JPS05         172         G01JAS11         30           F17ANN01         113         F70AS05         107         G01JAS13         30           F17ANN01         111         F70AAS08         107         G01JAS15 <t< td=""><td>C53FBS21</td><td>169</td><td>F41JPS36</td><td>102</td><td>F70ATS06</td><td>100</td></t<>	C53FBS21	169	F41JPS36	102	F70ATS06	100
F17AGN02 112 F47ANS01 180 G01JAS02 28 F17AGN03 26 F47ANS02 180 G01JAS03 28 F17AGN04 112 F47APS06 177 G01JAS04 28 F17AHN01 112 F47APS07 177 G01JAS05 28 F17AJN01 111 F47APS08 178 G01JAS06 28 F17AKN01 202 F47ATS17 178 G01JAS07 28 F17AKN02 202 F47ATS22 172 G01JAS08 32 F17AKN03 110 F47ATS23 172 G01JAS09 30 F17AKN04 110 F47JPS02 174 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS11 30 F17ALN01 113 F70AAS05 107 G01JAS12 30 F17ANN01 111 F70AAS06 107 G01JAS13 30 F17ANN01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18X0S01 163 F70ACS02 106 G01JAS20 32 F18X0S05 164 F70ACS04 106 G01JAS22 29 F18X0S07 165 F70AES01 109 G01JAS33 29 F18X0S07 165 F70AES01 109 G01JAS33 29 F18X0S07 165 F70AES01 109 G01JAS33 29	C53FES24	170	F44ATM01	200	F70ATS14	100
F17AGN03         26         F47ANS02         180         G01JAS03         28           F17AGN04         112         F47APS06         177         G01JAS04         28           F17AHN01         112         F47APS07         177         G01JAS05         28           F17AJN01         111         F47APS08         178         G01JAS06         28           F17AKN01         202         F47ATS17         178         G01JAS07         28           F17AKN02         202         F47ATS22         172         G01JAS08         32           F17AKN03         110         F47ATS23         172         G01JAS09         30           F17AKN04         110         F47JPS02         174         G01JAS10         30           F17AKN05         111         F47JPS05         172         G01JAS11         30           F17ALN01         113         F70AS05         107         G01JAS12         30           F17ANN01         111         F70AS06         107         G01JAS13         30           F18AGS03         176         F70AS10         107         G01JAS15         29           F18AS02         176         F70AS13         108         G01JAS19         3	C91DFS01	88	F44ATS02	200	G01JAS01	28
F17AGN04         112         F47APS06         177         G01JAS04         28           F17AHN01         112         F47APS07         177         G01JAS05         28           F17AJN01         111         F47APS08         178         G01JAS06         28           F17AKN01         202         F47ATS17         178         G01JAS07         28           F17AKN02         202         F47ATS22         172         G01JAS08         32           F17AKN03         110         F47ATS23         172         G01JAS09         30           F17AKN04         110         F47JPS02         174         G01JAS10         30           F17ALN05         111         F47JPS05         172         G01JAS11         30           F17ALN01         113         F70AAS05         107         G01JAS12         30           F17ANN01         111         F70AAS06         107         G01JAS13         30           F17AON01         111         F70AAS08         107         G01JAS13         30           F18AGS03         176         F70AAS13         108         G01JAS17         36           F18ATS01         172         F70ACS01         106         G01JAS19	F17AGN02	112	F47ANS01	180	G01JAS02	28
F17AHN01 112 F47APS07 177 G01JAS05 28 F17AJN01 111 F47APS08 178 G01JAS06 28 F17AKN01 202 F47ATS17 178 G01JAS07 28 F17AKN02 202 F47ATS22 172 G01JAS08 32 F17AKN03 110 F47ATS23 172 G01JAS09 30 F17AKN04 110 F47JPS02 174 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS11 30 F17ALN01 113 F70AAS05 107 G01JAS12 30 F17ANN01 111 F70AAS06 107 G01JAS13 30 F17ANN01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS17 36 F18AKS02 176 F70AAS13 108 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18XOS01 163 F70ACS02 106 G01JAS20 32 F18XOS03 164 F70ACS04 106 G01JAS21 35 F18XOS05 164 F70ACS01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS33 29	F17AGN03	26	F47ANS02	180	G01JAS03	28
F17AJN01 111 F47APS08 178 G01JAS06 28 F17AKN01 202 F47ATS17 178 G01JAS07 28 F17AKN02 202 F47ATS22 172 G01JAS08 32 F17AKN03 110 F47ATS23 172 G01JAS09 30 F17AKN04 110 F47JPS02 174 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS11 30 F17ALN01 113 F70AAS05 107 G01JAS12 30 F17ANN01 111 F70AAS06 107 G01JAS12 30 F17ANN01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS17 36 F18AKS02 176 F70AAS13 108 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18XOS01 163 F70ACS02 106 G01JAS20 32 F18XOS03 164 F70ACS04 106 G01JAS21 35 F18XOS05 164 F70ACS04 106 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS34 29	F17AGN04	112	F47APS06	177	G01JAS04	28
F17AKN01 202 F47ATS17 178 G01JAS07 28 F17AKN02 202 F47ATS22 172 G01JAS08 32 F17AKN03 110 F47ATS23 172 G01JAS09 30 F17AKN04 110 F47JPS02 174 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS11 30 F17ALN01 113 F70AAS05 107 G01JAS12 30 F17ANN01 111 F70AAS06 107 G01JAS13 30 F17ANN01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS15 29 F18AKS02 176 F70AAS13 108 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18XOS01 163 F70ACS02 106 G01JAS20 32 F18XOS03 164 F70ACS04 106 G01JAS21 35 F18XOS05 164 F70ACS04 106 G01JAS32 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES02 109 G01JAS33 29 F18XOS07 165 F70AES02 109 G01JAS33 29	F17AHN01	112	F47APS07	177	G01JAS05	28
F17AKN02 202 F47ATS22 172 G01JAS08 32 F17AKN03 110 F47ATS23 172 G01JAS09 30 F17AKN04 110 F47JPS02 174 G01JAS10 30 F17AKN05 111 F47JPS05 172 G01JAS11 30 F17ALN01 113 F70AAS05 107 G01JAS12 30 F17ANN01 111 F70AAS06 107 G01JAS13 30 F17AON01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS17 36 F18AKS02 176 F70AAS13 108 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18XOS01 163 F70ACS02 106 G01JAS20 32 F18XOS05 164 F70ACS04 106 G01JAS21 35 F18XOS05 164 F70ACS04 106 G01JAS32 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS07 165 F70AES01 109 G01JAS34 29	F17AJN01	111	F47APS08	178	G01JAS06	28
F17AKN03         110         F47ATS23         172         G01JAS09         30           F17AKN04         110         F47JPS02         174         G01JAS10         30           F17AKN05         111         F47JPS05         172         G01JAS11         30           F17ALN01         113         F70AAS05         107         G01JAS12         30           F17ANN01         111         F70AAS06         107         G01JAS13         30           F17AON01         111         F70AAS08         107         G01JAS15         29           F18AKS03         176         F70AAS10         107         G01JAS17         36           F18AKS02         176         F70AAS13         108         G01JAS18         37           F18ATS01         172         F70ACS01         106         G01JAS19         30           F18X0S01         163         F70ACS02         106         G01JAS20         32           F18X0S03         163         F70ACS04         106         G01JAS21         35           F18X0S07         164         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34	F17AKN01	202	F47ATS17	178	G01JAS07	28
F17AKN04       110       F47JPS02       174       G01JAS10       30         F17AKN05       111       F47JPS05       172       G01JAS11       30         F17ALN01       113       F70AAS05       107       G01JAS12       30         F17ANN01       111       F70AAS06       107       G01JAS13       30         F17AON01       111       F70AAS08       107       G01JAS15       29         F18AGS03       176       F70AAS10       107       G01JAS17       36         F18AKS02       176       F70AAS13       108       G01JAS18       37         F18ATS01       172       F70ACS01       106       G01JAS19       30         F18XOS01       163       F70ACS02       106       G01JAS20       32         F18XOS03       163       F70ACS03       106       G01JAS21       35         F18XOS05       164       F70ACS04       106       G01JAS32       29         F18XOS07       165       F70AES01       109       G01JAS34       29         F18XOS21       164       F70AES02       109       G01JAS34       29	F17AKN02	202	F47ATS22	172	G01JAS08	32
F17AKN05         111         F47JPS05         172         G01JAS11         30           F17ALN01         113         F70AAS05         107         G01JAS12         30           F17ANN01         111         F70AAS06         107         G01JAS13         30           F17AON01         111         F70AAS08         107         G01JAS15         29           F18AGS03         176         F70AAS10         107         G01JAS17         36           F18AKS02         176         F70AAS13         108         G01JAS18         37           F18ATS01         172         F70ACS01         106         G01JAS19         30           F18XOS01         163         F70ACS02         106         G01JAS20         32           F18XOS03         163         F70ACS03         106         G01JAS21         35           F18XOS05         164         F70ACS04         106         G01JAS32         29           F18XOS07         165         F70AES01         109         G01JAS34         29           F18XOS21         164         F70AES02         109         G01JAS34         29	F17AKN03	110	F47ATS23	172	G01JAS09	30
F17ALN01       113       F70AAS05       107       G01JAS12       30         F17ANN01       111       F70AAS06       107       G01JAS13       30         F17A0N01       111       F70AAS08       107       G01JAS15       29         F18AGS03       176       F70AAS10       107       G01JAS17       36         F18AKS02       176       F70AAS13       108       G01JAS18       37         F18ATS01       172       F70ACS01       106       G01JAS19       30         F18X0S01       163       F70ACS02       106       G01JAS20       32         F18X0S03       163       F70ACS03       106       G01JAS21       35         F18X0S05       164       F70ACS04       106       G01JAS32       29         F18X0S07       165       F70AES01       109       G01JAS34       29         F18X0S21       164       F70AES02       109       G01JAS34       29	F17AKN04	110	F47JPS02	174	G01JAS10	30
F17ANN01 111 F70AAS06 107 G01JAS13 30 F17AON01 111 F70AAS08 107 G01JAS15 29 F18AGS03 176 F70AAS10 107 G01JAS17 36 F18AKS02 176 F70AAS13 108 G01JAS18 37 F18ATS01 172 F70ACS01 106 G01JAS19 30 F18XOS01 163 F70ACS02 106 G01JAS20 32 F18XOS03 163 F70ACS03 106 G01JAS20 32 F18XOS05 164 F70ACS04 106 G01JAS32 29 F18XOS07 165 F70AES01 109 G01JAS33 29 F18XOS21 164 F70AES02 109 G01JAS34 29	F17AKN05	111	F47JPS05	172	G01JAS11	30
F17A0N01         111         F70AAS08         107         G01JAS15         29           F18AGS03         176         F70AAS10         107         G01JAS17         36           F18AKS02         176         F70AAS13         108         G01JAS18         37           F18ATS01         172         F70ACS01         106         G01JAS19         30           F18XOS01         163         F70ACS02         106         G01JAS20         32           F18XOS03         163         F70ACS03         106         G01JAS21         35           F18XOS05         164         F70ACS04         106         G01JAS32         29           F18XOS07         165         F70AES01         109         G01JAS33         29           F18XOS21         164         F70AES02         109         G01JAS34         29	F17ALN01	113	F70AAS05	107	G01JAS12	30
F18AGS03         176         F70AAS10         107         G01JAS17         36           F18AKS02         176         F70AAS13         108         G01JAS18         37           F18ATS01         172         F70ACS01         106         G01JAS19         30           F18XOS01         163         F70ACS02         106         G01JAS20         32           F18XOS03         163         F70ACS03         106         G01JAS21         35           F18XOS05         164         F70ACS04         106         G01JAS32         29           F18XOS07         165         F70AES01         109         G01JAS33         29           F18XOS21         164         F70AES02         109         G01JAS34         29	F17ANN01	111	F70AAS06	107	G01JAS13	30
F18AKS02         176         F70AAS13         108         G01JAS18         37           F18ATS01         172         F70ACS01         106         G01JAS19         30           F18X0S01         163         F70ACS02         106         G01JAS20         32           F18X0S03         163         F70ACS03         106         G01JAS21         35           F18X0S05         164         F70ACS04         106         G01JAS32         29           F18X0S07         165         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34         29	F17A0N01	111	F70AAS08	107	G01JAS15	29
F18ATS01         172         F70ACS01         106         G01JAS19         30           F18X0S01         163         F70ACS02         106         G01JAS20         32           F18X0S03         163         F70ACS03         106         G01JAS21         35           F18X0S05         164         F70ACS04         106         G01JAS32         29           F18X0S07         165         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34         29	F18AGS03	176	F70AAS10	107	G01JAS17	36
F18X0S01         163         F70ACS02         106         G01JAS20         32           F18X0S03         163         F70ACS03         106         G01JAS21         35           F18X0S05         164         F70ACS04         106         G01JAS32         29           F18X0S07         165         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34         29	F18AKS02	176	F70AAS13	108	G01JAS18	37
F18X0S03         163         F70ACS03         106         G01JAS21         35           F18X0S05         164         F70ACS04         106         G01JAS32         29           F18X0S07         165         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34         29	F18ATS01	172	F70ACS01	106	G01JAS19	30
F18X0S05         164         F70ACS04         106         G01JAS32         29           F18X0S07         165         F70AES01         109         G01JAS33         29           F18X0S21         164         F70AES02         109         G01JAS34         29	F18X0S01	163	F70ACS02	106	G01JAS20	32
F18X0S07       165       F70AES01       109       G01JAS33       29         F18X0S21       164       F70AES02       109       G01JAS34       29	F18X0S03	163	F70ACS03	106	G01JAS21	35
F18XOS21 164 F70AES02 109 G01JAS34 29	F18X0S05	164	F70ACS04	106	G01JAS32	29
	F18X0S07	165	F70AES01	109	G01JAS33	29
F18X0S23 164 F70AES03 108 G01JAS41 28	F18X0S21	164	F70AES02	109	G01JAS34	29
	F18X0S23	164	F70AES03	108	G01JAS41	28

Code	P.	Code	P.	Code	P.
G01JAS42	28	G01JDS31	64	G01JRS13	97
G01JAS43	28	G01JDS37	65	G01JRS14	97
G01JAS44	28	G01JDS38	65	G01JRS15	97
G01JBL19	31	G01JDS39	64	G01JRS20	98
G01JBL20	31	G01JDS41	64	G01JRS21	98
G01JBR19	31	G01JDS44	64	G01JRS22	98
G01JBR20	31	G01JDS50	66	G01JRS23	98
G01JBS01	33	G01JDS51	66	G01JRS24	98
G01JBS02	33	G01JDS53	65	G02JAS11	44
G01JBS03	33	G01JDS55	66	G02JAS12	44
G01JBS04	33	G01JDS56	64	G02JAS13	44
G01JBS05	33	G01JDS57	65	G02JAS14	44
G01JBS06	33	G01JDS58	65	G02JBS11	45
G01JBS07	33	G01JDS59	64	G02J0S02	45
G01JBS08	33	G01JDS60	63	G03JDS16	62
G01JBS09	33	G01JDS61	64	G03JDS33	62
G01JBS10	33	G01JEL01	28	G06JAS01	20
G01JBS11	34	G01JEL02	28	G06JAS02	20
G01JBS12	34	G01JEL07	32	G06JAS03	20
G01JBS16	35	G01JER01	28	G06JAS05	20
G01JBS17	37	G01JER02	28	G06JAS06	20
G01JBS18	37	G01JER07	32	G06JAS07	20
G01JCS09	40	G01JES10	29	G06JAS08	21
G01JCS10	40	G01J0L01	31	G06JAS10	20
G01JCS12	38	G01J0R01	31	G06JAS12	21
G01JCS14	38	G01J0S01	36	G06JAS13	20
G01JCS37	40	G01J0S04	35	G06JAS14	20
G01JCS38	32	G01J0S06	34	G06JBL04	23
G01JCS39	32	G01JRS01	96	G06JBL06	23
G01JCS41	40	G01JRS02	96	G06JBL19	21
G01JCS42	40	G01JRS03	96	G06JBR04	23
G01JCS52	42	G01JRS04	96	G06JBR06	23
G01JCS53	42	G01JRS05	96	G06JBR19	21
G01JDS02	66	G01JRS06	96	G06JBS01	22
G01JDS11	66	G01JRS07	96	G06JBS02	22
G01JDS12	66	G01JRS08	96	G06JBS03	22
G01JDS17	65	G01JRS09	96	G06JBS16	25
G01JDS24	65	G01JRS10	97	G06JCS05	25
G01JDS29	66	G01JRS11	97	G06JCS07	25
G01JDS30	63	G01JRS12	97	G06JCS12	26

Code	P.	Code	Р.	Code	P.
G06JCS13	26	G18UBS31	131	G19JCS11	144
G06JCS14	26	G18UBS32	131	G19JCS12	144
G06JCS32	26	G18UBS33	131	G19JCS13	144
G06JCS33	26	G18UEL33	132	G19UAS01	142
G06JCS34	26	G18UER33	132	G19UAS02	142
G06JCS38	22	G18UES30	132	G19UAS03	143
G06JCS39	22	G18UGL03	169	G19UAS04	143
G06JCS52	26	G18UGR03	169	G19UAS05	143
G06JDS07	62	G18UGS01	125	G19UAS06	143
G06J0L01	24	G18UJS01	94	G19UAS07	143
G06J0R01	24	G18UJS02	94	G19UAS08	143
G06J0S01	24	G18UJS03	94	G19UHS01	148
G12JDS01	148	G18UJS04	94	G19UHS02	148
G12JDS02	146	G18UJS05	94	G19UHS03	148
G12JDS04	146	G18UJS06	94	G19UIS01	147
G12JDS05	147	G18UJS07	94	G24JDS28	65
G12JDS08	147	G18UJS08	94	G24JDS29	65
G12XIS02	63	G18UJS09	94	G24UHS01	63
G18JAS01	140	G18UJS10	94	G24UHS02	63
G18JAS02	140	G18UJS11	95	G27JCS81	39
G18JAS04	140	G18UJS12	95	G27JCS82	39
G18JAS07	140	G18UJS13	95	G27JCS83	39
G18JCS07	136	G18UJS14	95	G27JDS01	67
G18JCS08	136	G18UJS15	95	G27JDS02	67
G18JCS09	136	G18UJS16	95	G27JDS07	67
G18UAS32	128	G18UJS17	95	G27JDS08	67
G18UAS33	128	G18UJS22	95	G27JDS20	67
G18UAS34	128	G18UJS23	95	G27JDS29	42
G18UAS35	128	G18UJS24	95	G27JDS30	149
G18UAS37	128	G18U0L32	131	G27JDS43	149
G18UAS38	128	G18U0R32	131	G27JDS44	149
G18UAS39	128	G18U0S31	129	G27JQS01	112
G18UAS40	129	G18UQL05	124	G29JRS01	88
G18UAS41	129	G18UQR05	124	G29JRS02	88
G18UBL34	130	G18UQS03	124	G29JRS03	88
G18UBL35	130	G18UQS04	124	G29JRS04	88
G18UBL36	130	G18UQS08	125	G29JRS05	88
G18UBR34	130	G19JCS01	144	G29JRS06	88
G18UBR35	130	G19JCS02	144	G29JRS10	89
G18UBR36	130	G19JCS03	144	G29JRS11	89

Code	P.	Code	P.	Code	P.
G29JRS12	89	G55JRS25	93	H50GBS26	203
G29JRS13	89	G56JAS01	48	H50GBS27	116
G29JRS14	89	G56JAS02	48	H50GBS32	184
G29JRS15	89	G56JAS03	48	H50GBS33	184
G29JRS20	90	G56JAS04	48	H50GBS34	185
G29JRS21	90	G56JAS05	48	H50GNS01	185
G29JRS22	90	G56JAS06	48	H51GHS32	116
G29JRS23	90	G56JAS07	48	H51GHS35	23
G29JRS24	90	G56JAS11	49	H51GHS36	23
G29JRS25	90	G56JAS14	52	H51GJL02	166
G40JDS17	62	G56JAS15	51	H51GJL03	166
G40JDS40	62	G56JBL04	54	H51GJR02	166
G41JCS01	41	G56JBL06	55	H51GJR03	166
G41JCS03	41	G56JBL19	50	H51GJS02	165
G41JCS05	38	G56JBR04	54	H51GJS03	165
G41JCS07	38	G56JBR06	55	H51GLL02	167
G41JCS09	40	G56JBR19	50	H51GLL03	168
G41JCS10	40	G56JBS03	53	H51GLL04	168
G41JCS45	38	G56JBS04	53	H51GLL05	168
G41JCS46	41	G56JBS16	56	H51GLR02	167
G41JCS47	41	G56JCS05	49	H51GLR03	168
G41JCS74	45	G56JCS07	49	H51GLR04	168
G41JCS75	45	G56JCS09	56	H51GLR05	168
G55JRS01	91	G56JCS10	56	H51GLS02	167
G55JRS02	91	G56JCS11	56	H51GLS03	167
G55JRS03	91	G56JCS12	58	H51GLS04	166
G55JRS04	91	G56JCS14	58	H51GLS05	167
G55JRS05	91	G56JCS16	60	H51G0L01	169
G55JRS06	91	G56JCS18	58	H51G0R01	169
G55JRS10	92	G56JCS28	59	H51G0S01	169
G55JRS11	92	G56JCS29	59	H52HHS04	86
G55JRS12	92	G56JCS30	59	H52HHS11	86
G55JRS13	92	G56JCS38	52	H52HJS02	85
G55JRS14	92	G56JDS28	60	H52HJS03	85
G55JRS15	92	G56J0L01	51	M74MDS06	182
G55JRS20	93	G56J0R01	51	M74MDS12	182
G55JRS21	93	G56UHS13	146	N41KSS01	113
G55JRS22	93	H50GBS14	116	N41KSS02	113
G55JRS23	93	H50GBS15	184	N41KSS03	114
G55JRS24	93	H50GBS25	203	N41KSS04	114

#### INDEX BY PRODUCT CODE

Code	P.
N41KSS05	113
OMN1103R	157
OMN1202R	157
OMN2201	158
OMN2301	158
OMN41101	156
OMN41651	156
R39PBM08	159
R39PBM09	158
Y87JIS47C1	39
Y87J0S02	31
Y87J0S04	23
Y88JNS17	88
Y88SDS68	88
Y96SES56	206
Y96SES61	207
Y96SES65	206
Y96SES68	206
Y96SES71	207



#### Ponte Giulio S.p.A.

Località Ponte Giulio 05018 Orvieto (TR) ITALY

- (L) +39 0763 316044
- **(m)** +39 0763 316043
  - **(S)** 366 2654238

#### **Ponte Giulio USA Corp**

W241 S4021 Rockwood Circle Waykesha WI 53189 - USA

- 1.877.766.8301
- **(m)** 1.877.766.8306

