

LECKEY




# Mygo+

The ideal support and comfort  
kids need to maximise function

Supporting Children

# The optimum in posture, comfort and function

The original Mygo Seat was ground-breaking in its design to optimise posture, comfort and function. **Mygo+** builds on this foundation and goes even further in providing unrivalled postural support and comfort, helping more children with moderate to complex needs optimise their independence and opportunities for skill development.



New contoured headrest .....  
option providing  
increased support  
beneath the occipital  
portion of the head

Height adjustable .....  
backrest

Height adjustable .....  
handle on all six hi-  
low chassis options

.... Choice of laterals,  
shoulder section  
accessory and a  
variety of harnesses  
provide exceptional  
upper body support

..... Removable height  
and angle adjustable  
armrests

..... Seat cushion  
depth of 50mm  
for improved  
pressure relief

..... One-piece  
padded footplate  
also available

## UNRIVALLED PELVIC POSITIONING FOR OPTIMUM SUPPORT, COMFORT AND FUNCTION

- The unique pelvic cradle accessory supports the pelvis by wrapping around the buttocks and posterior pelvis to encourage and maintain an upright functional position
- Improvements in the structure of the pelvic cradle ensure it maintains optimum shape during hoisting or standing transfers. Furthermore, the increased proprioceptive feedback and improved posture of the cradle acts to maximise trunk control and upper limb function



## FLEXIBILITY AND ADJUSTABILITY TO EXPERTLY ACCOMMODATE ASYMMETRY

- Mygo+’s flexible sacral support, independent hip guides, seat to back angle of up to 115°, ramped seat base, adjustable leg guides and footplates help make it the perfect choice for children with pelvic rotation and tilt, mild scoliosis, shortened hamstrings, femoral and lower leg length difference and fixed plantar flexion
- The innovatively designed split seat base enables the legs to move independently beyond the midline to accommodate windsweeping postures. A range of up to 13° abduction and 10° adduction may be achieved, whilst offsetting the hip guides can aid in accommodating more extreme windsweeping



## MAKES THE WORLD MORE ACCESSIBLE WITH A WIDE RANGE OF BASES

- Mygo+ quickly and easily interfaces with a range of indoor and outdoor hi-low bases, as well as a variety of powered and non-powered mobility bases



# Technical Information

	Size 1	Size 2	Size 3
Age (approx.)	3-10	8-14	10-16
User Weight	Min 18kg (40lbs) Max 50kg (110lbs)	Min 18kg (40lbs) Max 60kg (132lbs)	Min 18kg (40lbs) Max 70kg (154lbs)
User Height	Min 105cm (41.3") Max 150cm (59")	Min 127cm (50") Max 168cm (66.1")	Min 150cm (59") Max 175cm (68.8")
Seat Width	Min 200mm (7.8") Max 325mm (12.7")	Min 220mm (8.7") Max 345mm (13.6")	Min 250mm (9.8") Max 400mm (15.7")
Seat Depth	Min 270mm (10.6") Max 420mm (16.5")	Min 350mm (13.8") Max 470mm (18.5")	Min 350mm (13.8") Max 470mm (18.5")
Chest Width	Min 170mm (6.7") Max 270mm (10.6")	Min 170mm (6.7") Max 270mm (10.6")	Min 200mm (7.8") Max 300mm (11.8")
Backrest Height	Min 360mm (14.2") Max 470mm (18.5")	Min 460mm (18.1") Max 570mm (22.4")	Min 460mm (18.1") Max 570mm (22.4")
Backrest Angle	Prone 10° \ Recline 25°	Prone 10° \ Recline 25°	Prone 10° \ Recline 25°
Lower Leg Length	Min 215mm (8.5") Max 350mm (13.8")	Min 315mm (12.4") Max 470mm (18.5")	Min 315mm (12.4") Max 470mm (18.5")
Armrest Height	Min 160mm (6.3") Max 210mm (8.3")	Min 210mm (8.3") Max 260mm (10.2")	Min 210mm (8.3") Max 260mm (10.2")
Tray Size	550mm x 480mm (21.6" x 18.9")	550mm x 480mm (21.6" x 18.9")	550mm x 480mm (21.6" x 18.9")
Seat Height (Foot Pedal Chassis)	340mm-655mm (13.4"-25.8")	340mm-655mm (13.4"-25.8")	340mm-655mm (13.4"-25.8")
Seat Height (Powered Chassis)	370mm-675mm (14.6"-26.6")	370mm-675mm (14.6"-26.6")	370mm-675mm (14.6"-26.6")

**To arrange a product demonstration/assessment or for more information, please contact us:**

Leckey  
19c Ballinderry Road  
Lisburn BT28 2SA  
Northern Ireland

(+44) 28 9260 0750  
hello@leckey.com

**leckey.com**



**LECKEY**

James Leckey Design Limited has made every effort to ensure that the information contained in this document is accurate and up to date. At the time of going to print, the information presented is accurate to the best of the company's knowledge. James Leckey Design Limited however, cannot accept responsibility for changes to product information after going to print.