Juvo C7 FWD

Elektrische rolstoel

490E68=0_AA01_C

ottobock.

Order NR:

Klant

Klant nr.	
Naam	
Straat + nr.	
Postcode, stad	

Verzendadres (indien anders dan klantadres)

Naam	
Straat + nr.	
Postcode, stad	
Bedrijf	

Naam _____ Datum _____ Handtekening _____

◯ **Offerte** ◯ **Bestelling**



	Basisprijs
Juvo C7 FWD	
Alle prijzen in €, **incl 6% BTW**	**€ 12.160,74**
Geldig: 01.01.2026 - 31.12.2026	
Prijswijzigingen, zet -en/of drukfouten voorbehouden	
Mail uw bestelling naar **mbx@ottobock.com**	

Maximale draagkracht: 160 kg

Bij het plaatsen van de bestelling gaat u akkoord met de naleving van de gebruiks-/servicehandleidingen voor accessoires en producten van andere fabrikanten wanneer deze worden gecombineerd met een Ottobock-product, naast de gebruiks-/servicehandleidingen van de betreffende Ottobock-producten. U bevestigt ook dat u onze algemene voorwaarden hebt gelezen, begrepen en geaccepteerd. Daarnaast gaat u, bij het plaatsen van een bestelling, akkoord met het uitvoeren van uw eigen conformiteitsbeoordeling of goedkeuring in overeenstemming met de nationale eisen, indien en wanneer u wijzigingen of toevoegingen doorvoert die niet voldoen aan de specificaties van de Ottobock-gebruiks-/servicehandleidingen.

Code		Product classificatie	Prestatiecode	Prijs
EA003	☐	Categorie C		-
Code		**Aandrijfwiel type**	**Prestatiecode**	**Prijs**
EA004	☐	Voorwielaandrijving (FWD)		-
Code		**Max. gebruikersgewicht (gebruiker + persoonlijke bagage, informatie vereist)**	**Prestatiecode**	**Prijs**
		☐ 30 ☐ 40 ☐ 50 ☐ 60 ☐ 70 ☐ 75 ☐ 100		
		☐ 113 ☐ 125 ☐130 ☐ 140 ☐ 150 ☐ 160 ☐ 170		
Code		**Zitsystemen**	**Prestatiecode**	**Prijs**
EC002	☐	Standaard zit, Small (ZB 38 - 42 cm, ZD 38 - 46 cm, RH 55 - 45 cm, verstelbaar per 5 cm,		-
		tot maximaal 140 kg)		
EC003	☐	Standaard zit, Large (ZB 44 - 48 cm, ZD 42 - 50 cm, RH 55 - 45 cm, verstelbaar per 5 cm,		-
		tot maximaal 160 kg)		
EC004	☐	Standaard zit, XL (ZB 50 - 56 cm, ZD 42 - 50 cm, RH 55 - 45 cm, verstelbaar per 5 cm,		281,21
		tot maximaal 160 kg)		
EC005	☐	VAS (Vario Adjust Seat) (ZB 40 - 54 cm, ZD 38 - 58 cm, RH 55, 53, 51, 45 cm		-
		tot maximaal 170 kg		
EC070	☐	VAS XL (Vario Adjust Seat) (ZB 56 - 70 cm, ZD 38 - 58 cm, RH 55, 53, 51, 45 cm		349,00
		tot maximaal 170 kg		
EC036	☐	APS (Advanced Power Seat) , maximaal gebruikersgewicht 160 kg		-
		(ZB32...56cm, ZD 30...56cm, verstelbaar per 2 cm, BH 56cm) bestaat uit:		
B7BIO	☐	Biomechanische aangedreven rugsteun	223255	323,50
EB015	☐	Centraal gemonteerde aangedreven beensteun, losse aluminium voetplaat, groot	224117	1.520,08
EB016	☐	Centraal gemonteerde aangedreven beensteun, losse aluminium voetplaat, klein (max 100 kg)	224117	1.520,08
B7RUG	☐	Elektrische rughoekverstelling 30°	221059	1.444,10

Code		Zitbreedte ZB Standaard en VAS	Prestatiecode	Prijs
		☐ 32 ☐ 34 ☐ 36 ☐ 38 ☐ 40 ☐ 42 ☐ 44		
		☐ 46 ☐ 48 ☐ 50 ☐ 52 ☐ 54 ☐ 56		
Code		**Zitbreedte ZB APS**	**Prestatiecode**	**Prijs**
		☐ 38 ☐ 40 ☐ 42 ☐ 44		
		☐ 46 ☐ 48 ☐ 50 ☐ 52 ☐ 54 ☐ 56 ☐ 58		
		☐ 60 ☐ 62 ☐ 64 ☐ 66 ☐ 68 ☐ 70		
Code		**Zitdiepte ZD**	**Prestatiecode**	**Prijs**
		☐ 30 cm ☐ 32 cm ☐ 34 cm ☐ 36 cm ☐ 38 cm ☐ 40 cm ☐ 42 cm ☐ 44 cm		
		☐ 46 cm ☐ 48 cm ☐ 50 cm ☐ 52 cm ☐ 54 cm ☐ 56 cm ☐ 58 cm		

Seat	Seat depth SD [cm]												
	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat, small			X	X	X	X	X						
Standard seat, large					X	X	X	X	X				
Standard seat, XL					X	X	X	X	X				
VAS, VAS XL			X	X	X	X	X	X	X	X	X	X	X

In combination with Seat system APS

Seat Depth SD (cm)	Seat Width SW (cm)												
	32	34	36	38	40	42	44	46	48	50	52	54	56
30	X	X	X	X	X	X	X	X					
32	X	X	X	X	X	X	X	X					
34	X	X	X	X	X	X	X	X					
36	X	X	X	X	X	X	X	X					
38	X	X	X	X	X	X	X	X	X	X	X	X	X
40	X	X	X	X	X	X	X	X	X	X	X	X	X
42	X	X	X	X	X	X	X	X	X	X	X	X	X
44	X	X	X	X	X	X	X	X	X	X	X	X	X
46	X	X	X	X	X	X	X	X	X	X	X	X	X
48	X	X	X	X	X	X	X	X	X	X	X	X	X
50	X	X	X	X	X	X	X	X	X	X	X	X	X
52					X	X	X	X	X	X	X	X	X
54					X	X	X	X	X	X	X	X	X
56					X	X	X	X	X	X	X	X	X

X = possible combination

Code		Onderbeenlengte OBL	Prestatiecode		Prijs
		Onderbeenlengte in te vullen (tussen 17 en 54 cm) _____ CM			
		(APS enkel mogelijk bij lengtes gelijk aan of tussen 23 - 44 cm			

Code		Zitkussen	Prestatiecode		Prijs
EC011	☐	Zonder zitkussen		€	-
EC014	☐	Terra 11.2 11.3	220514	€	152,00
EC015	☐	Terra Aquos 11.2 11.3		€	224,48
EC016	☐	Terra Flair 11.2 11.4	220558	€	532,04
EC018	☐	Cloud 11.6	220573	€	608,03
EC020	☐	Contour vlak voorgevormd 7.3 11.9 11.10 11.11 11.15	220919	€	-
EC021	☐	Contour diep gerond 7.3 11.9 11.10 11.11 11.15	220919	€	-
EC071	☐	Contour vlak voorgevormd, XL 7.3 11.11 11.13 11.14	220919	€	-
EC072	☐	Contour diep gerond, XL 7.3 11.11 11.13 11.14	220919	€	-

Code		Zitkussen APS	Prestatiecode		Prijs
EC037	☐	Contour², vlak voorgevormd 9.0 11.12	220919	€	-
EC038	☐	Contour², diep gerond 9.0 11.12	220919	€	-

Code		Accessoires voor zitkussen Contour / Contour²	Prestatiecode		Prijs
EC039	☐	Incontinentiebescherming 14.1		€	42,65

Code		Rugsteun versie	Prestatiecode		Prijs
ED032	☐	Zonder 7.3		€	-
ED033	☐	Aanpasbare rugbekleding 7.3		€	-
ED034	☐	Contour, vlakke contour 15.9	220934	€	-
ED035	☐	Contour, diep gerond 15.9	220934	€	-
ED050	☐	Contour, vlakke contour AD (aanpasbaar, vermindering zitdiepte +- 2 cm) 15.1	220934	€	-
ED051	☐	Contour, diep gerond AD (aanpasbaar, vermindering zitdiepte +- 2 cm) 15.1	220934	€	-
ED052	☐	Ottobock rugsteunadapter voor montage van alternatieve rugsteunen 9.0		€	399,00
ED036	☐	Baxx aluminium rug, zie bestelbon Baxx 11.15 15.4 15.5			

Code		Rugsteun versie APS	Prestatiecode	Prijs
ED056	☐	Contour², vlakke contour 9.0	220934	€ -
ED057	☐	Contour², diep gerond 9.0	220934	€ -
Code		**Rugbreedte Contour²**	**Prestatiecode**	**Prijs**
		(Alleen mogelijk voor de combinaties van APS,		
		Contour² met vlakke contour, Contour² met diepe contour)		
		☐ 30 cm ☐ 32 cm ☐ 34 cm ☐ 36 cm ☐ 38 cm ☐ 40 cm ☐ 42 cm ☐ 44 cm		
		☐ 46 cm ☐ 48 cm ☐ 50 cm ☐ 52 cm ☐ 54 cm ☐ 56 cm		
Code		**Rughoogte Contour² (Enkel bij APS)**	**Prestatiecode**	**Prijs**
	☐	65 cm (kussenlengte 46 cm) 18.2		
	☐	75 cm (kussenlengte 56 cm) 18.2		
		Zie tabel "Back version contour² with flat or deep contour"		
Code		**Accessoires voor Contour² rug (Enkel bij APS)**	**Prestatiecode**	**Prijs**
ED039	☐	Zijpanelen 19.1		€ 116,23
ED040	☐	Lendesteun		€ 62,91
ED059	☐	Adapter voor UniLink-bundelpositioneringselementen 4.1 9.0 (kies houders en pads uit de accessoirecatalogus)		€ 128,75
Code		**Zithoek (voorovergekanteld)**	**Prestatiecode**	**Prijs**
	☐	0°		
Code		**Elektrische stoelverstelling** (met elektrische rughoekverstelling en kniehoekverstelling)	**Prestatiecode**	**Prijs**
EC033	☐	Zonder 7.3 24.3		€ -
EC025	☐	Zitkanteling 45° 7.3 11.15 24.1	221037	€ 1.444,10
EC026	☐	Zithoogteverstelling 35 cm 7.3 11.15 24.1 24.6		€ 3.344,22
EC027	☐	Zithoogteverstelling 35 cm met zitkanteling 45° 7.3 11.15 24.1 24.6		€ 4.788,32
Code		**Voetsteunen (Niet mogelijk bij APS)**	**Prestatiecode**	**Prijs**
EB001	☐	Standaard wegzwenkbaar (STANDAARD) 40.1 40.3	222533	-
EB002	☐	Mechanisch verstelbare beensteunen met lengte compensatie PAAR (VSB prijs X 2)	220676	691,79
		4.1 40.1 40.3 40.4 40.5 (max belasting 140 kg, niet mogelijk bij OBL <21 cm)		
EB003	☐	Elektr verstelbare beensteunen met lengte compensatie, afz. verstelbaar PAAR (VSB prijs X 2)	220713	1.520,10
		(max belasting 140 kg, niet mogelijk bij OBL <21 cm) + EB007 inclusief 4.1 40.1 40.3 40.4		
EB004	☐	Elektrisch verstelbare beensteunen met lengte compensatie, PAAR (VSB prijs X 2)	220713	1.520,10
		simultaan verstelbaar (niet mogelijk bij OBL < 21 cm) 40.1 40.3 40.4		
EB005	☐	Zonder voetsteun 40.2		-
EB013	☐	Centrale voetsteun met gedeelde Flip-up voetplaten aluminium 40.1 40.8 40.9		843,41
Code		**Voetplaat / beensteun versie**	**Prestatiecode**	**Prijs**
		Kan niet gecombineerd worden met voetsteunen "zonder voetsteun of centrale voetsteun"		
EB006	☐	Gedeelde voetplaten, kunststof (max bel 140 kg), (STANDAARD) 4.1 7.3 41.2 41.3 41.5 41.9	222533	-
EB007	☐	Gedeelde voetplaten, aluminium (max belasting 160 kg) 4.2 7.3 41.6 41.9	220757	219,83
EB009	☐	Eendelige voetplaat, aluminium (max belasting tot 200 kg) 7.3 41.7 41.9	220757	219,83

Code		Accessoires voor beensteunen	Prestatiecode		Prijs
EB010	☐	Kniepolstering (paar) 7.3 42.1 PAAR (VSB prijs X 2)	223056	€	181,72
EB021	☐	Kuitbeschermer, in hoek verstelbaar (paar) 41.8		€	-
EB030	☐	Mediale voetgeleider 41.8		€	57,58
EB031	☐	Zijdelingse voetgeleider 41.8		€	57,58
EB032	☐	Voetbanden (paar) 41.8		€	19,19
EB033	☐	Beschermingswiel (paar) 41.8 42.2		€	25,59
EB017	☐	Slot voor eendelige aluminium voetplaat 42.3		€	87,53
EB022	☐	Amputatie been ondersteuning rechts 4.1 42.4		€	648,90
EB023	☐	Amputatie been ondersteuning links 4.1 42.4		€	648,90
Code		**Elektrische stoelverstelling** (met elektr rughoekverstelling en kniehoekverstelling) **ENKEL APS**	**Prestatiecode**		**Prijs**
EC044	☐	Zitkanteling 9.0 24.1	221037	€	1.444,10
EC041	☐	Zithoogteverstelling met kanteling (Multi-lift) 9.0 24.1 24.7		€	4.788,25
		Zithoogte in cm (zie tabel "Seat height")			
		☐ 41 cm ☐ 43 cm ☐ 45 cm ☐ 47 cm ☐ 49 cm ☐ 51 cm ☐ 53 cm ☐ 55 cm			
		Standaard voetondersteuning: Zithoogte ≥ onderbeenlengte + 6 cm			
		Zitsysteem APS: Zithoogte ≥ onderbeenlengte + 8 cm.			
Code		**Aanpassing rughoekverstelling**	**Prestatiecode**		**Prijs**
		Niet mogelijk bij APS zitsysteem			
ED046	☐	Mechanische verstelling in stappen		€	-
ED047	☐	Elektrisch	221059	€	1.444,10
Code		**Montageset voor hoofd- /neksteun**	**Prestatiecode**		**Prijs**
EL001	☐	Gooseneck	221133	€	228,00
EL002	☐	Meerassig, geknikt	221133	€	228,00
EL003	☐	Meerassig, recht	221133	€	228,00
Code		**Hoofd-/neksteunen**	**Prestatiecode**		**Prijs**
EL006	☐	Hoofdsteun small (Care line, PU) 29.2		€	-
EL007	☐	Hoofdsteun large (Care line, PU) 29.2		€	-
EL013	☐	Hoofd-/neksteun small (Care line, PU) 29.2		€	-
EL014	☐	Hoofd-/neksteun large (Care line, PU) 29.2		€	-
EL015	☐	Hoofd-/neksteun X-vormig small (Care line, PU) 29.2		€	-
EL016	☐	Hoofd-/neksteun X-vormig large (Care line, PU) 29.2		€	-
Code		**Hoofd-/neksteunen voor APS**	**Prestatiecode**		**Prijs**
EL031	☐	Unilink houder voor hoofdsteun, multi-axis (enkel voor Advanced line hoofdsteunen)		€	335,94
EL033	☐	Comfort Plus, maat S (Advanced line)		€	-
EL034	☐	Comfort Plus, maat M (Advanced line)		€	-
EL035	☐	Comfort Plus, maat L (Advanced line)		€	-
Code		**Gordels**	**Prestatiecode**		**Prijs**
EP002	☐	2-punts heupgordel, gewatteerd, metalen gesp (centraal) (STANDAARD)	221354		-
EP020	☐	2-punts heupgordel met metalen gesp en oprolmechanisme 30.1			135,35
		(gesp aan zijkant handmodule)			

Code		VAS accessoires	Prestatiecode	Prijs
ED048	☐	Duwhandvatten		86,38
ES302	☐	Dijbeen-zijsteunen, maat M (1 paar met Unilnk monteer materiaal) 4.1 53.9		660,17
ES303	☐	Dijbeen-zijsteunen, maat S (1 paar met Unilnk monteer materiaal) 4.1 53.10		660,17
Code		**Rugverlenging VAS**	**Prestatiecode**	**Prijs**
ED060	☐	Rugverlenging VAS tot +15 cm 90.1 90.3 90.4		386,25
ED061	☐	Rugverlenging VAS +15 cm met dwarsverbinding 90.3 90.4		489,25
Code		**APS accessoires**	**Prestatiecode**	**Prijs**
ES099	☐	Rugsteunbalk		-
ES100	☐	Multi stang op rugsteunbalk (ES099 vereist) 33.1		-
ES101	☐	Multi stang op rugsteun versie Contour² links (enkel mogelijk met ED056 of ED057) 18.0		-
ES102	☐	Multi stang op rugsteun versie Contour² rechts (enkel mogelijk met ED056 of ED057) 18.0		-
ES304	☐	Kniekussen (aanbevolen voor "Active Touch")	223093	451,63
Code		**Armsteunen**	**Prestatiecode**	**Prijs**
EE023	☐	Armsteunen (STANDAARD) 7.3	222555	-
EE024	☐	Flip-up armsteunen 7.3 11.7 34.1 34.2 34.3 34.5 34.6		-
EE025	☐	Flip-up, hoekaanpasbare armsteun voor APS 9.0		-

Code		Arm pads (Niet mogelijk bij APS)	Prestatiecode	Prijs
EE060	☐	Korte pads 27 cm		-
EE061	☐	Lange pads 37 cm		-
Code		**Armsteun opklapbaar rechts (Enkel mogelijk bij APS)**	**Prestatiecode**	**Prijs**
EE040	☐	Kort kussen (27 cm)		-
EE041	☐	Lang kussen (37 cm)		-
Code		**Armsteun opklapbaar links (enkel mogelijk bij APS)**	**Prestatiecode**	**Prijs**
EE050	☐	Kort kussen (27 cm)		-
EE051	☐	Lang kussen (37 cm)		-
Code		**Batterijen**	**Prestatiecode**	**Prijs**
EU039	☐	Gel 94 Ah (C5)		€ -
Code		**Batterijlader**	**Prestatiecode**	**Prijs**
EU550	☐	15 A Verplicht bij Gel 94 Ah (C5)		-
Code		**Extra oplaadcontactdoos**	**Prestatiecode**	**Prijs**
EU043	☐	Externe laadcontactdoos (installatiezijde rechts) (Met optie zonder hand module) 45.1		149,00


Code		Zwenkwielen	Prestatiecode	Prijs
EF007	☐	10" luchtbanden		-
EF008	☐	10" lekvrij		69,31
Code		**Aandrijfwielen**	**Prestatiecode**	**Prijs**
EG001	☐	14" luchtbanden		-
EG002	☐	14" lekvrij		69,31
Code		**Kleur banden**	**Prestatiecode**	**Prijs**
EG011	☐	Grijs		-
EG012	☐	Zwart		-
Code		**Bandenprofiel**	**Prestatiecode**	**Prijs**
EG013	☐	Ribben (alleen met bandkleur grijs) 49.1		-
EG014	☐	Noppen		-
EG015	☐	Zwenkwielen gelijnd; aandrijfwielen geblokt 49.1		-
Code		**Framekleur**	**Prestatiecode**	**Prijs**
048	☐	Obsidian black		-
049	☐	Granite metallic		-
050	☐	Aubergine		-
051	☐	Sunny Orange		-
052	☐	Rich lime		-
053	☐	Kordia cherry		-
054	☐	PebblestoneGrey		-
055	☐	Blueberry		-
Code		**Basisveiligheidtoebehoren**	**Prestatiecode**	**Prijs**
ES002	☐	Voertuig-Transport-kit (getest volgens ISO 7176-19)		-
Code		**Algemene accessoires**	**Prestatiecode**	**Prijs**
ES004	☐	Bagagedrager (max 10 kg) 53.11 53.12		459,69
ES005	☐	Krukhouder 7.3		116,23
ES006	☐	Achteruitkijkspiegel	223653	128,51
ES007	☐	Tool kit		62,91
ES010	☐	Bekerhouder		37,32
ES012	☐	Werkblad 53.4 53.5 53.13	221295	243,21
ES023	☐	Rugzakhaken 53.1 53.6		170,60
ES026	☐	Houder voor mobiele telefoon met "Gooseneck" 53.7		
ES027	☐	Houder voor tablet met "Gooseneck" 53.8		
EU095	☐	Handwarmer met kap voor 1 hand		
EU096	☐	Handwarmer met kap voor twee handen	223719	1.379,82
ET001	☐	Externe claxon 7.3		
ES300	☐	Transferhandgreep links		108,15
ES301	☐	Transferhandgreep rechts		108,15
ES024	☐	Beschermingsframe voor hand module		60,77

Code		Aansluiting voor externe stroomvoorziening	Prestatiecode	Prijs
ET009	☐	**USB-A-poort (montage links, onder armkussen)**	**225554**	229,01
Code		**Verlichting**	**Prestatiecode**	**Prijs**
ES021	☐	**LED verlichting**		-
Code		**Invoerapparaat voor ICON power module**	**Prestatiecode**	**Prijs**
EU400	☐	**Zonder handmodule 57.1 57.4**		-
EU402	☐	**ICON handmodule, standaardkleur 57.2 57.5**		-
EU412	☐	**ICON-tafelbesturing, handmatig omklapbaar 53.4 57.3**	**221516**	2.356,16
Code		**Houder voor handmodule (EU402 nodig)**	**Prestatiecode**	**Prijs**
EU071	☐	**Parallel wegzwenkbaar, verstelbereik 6 cm**		-
EU072	☐	**Parallel wegzwenkbaar, verstelbereik 14 cm**		-
EU440	☐	**Parallel wegzwenkbaar, verstelbereik 6 cm aansluitbaar 59.2**		329,00
EU441	☐	**Parallel wegzwenkbaar, verstelbereik 14 cm aansluitbaar 59.2**		329,00
Code		**Montagezijde van houder voor handmodule of bakmodule (enkel met EU402 of EU412)**	**Prestatiecode**	**Prijs**
	☐	**Rechts 59.2**		
	☐	**Links 59.2**		
Code		**Joystick hendel**	**Prestatiecode**	**Prijs**
EU080	☐	**Tetra vork, horizontaal (instelbaar voor handbreedte 70 - 90 mm) 61.1**		122,62
EU081	☐	**Stick S80 (speciale joystickhandgreep 80 mm) 61.1**		122,62
EU082	☐	**Soft ball, zwarte bekleding 61.1**		175,93
EU083	☐	**Ball top, small (diameter 43 mm) 61.1**		122,62
EU084	☐	**Ball top, large (diameter 48 mm) 61.1**		154,60
EU085	☐	**Soft ball, gekleurd (diameter 30 mm) 61.1**		122,62
Code		**Externe knoppen (aansluiting op de ICON handmodule of ICON bakmodule)**	**Prestatiecode**	**Prijs**
EU067	☐	**2 Piko-knoppen met een diameter van 50 mm** (rood/zwart)		329,00
EU068	☐	**Piko knoppen diameter 30 mm** (rood/zwart)		329,00
Code		**ICON schakelaar module**	**Prestatiecode**	**Prijs**
EU404	☐	**Toetsenbord, plat**		549,00
EU405	☐	**Keypad, toggle**		549,00
Code		**Geheugenfunctie (Enkel met APS systeem)**	**Prestatiecode**	**Prijs**
EU407	☐	**8 geheugenposities programmeerbaar**		-
Code		**ICON schakelmodule monteren (verplichte info bij EU404 of EU405)**	**Prestatiecode**	**Prijs**
ES110	☐	**Bij de armsteun, tegenover handmodule (zonder handmodule tegenover ICON LCD-module) 60.2 60.3**		130,00
ES111	☐	**Bij de armsteun, tegenovergestelde handmodule, wegzwenkbaar (zonder handmodule tegenover ICON LCD-module) 60.2 60.3**		-
ES112	☐	**Op de armsteun, vast voor de handmodule 66.1 66.2**		-
ES113	☐	**Op de armsteun, voor de handmodule, wegzwenkbaar 66.1 66.2**		-
ES114	☐	**Rechtsachter voor de begeleider 33.1**		189,00
ES115	☐	**Linksachter voor de begeleider 33.1**		189,00

Code		Modules voor ICON besturingseenheid	Prestatiecode	Prijs
EU414	☐	ICON LCD-module	225517	€ 2.250,75
Code		**Houder voor ICON LCD-module** (verplichte info bij EU414)	**Prestatiecode**	**Prijs**
EU073	☐	Standaard 68.2		€ -
EU074	☐	Met zwanenhals 68.2		€ 122,62
EU048	☐	Standaard, wegzwenkbaar 68.2		€ 346,53
EU049	☐	Met zwanenhals, wegzwenkbaar 68.2		€ 346,53
EU075	☐	Met zwanenhals voor werkblad		€ 122,62
Code		**Toevoegingen voor ICON LCD-module**	**Prestatiecode**	**Prijs**
EU409	☐	ICO Output module		€ 1.065,00
EU130	☐	1-toets scanbesturing		€ 606,70
Code		**Type speciale besturingen**	**Prestatiecode**	**Prijs**
EU100	☐	mo-vis Micro Joystick (benodigde kracht 10g)		€ 3.399,00
EU101	☐	mo-vis Multi Joystick (benodigde kracht 50g)		€ 3.599,00
EU102	☐	mo-vis All-round Joystick (benodigde kracht 120g)		€ 2.699,00
EU128	☐	mo-vis All-round Joystick (benodigde kracht 250g)		€ 1.799,00
EU129	☐	mo-vis All-round Heavy Duty Joystick (benodigde kracht 650g)		€ 3.499,00
EU150	☐	Kalibreerbare mini joystick	221619	€ 3.192,18
Code		**Bovenkant voor kalibreerbare mini-joystick**	**Prestatiecode**	**Prijs**
EU131	☐	Zachte bal met elastomeer		€ 139,00
EU132	☐	Zachte bal met veer, hard		€ 119,00
EU133	☐	Zachte bal met veer, zacht		€ 119,00
EU134	☐	Bedieningsknop met elastomeer		€ 89,00
Code		**Houder voor speciaal invoerapparaat (Voor icon LCD module)**	**Prestatiecode**	**Prijs**
EU076	☐	Kin-draaiarm, links 77.2 77.3 77.7	221575	€ 3.324,12
EU077	☐	Kin-draaiarm, rechts 77.2 77.3 77.7	221575	€ 3.324,12
EU078	☐	Voor werktafel (moet door de klant worden geïnstalleerd, niet inklapbaar met mini-joystick)		€ 559,78
EU110	☐	Bij armsteun incl. 1 vingerknop 77.4 77.5		€ -
EU111	☐	Bij armsteun incl. 2 vingertoetsen 77.4 77.5		€ -
EU112	☐	Bij armsteun incl. 1 piko-knop 77.4 77.5		€ -
EU113	☐	Bij armsteun incl. 2 piko-knoppen 77.4 77.5		€ -
EU118	☐	Zonder, incl. 2 Piko knoppen		€ -
Code		**Control unit voor de begeleider**	**Prestatiecode**	**Prijs**
EU415	☐	ICON bediening (met handsteun, rugsteunstang vereist) 59.2 79.1	223734	€ 822,48
Code		**Montagezijde van control unit voor begeleider**	**Prestatiecode**	**Prijs**
	☐	Rechts		
	☐	Links		
Code		**Programmeer accessoires**	**Prestatiecode**	**Prijs**
EU430	☐	USB-programmeerapparaat		€ 609,00

Code		Aandrijfeenheid	Prestatiecode	Prijs
ET016	☐	Performance 82.1	€	-
ET011	☐	High Performance Verplicht bij 14 km/u	€	799,00
Code		**Snelheid**	**Prestatiecode**	**Prijs**
ET012	☐	6 km/h	€	-
ET013	☐	7.2 km/h 83.1 83.3	€	-
ET014	☐	10 km/h 83.1 83.3 83.6	€	-
ET015	☐	14 km/h (Niet bij APS) 7.3 83.1 83.2 83.3 83.4	€	-
Code		**Aanvullende instructies voor gebruik**	**Prest. Code**	**Prijs**
ES028	☐	Gekwalificeerd personeel	€	-
ES029	☐	Gebruiker	€	-
Code		**Taal instructies voor gebruik (gekwalificeerd personeel)**	**Prest. Code**	**Prijs**
ES030	☐	Duits	€	-
ES031	☐	Engels	€	-
ES033	☐	Frans	€	-
ES035	☐	Nederlands	€	-
Code		**Taal instructies voor gebruiker**	**Prest. Code**	**Prijs**
ES060	☐	Duits	€	-
ES061	☐	Engels	€	-
ES063	☐	Frans	€	-
ES065	☐	Nederlands	€	-

Technische info en foto's



Deze informatie helpt om de instellingen beter af te stellen op de gebruiker en verdere productverbeteringen. Ottobock behandelt deze informatie enkel intern en confidentieel.

Geslacht: ☐ Man ☐ Vrouw

Lengte (cm):

Gewicht (kg):

1 Zitbreedte ZB:

2 Zitdiepte ZD:

3 Diepte romp:

4 Hoogte armondersteuning:

5 Hoogte oksel:

6 Hoogte schouder:

7 Hoogte Hoofd:

8 Lengte voorarm tot midden palm:

9 Breedte romp:

10 Onderbeenlengte OBL:

Extra info en foto's




ED056/057 Contour² back support version, flat or deep contoured




ED052 Ottobock back support adapter



ED036 Baxx aluminium back support



ED039 Side panels



ED040 Lumbar support



Memory position “Active Access”



Memory position “Active Relax”



Memory position “Active Touch”



EC041 Seat hight adjustment with tilt



EL033/034/035 Comfort Plus



EP002 Lap belt with metal buckle



EP020 Lap belt, with rewinder and metal buckle



ES099 Back support bar



ES101/102 Multi bar on back support version Contour²



ES302/303 Lateral thigh support




ES304 Knee pad



ES300/301 Transfer handle



EE040/050 Short pad
EE041/051 Long pad



Channel forearm pads



EB015 Individual, aluminium foot plate, large



EB016 Individual, aluminium foot plate, small



EB021 Calf pad



EB030/031 Lateral foot guide, medial/lateral



EB032 Foot straps



EB033 Protection wheel



EU044 Battery charger 10 A, without fan (IP54)



EU042 Battery charger 12 A, with magnetic charging plug



EU550 Battery charger 15A



EG013 Ribs




EG014 Lugs




ES002 Kit for vehicle transport



ET009 USB-A port



ES021 Lighting



ES004 Luggage carrier



ES006 Rear-view mirror



ES010 Beverage holder



ES023 Backpack hooks



EU403 ICON Hand module, colour selectable



EU412 ICON tray module



EU080 Fork for tetraplecigs, horizontal



EU081 Stick S80




EU082 Soft ball, black covered



EU083 Ball top, small



EU084 Ball top, large



EU085 Soft ball



Multi adapter




EU404 ICON switch module, keypad, flat



EU414 ICON LCD module



Calibratable mini joystick



Tops for calibratable mini joystick



EU100/105 mo-Vis micro joystick



EU101/106 mo-Vis multi joystick



EU102/107 mo-Vis allround joystick light



EU150 Mini joystick with elastomer



EU110-113 Holder at arm support



EU111 mo-Vis joystick incl. 2 finger button



EU415 Attendant control

In combination with Seat system Standard seat or VAS

Seat	Seat width (SW)																		
	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
Standard seat, small			X	X	X														
Standard seat, large						X	X	X											
Standard seat, XL									X	X	X	X							
VAS (Vario Adjust Seat)			X	X	X	X	X	X	X	X	X								
VAS XL (Vario Adjust Seat)												X	X	X	X	X	X	X	X

X = possible combination

In combination with Seat system Standard seat or VAS

Seat	Seat depth SD [cm]												
	34	36	38	40	42	44	46	48	50	52	54	56	58
Standard seat, small			X	X	X	X	X						
Standard seat, large					X	X	X	X	X				
Standard seat, XL					X	X	X	X	X				
VAS, VAS XL			X	X	X	X	X	X	X	X	X	X	X

In combination with Seat system APS

Seat Depth SD (cm)	Seat Width SW (cm)												
	32	34	36	38	40	42	44	46	48	50	52	54	56
30	X	X	X	X	X	X	X	X					
32	X	X	X	X	X	X	X	X					
34	X	X	X	X	X	X	X	X					
36	X	X	X	X	X	X	X	X					
38	X	X	X	X	X	X	X	X	X	X	X	X	X
40	X	X	X	X	X	X	X	X	X	X	X	X	X
42	X	X	X	X	X	X	X	X	X	X	X	X	X
44	X	X	X	X	X	X	X	X	X	X	X	X	X
46	X	X	X	X	X	X	X	X	X	X	X	X	X
48	X	X	X	X	X	X	X	X	X	X	X	X	X
50	X	X	X	X	X	X	X	X	X	X	X	X	X
52					X	X	X	X	X	X	X	X	X
54					X	X	X	X	X	X	X	X	X
56					X	X	X	X	X	X	X	X	X

In combination with Seat system Standard seat or VAS

Seat cushion Terra, Terra Aquos


ST \ SB	34	36	38	40	42	44	46	48	50	52	54	56
34		○										
36		○										
38		○	○	○	○	○	○	○	○	○		
40				○	○	○	○					
42				○	○	○	○					
44				○	○	○	○	○	○	○		
46				○	○	○	○	○	○	○		
48				○	○	○	○	○	○	○		
50												
52												
54												
56												
58												

In combination with Seat system APS

Seat cushion Terra, Terra Aquos

ST \ SB	32	34	36	38	40	42	44	46	48	50	52	54	56
30													
32													
34			○										
36			○										
38			○	○	○	○	○	○	○	○	○		
40					○	○	○	○					
42					○	○	○	○					
44					○	○	○	○	○	○	○		
46					○	○	○	○	○	○	○		
48					○	○	○	○	○	○	○		
50													
52													
54													
56													

SD = Seat depth SW = Seat width





In combination with Seat system Standard seat or VAS

Seat cushion Terra Flair

ST \ SB	34	36	38	40	42	44	46	48	50	52	54	56
34												
36												
38			○	○	○	○	○	○	○	○		
40				○	○	○	○					
42				○	○	○	○					
44				○	○	○	○	○	○	○		
46				○	○	○	○	○	○	○		
48				○	○	○	○	○	○	○		
50												
52												
54												
56												
58												

SD = Seat depth SW = Seat width

In combination with Seat system APS

Seat cushion Terra Flair

ST \ SB	32	34	36	38	40	42	44	46	48	50	52	54	56
30													
32													
34													
36				○									
38				○	○	○	○	○	○	○	○		
40					○	○	○	○					
42					○	○	○	○					
44					○	○	○	○	○	○	○		
46					○	○	○	○	○	○	○		
48					○	○	○	○	○	○	○		
50													
52													
54													
56													

SD = Seat depth SW = Seat width



In combination with Seat system Standard seat or VAS

Seat cushion Cloud

ST \ SB	34	36	38	40	42	44	46	48	50	52	54	56
34	○	○										
36	○	○	○									
38	○	○	○	○	○		○					
40	○	○	○	○	○	○	○					
42			○	○	○	○	○	○	○	○	○	
44				○	○	○	○	○	○	○	○	
46				○	○	○	○	○	○	○	○	
48				○	○	○	○	○	○	○	○	
50							○	○				
52							○	○				
54												
56												
58												

SD = Seat depth SW = Seat width

In combination with Seat system APS

Seat cushion Cloud

ST \ SB	32	34	36	38	40	42	44	46	48	50	52	54	56
30	○												
32	○												
34		○	○										
36		○	○	○									
38		○	○	○	○	○		○		○	○	○	○
40		○	○	○	○	○	○	○		○	○	○	○
42		○	○	○	○	○	○	○	○	○	○	○	○
44					○	○	○	○	○	○	○	○	○
46					○	○	○	○	○	○	○	○	○
48					○	○	○	○	○	○	○	○	○
50								○	○	○	○	○	○
52								○	○	○	○	○	○
54													
56													

SD = Seat depth SW = Seat width



Seat cushion Contour with flat or deep contour

ST \ SB	VAS									VAS XL							
	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70
38	X	X															
40	X	X															
42	X	X	X	X	X	X	X	X	X								
44	X	X	X	X	X	X	X	X	X								
46	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
48			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
50			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
52			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
54			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
56			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
58																	

X = possible dimension in combination with VAS, VAS XL

SD = Seat depth SW = Seat width

In combination with Seat system APS

Seat cushion Contour² with flat or deep contour

SD \ SW	32	34	36	38	40	42	44	46	48	50	52	54	56
30	L	L	L	L/D									
32	L	L	L	L/D									
34	L	L	L	L/D	L/D								
36	L	L	L	L/D	L/D								
38	L	L	L	L/D	L/D								
40	L	L	L	L/D	L/D	L/D	L/D	L/D	L/D	L/D			
42	L	L	L	L/D	L/D	L/D	L/D	L/D	L/D	L/D			
44	L	L	L	L/D	L/D	L/D	L/D	L/D	L/D	L/D			
46				L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D
48						L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D
50						L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D
52						L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D
54						L/D	L/D	L/D	L/D	L/D			
56						L/D	L/D	L/D	L/D				

L = with flat contour, possible dimension

L/D = with flat or deep contour, possible dimension

SD = Seat depth SW = Seat width

In combination with Seat system APS

Back version Contour² with flat or deep contour

BH \ BW	30	32	34	36	38	40	42	44	46	48	50	52	54	56
65 (Polsterlänge 46)	L	L	L	L/D	L/D	L/D	L/D	L/D	L/D	L/D				
75 (Polsterlänge 56)				L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D	L/D

L = with flat contour, possible dimension

L/D = with flat or deep contour, possible dimension

BH = Back height for Contour²
BW = Back width

Back version Baxx aluminium back

Back width BW [cm]	Back contour for Baxx back	Height for Baxx back				
		53 cm (Low 10"/25 cm, AL)	**61 cm** (Medium 13"/33 cm, AL)	**69 cm** (Standard 16"/41 cm, AL)	**74 cm** (Tall 18"/46 cm, AFT)	**79 cm** (Extra Tall 20"/51 cm, AFT)
34	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X		
	Extra Deep (6"/15 cm)					
36	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X		
	Extra Deep (6"/15 cm)					
38	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X		
	Extra Deep (6"/15 cm)					
40	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X
42	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X
44	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X
46	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X
48	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X
50	**Active** (2.5"/6 cm)	X	X	X		
	Deep (4"/10 cm)	X	X	X	X	X
	Extra Deep (6"/15 cm)			X	X	X

X = possible combination



FWD

Seat	Electric seat adjustment	Seat height (SH) [cm]							
		41	43	45	47	49	51	53	55
Standard seat small	**without**	x	x	x	x	x	x	x	x
Standard seat large	**without**		x	x	x	x	x	x	x
Standard seat xl	**without**		x	x	x	x	x	x	x
Standard seat small, large, XL	**Seat tilt 45°**				x	x	x	x	x
Standard seat small, large, XL	**Seat height adjustment 35 cm, Seat height adjustment 35 cm with Seat tilt 45°**				x	x	x	x	x
VAS, VAS XL	**without**	x	x	x	x	x	x	x	x
VAS	**Seat tilt 45°**				x	x	x	x	x
VAS	**Seat height adjustment 35 cm, Seat height adjustment 35 cm with Seat tilt 45°**				x	x	x	x	x
APS (Advanced Power Seat)	**Seat tilt, Transfer seat** (Active Access), **Seat height adjustment with tilt** (multi lift)		x	x	x	x	x	x	x

X = possible combination

RWD

Seat	Electric seat adjustment	Seat height (SH) [cm]							
		41	43	45	47	49	51	53	55
Standard seat small	**without**								
Standard seat large	**without**								
Standard seat xl	**without**								
Standard seat small, large, XL	**Seat tilt 45°**				x*	x	x	x	x
Standard seat small, large, XL	**Seat height adjustment 35 cm, Seat height adjustment 35 cm with Seat tilt 45°**				x*	x	x	x	x
VAS, VAS XL	**without**					x	x	x	x
VAS	**Seat tilt 45°**					x	x	x	x
VAS	**Seat height adjustment 35 cm, Seat height adjustment 35 cm with Seat tilt 45°**					x	x	x	x
APS (Advanced Power Seat)	**Seat tilt, Transfer seat** (Active Access), **Seat height adjustment with tilt** (multi lift)					x	x	x	x

X = possible combination
* Seat height 47 only possible with standard seat small

Uitzonderingen

2.1) Possible only in combination with Product classification Category B (In-/Outdoor)
4.1) Possible only in combination with maximum user weight ≤ 140 kg
4.2) Possible only in combination with maximum user weight ≤ 160 kg
7.2) See table “seat width” (490E68=0-Sitzbreite)
7.3) Not possible in conjunction with seat system APS
7.4) Not possible in conjunction with SW > 60 cm
8.2) See table “seat depth” (490E68=0-Sitztiefe)
8.3) Not possible in conjunction with the combination of seat system APS and SW 48 cm, 50 cm, 52 cm, 54 cm, 56 cm
8.4) Not possible in conjunction with the combination of seat system APS and SW 32 cm, 34 cm, 36 cm, 38 cm
8.5) Not possible in conjunction with the combination of Seat system Standard seat, smal and Maximum user weight > 100 kg
8.6) Not possible in conjunction with the combination of Seat system Standard seat, smal and Maximum user weight > 125 kg
8.7) Not possible in conjunction with the combination of Seat system Standard seat, large, XL and Maximum user weight > 125 kg
8.8) Not possible in conjunction with the combination of Seat system Standard seat, large, XL and Maximum user weight > 150 kg
9.0) Possible only in combination with seat system APS
9.1) Possible only in conjunction with the combination of Seat systems APS and Back version Baxx aluminium back, Contour² with flat contour, Contour² with deep contour
9.2) Mandatory information in conjunction with the combination of Seat systems APS and Back version Baxx aluminium back, Contour² with flat contour, Contour² with deep contour
9.3) Not possible in conjunction with Back version Baxx aluminium back
9.4) Not possible in conjunction with Contour² with deep contour
11.2) Possible only in combination with maximum user weight ≤ 150 kg
11.3) See table “seat cushion Terra, Terra Aquos” (490E68=0-Terra_T-Aquos)
11.4) See table “seat cushion Terra-Flair” (490E68=0-Terra-Flair)
11.5) See table “seat cushion Livo” (490E68=0-Livo)
11.6) See table “seat cushion Cloud” (490E68=0-Cloud)
11.7) Possible only in combination with maximum user weight ≤ 125 kg
11.8) See table “seat cushion Evoflair” (490E68=0-Evoflair)
11.9) Not possible in conjunction with the combination of VAS (Vario Adjust Seat), seat width 40 cm and seat depth > 46 cm, see table “seat cushion Contour with flat or deep contour” (490E68=0-Contour)
11.10) Not possible in conjunction with the combination of VAS (Vario Adjust Seat), seat width > 40 cm and seat depth 38 cm or 40 cm, see table “seat cushion Contour with flat or deep contour” (490E68=0-Contour)
11.11) Not possible in conjunction with the combination of VAS, VAS XL and seat depth 58 cm, see table “seat cushion Contour with flat or deep contour” (490E68=0-Contour)
11.12) See table “seat cushion Contour² with flat or deep contour” (490E68=0-Contour2-Sitz)
11.13) Not possible in conjunction with seat depth 38 cm, 40 cm, 42 cm or 44 cm, see table “seat cushion with flat contours, with deep contours” (490E68=0-Contour)
11.14) Possible only in combination with VAS XL
11.15) Not possible in conjunction with VAS XL
14.0) Possible only in combination with seat cushion Contour with flat or deep contours or Contour² with flat or deep contour
14.1) Not possible in conjunction with SW > 54 cm
15.1) Possible only in combination with Seat system VAS (Vario Adjust Seat)
15.4) Possible only in combination with seat system VAS or APS
15.5) Not possible in conjunction with the combination of seat system VAS and maximum user weight > 125 kg
15.9) Possible only in combination with standard seat or VAS (Vario Adjust Seat)
18.0) Possible only in combination with back version Contour² with flat or deep contour
18.1) Mandatory information in combination with Contour² with flat or deep contour
18.2) See table “back version Contour² with flat or deep contour” (490E68=0-Contour2-Ruecken)
19.0) Possible only in combination with Back version Contour with flat or deep contours or Contour² with flat or deep contour
19.1) Possible only in combination with back version Contour with deep contours or Contour² with deep contour
20.0) Possible only in combination with back version Baxx aluminium back
20.1) Mandatory information in combination with back version Baxx aluminium back
20.2) Cannot be combined with back width 34 cm, 36 cm or 38 cm, see table “Back version Baxx aluminium back” (490E68=0-Baxx)
21.1) Not possible in conjunction with the combination of seat system APS and Back height for Baxx back 74 cm (Tall 18"/46 cm, AFT) or 79 cm (Extra Tall 20"/51 cm, AFT), see table “Back version Baxx aluminium back” (490E68=0-Baxx)
21.2) Not possible in conjunction with the combination of seat system APS and Back height for Baxx back 53 cm (Low 10"/25 cm, AL) or 61 cm (Medium 13"/33 cm, AL), see table “Back version Baxx aluminium back” (490E68=0-Baxx)
21.3) Not possible in conjunction with the combination of seat system APS and back width 34 cm, 36 cm or 38 cm and Back height for Baxx back 69 cm (Standard 16"/41 cm, AL), see table “Back version Baxx aluminium back” (490E68=0-Baxx)
24.1) Possible only with seat inclination 0°
24.3) Not possible in conjunction with the combination of Drive type Rear Wheel Drive and Seat system Standard seat smal, large, XL
24.6) Not possible in conjunction with the combination of Country of destination France and Product classification Category C
24.7) Cannot be combined with LL < 32 cm
25.0) Possible only in conjunction with the combination of Seat height ≥ Lower leg length + 6 cm and Seat system Standard seat, VAS, VAS XL or with the combination of Seat height ≥ Lower leg length + 8 cm and Seat system APS
25.2) See table “seat hight” (490E68=0-Sitzhoehe)
25.3) Not possible in conjunction with the combination of seat system VAS, VAS XL and Drive type Front Wheel Drive and Electric seat adjustment Without and Seat depth 54 - 58 cm
25.4) Not possible in conjunction with the combination of seat system VAS, VAS XL and Drive type Front Wheel Drive and Electric seat adjustment Without and Seat width 48 - 70 cm
25.5) Not possible in conjunction with the combination of Drive type Front Wheel Drive (FWD) and seat system VAS, VAS XL and SW 52 cm - 56 cm
26.0) Mandatory information in combination with standard seat, VAS or VAS XL
28.0) Possible only in combination with head/neck support mounting kit, UniLink, multi-axis or seat system APS
29.0) Possible only in combination with head/neck support mounting kit or seat system APS
29.1) Mandatory information in combination with head/neck support mounting kit or seat system APS

29.2) Possible only in combination with head/neck support mounting kit, Goose Neck or Multi-axis, offset or Multi-axis, straight
30.1) Not possible in conjunction with the combination of standard seat, small, seat depth < 42 cm and seat width > 38 cm
30.3) Possible only in combination with SW >/= 60 cm
32.1) Possible only in combination with Seat systems VAS or VAS XL
33.1) Possible only in combination with accessories for APS back support bar
34.1) Not possible in conjunction with the combination of standard seat, small and seat width 38 cm or 40 cm
34.2) Not possible in conjunction with the combination of standard seat, large and seat width 44 cm or 46 cm
34.3) Not possible in conjunction with the combination of standard seat, XL and seat width 50 cm or 52 cm
34.4) Possible only in combination with SD > 48 cm
34.5) Not possible in conjunction with the combination of seat system VAS, VAS XL and Electric seat adjustment without and SD < 42 cm
34.6) Cannot be combined with belts lap belt with rewinder, metal buckle
34.7) Possible only in combination with maximum user weight ≥ 125 kg
36.1) Mandatory information in combination with seat system APS
37.1) Possible only in combination with arm support flip-up, right - pad, short or pad, large or arm support, medium
37.2) Possible only in combination with arm support flip-up, right - pad, short or pad, large
39.1) Possible only in combination with arm support flip-up, left - pad, short or pad, large or arm support, medium
39.2) Possible only in combination with arm support flip-up, left - pad, short or pad, large
40.1) Possible only in combination with selected lower leg length
40.2) Not possible in conjunction with selected lower leg length
40.3) Cannot be combined with Drive type Rear Wheel Drive (RWD)
40.4) Not possible in conjunction with the combination of standard seat, VAS, VAS XL and lower leg length < 21 cm
40.5) Not possible in conjunction with the combination of VAS, VAS XL and seat depth 38 cm and arm support, flip-up
40.7) Not possible in conjunction with the combination of seat system VAS, VAS XL and maximum user weight > 180 kg
40.8) Not possible in conjunction with the combination of seat system standard seat and electric seat adjustment without
40.9) Not possible in conjunction with the combination of seat system VAS, VAS XL and electric seat adjustment without and SH 41 cm
40.10) Not possible in conjunction with the combination of seat system VAS and Seat width (SW) 40 cm
41.0) Cannot be combined with leg support version, without leg support or Centrally mounted, mechanical
41.1) Mandatory information in combination with leg support version, standard, mechanically elevating, electrically elevating or Centrally mounted
41.2) Not possible in conjunction with the combination of standard seat and lower leg length < 25 cm
41.3) Not possible in conjunction with the combination of VAS, VAS XL and lower leg length < 24 cm
41.5) Cannot be combined with leg support version, mechanically elevating or electrically elevating
41.6) Not possible in conjunction with the combination of maximum user weight > 140 kg and leg support version, electrically elevating, simultaneously controllable
41.7) Cannot be combined with leg support version, mechanically elevating or electrically elevating, separate controllable
41.8) Possible only in combination with Leg support version Centrally mounted or Seat systems APS
41.9) Cannot be combined with Leg support version Centrally mounted
41.10) Mandatory information in combination with Leg support version Centrally mounted or Seat systems APS
42.1) Possible only in combination with leg support version, mechanically or electrically elevating
42.2) Cannot be combined with foot plate version individual, aluminium foot plate, small
42.3) Possible only in combination with Foot plate version Single-panel, aluminium foot plate
42.4) Possible only in combination with leg support version, standard or without leg support
44.1) Not possible in conjunction with Argentina, Australia, Brazil, Hong Kong, Japan, Canada, Columbia, Mexico, Thailand, United Kingdom or United States of America as the country of destination
44.2) Not possible in conjunction with Argentina, Brazil, Canada, Columbia, Mexico or United States of America as the country of destination
44.3) Possible only in combination with Batteries/Battery capacity Gel 94 Ah (C5) 110 Ah (C20)
44.4) Not possible in combination with Batteries/Battery capacity Gel 94 Ah (C5) 110 Ah (C20)
45.1) Possible only in combination with battery charger 12A
49.1) Possible only in combination with tyre colour, grey
51.1) Not possible in conjunction with Australia or Russia as the country of destination
52.1) Not possible in conjunction with the combination of Seat system APS and unselected accessories for APS multi bar on back support bar
53.1) Cannot be combined with chassis accessories rear warning sign
53.2) Possible only in combination with general accessories hooks for backpack
53.3) Not possible in conjunction with Australia as the country of destination
53.4) Cannot be combined with arm support flip-up, right or arm support flip-up, left - arm support, medium or arm support, medium with hand support, flat or arm support, medium with hand support, concave or arm support, large, one-piece or arm support, large with hand support, flat or arm support, large with hand support, concave
53.5) Possible only in combination with maximum user weight ≤ 180 kg
53.6) Not possible in conjunction with the combination of Seat System APS and unselected accessories for APS - multi bar on back support bar
53.7) Cannot be combined with general accessories holder for tablet with gooseneck
53.8) Cannot be combined with general accessories holder for mobile phone with gooseneck
53.9) Cannot be combined with accessories for APS thigh lateral support, size S
53.10) Cannot be combined with accessories for APS thigh lateral support, size M
53.11) Not possible in conjunction with the combination of Drive type Rear Wheel Drive (RWD) and Electric seat adjustment Seat tilt 45°, Seat tilt, Seat height adjustment 35 cm, Seat height adjustment 35 cm with seat tilt 45 °, Seat height adjustment with tilt (multi lift) and Maximum user weight > 113 kg
53.12) Not possible in conjunction with the combination of Rear Wheel Drive (RWD) and Maximum user weight > 140 kg
53.13) Not possible in conjunction with the combination of accessories for arm support, right multi bar and accessories for arm support, left multi bar
53.14) Not possible in conjunction with the combination of standard seat, small and seat depth < 42 cm
53.15) Not possible in conjunction with the combination of standard seat, small and electric seat adjustment seat tilt 45°, seat height adjustment up to 35 cm or seat height adjustment up to 35 cm with seat tilt 45°
53.16) Not possible in conjunction with the combination of VAS (Vario Adjust Seat) and seat depth < 46 cm
53.17) Possible only with arm support, flip-up
55.1) Not possible in conjunction with the combination of all countries of destination except Other countries, Argentina, Australia, Brazil, France, Hong Kong, Japan, Canada, Columbia, Korea, Mexico, Russia, Switzerland, Thailand, United Kingdom or United States of America and product classification category B (In-/Outdoor)

55.2) Cannot be combined with Country of destination Germany
56.1) Theoretical total weight (without special requests) = sum of the selected characteristic value weights
56.2) Cannot be combined with theoretical total weight > 380 kg (the evaluated options exceed the permissible total weight of 380 kg)
57.1) Possible only in combination with battery charger 12A and charging socket - external magnetic charging socket
57.2) Not possible in conjunction with the combination of general accessories rearview mirror and therapy tray
57.3) Cannot be combined with general accessories therapy tray
57.4) Cannot be combined with General accessories Hand warmer with one-hand-hood
57.5) Cannot be combined with charging socket - external magnetic charging socket
58.0) Possible only in combination with input for ICON power module - ICON hand module, colour selectable
58.1) Mandatory information in combination with input for ICON power module - ICON hand module, colour selectable
59.0) Possible only in combination with input for ICON power module - ICON hand module, Silver metallic
59.1) Mandatory information in combination with input for ICON power module - ICON hand module, Silver metallic
59.2) Not possible in conjunction with the combination of seat systems APS
60.0) Possible only in combination with input for ICON power module - ICON hand module, Silver metallic or ICON tray module, manual flip over
60.1) Mandatory information in combination with input for ICON power module - ICON hand module, Silver metallic or ICON tray module, manual flip over
60.2) Cannot be combined with arm support flip-up, right - arm support, medium with hand support, flat or arm support, medium with hand support, concave or arm support, large with hand support, flat or arm support, large with hand support, concave
60.3) Cannot be combined with arm support flip-up, left - arm support, medium with hand support, flat or arm support, medium with hand support, concave or arm support, large with hand support, flat or arm support, large with hand support, concave
61.1) Cannot be combined with input for ICON power module - ICON tray module, manual flip over
65.1) Mandatory information in combination with electric seat adjustment transfer seat (Active Access)
66.0) Mandatory information in combination with ICON switch module
66.1) Cannot be combined with ICON switch module keypad, toggle
66.2) Cannot be combined with input for ICON power module - without hand module
67.0) Mandatory information in combination with input for ICON power module - without hand module
68.0) Possible only in combination with modules for ICON control unit - ICON LCD module
68.1) Mandatory information in combination with modules for ICON control unit - ICON LCD module
68.2) Cannot be combined with general accessories therapy tray or input for ICON power module - ICON tray module, manual flip over
69.1) Not possible in conjunction with the combination of unselected input for ICON power module - without hand module and unselected addition for ICON LCD module - ICON AID adapter
70.0) Possible only in combination with additions for ICON LCD module - ICON AID adapter
71.0) Possible only in combination with Special Input Device for ICON LCD module - calibratable mini joystick
71.1) Mandatory information in combination with Special Input Device for ICON LCD module - calibratable mini joystick
72.0) Possible only in combination with Special Input Device for ICON LCD module - button control
72.1) Mandatory information in combination with Special Input Device - button control
73.0) Possible only in combination with number of button for button control = 3, 4
73.1) Mandatory information in combination with number of button for button control = 3, 4
76.0) Possible only in combination with number of button for button control = 4
76.1) Mandatory information in combination with number of button for button control = 4
77.0) Possible only in combination with Special Input Device for ICON LCD module - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick or calibratable mini joystick
77.1) Mandatory information in combination with Special Input Device for ICON LCD module - Micro Joystick, Multi Joystick, All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick or calibratable mini joystick
77.2) Cannot be combined with Special Input Device for ICON LCD module - All-round Heavy Duty Joystick
77.3) Not possible in conjunction with the combination of back height for Contour² 75 cm (cushion length 56 cm) or height for Baxx back 79 cm (Extra Tall 20"/51 cm, AFT) and unselected accessories for APS back support bar
77.4) Cannot be combined with Special Input Device for ICON LCD module - All-round Joystick light, All-round Joystick, All-round Heavy Duty Joystick
77.5) Cannot be combined with mounting ICON switch module in front of hand module
77.6) Cannot be combined with Special Input Device for ICON LCD module - All-round Heavy Duty Joystick or calibratable mini joystick
77.7) Cannot be combined with Back extension VAS: Back extension VAS up to +15 cm, Back extension VAS +15 cm with traverse
78.0) Possible only in combination with attachment for Special Input Device chin swivel arm, left or chin swivel arm, right
78.1) Mandatory information in combination with attachment for Special Input Device chin swivel arm, left or chin swivel arm, right
79.1) Cannot be combined with holder for hand module swing-away in parallel, 6 cm adjustment range, pluggable or swing-away in parallel, 14 cm adjustment range, pluggable
80.0) Possible only in combination with control unit for attendant
80.1) Mandatory information in combination with control unit for attendant
82.1) Possible only in combination with total weight ≤ 320 kg
83.1) For Germany as the country of destination, this is possible only in conjunction with the combination of chassis accessories rear warning sign and lighting acc. to German StVZO
83.2) Possible only in combination with total weight ≤ 260 kg
83.3) Cannot be combined with Seat height (SH) > 49 cm
83.4) Possible only in combination with drive unit High Performance
83.6) Possible only in combination with drive unit Performance
84.0) Possible only in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
84.1) Mandatory information in conjunction with the combination of Germany as the country of destination and speed > 6 km/h
87.0) Possible only in combination with additional instructions for use, qualified personnel
87.1) Mandatory information in combination with additional instructions for use, qualified personnel
88.0) Possible only in combination with additional instructions for use, user
88.1) Mandatory information in combination with additional instructions for use, user
90.0) Mandatory informationin in conjunction with the combination of Back version Back upholstery, adaptable and SW > 54 cm
90.1) Not possible in conjunction with the combination of Back version Back upholstery, adaptable and SW > 54 cm
90.3) Not possible in conjunction with Accessories for VAS Push handles
90.4) Not possible in conjunction with Back version: Contour with flat contour, AD, Contour with deep contour, AD, Contour with flat contour, AD, XL, Contour with deep contour, AD, XL, Baxx aluminium back