



eurobraille



B.NOTE 20 / B.NOTE 40

The new **b.note** braille display is the result of more than 40 years of design and technological innovation for the visually impaired.

PRODUCT DESCRIPTION

b.note combines the functions of braille display (USB and bluetooth connection, compatibility with the various screen readers on the market Jaws, NVDA, super nova, Voiceover, talk-back / braille-back, brlty, orca, etc.) with note-taking functions.

No need to move your hands to find the forward or backward keys, **b.note**'s 2-position routine cursors make reading easier.

Innovative Bluetooth file transfer with Windows and Android.

Thanks to the precision of its new keyboard Perkins **b.note** is ergonomic and comfortable.



eurobraille

b.note allows you to configure the functions of the control keys in order to optimize ergonomics (righthanded or left-handed).

A bumper protects **b.note** from shocks and a cover with zipper is provided.

b.note has a battery life of more than 15 hours. Recover 4 hours in 25 minutes thanks to its USB - C Power Delivery

b.note is compatible with **esysuite** software.

b.note is available in several versions to better suit your needs

20 or 40 characters with or without Perkins keyboard, without bluetooth and internal functions.

FEATURES

- 20 or 40 braille cells / 8 dots per cell
- 20 or 40 routing cursors
- 10 keys braille keyboard
- 2 keypads of 4 buttons
- Processors : STM32L1 / ARM Cortex-A53, quad core, 1.4GHz
- RAM: 512MB LPDDR2 (900MHz)
- SD Card 64GB
- Wifi : 2.4GHz 802.11ac dual band
- Bluetooth : 4.2 LS BLE

- Audio out : Jack 3,5mm
- Battery : 3.7V 6000mAh (22.2 W)
- Fast charge with external power supply adaptor USB C (protocol PD Universel 2.0)
- Charge at 30% in 25 min., 80% in 1h30
- Battery life: around 14 hours
- Dimensions : 235 (20 cel.) / 365 (40 cel.) x 105 x 27 mm
- Weight : 500 gr. (20 cel.) / 600 gr. (40 cel.)



eurobraille

- A dust cover is included

B.NOTE VIDEO

<https://www.youtube.com/watch?v=ktnWCSXzAaM>

ADD-INS AND DOWNLOAD

**Guides, manuals
and software**

