# Information Brochure

0

ZDOF

R

2023 - Manual Wheelchair - EN

# About the Zoof URBAN

The Zoof Urban is our unique dynamically designed model with a single footrest providing users a more integrated and innovative design, and customer experience. Frame colour: grey.

# The Zoof Urban

# FUNCTIONALITY

- Folds in one smooth motion
- Easy to handle due to its weight of 10 kg
- Small folded size for in almost any car trunk
- Storage compartment under the seat and bag hook on the backrest to make it easier to carry things





# About the Zoof CLASSIC

The Zoof Classic is our wheelchair with a double footrest. Designed under a high functional profile, its ergonomic advantages and quality-based materials create an innovative user experience by lowering stigma and meeting modernity. Frame colour: creme.

# **ERGONOMICS**

- The Zoof has a solid seat, which does not sag, for optimal pressure point distribution and seating experience
- Backrest adjustable in height.
- Optimal seating angle (110° and 10% inclination) for a pleasant sitting experience that counteracts seat displacement
- Push bar for better pushing experience



#### Large wheels

With the large wheels you can easily propel the wheelchair by yourself. Our large wheels are designed with a colour stripe of your choice between the Zoof colour range.





#### Small wheels

Our small wheels are designed together with the braking system.



#### Storage module

Every Zoof includes a storage module underneath the chair for extra storage space. With stitching maching your choosen colour.



#### Cushions

Our cushions are available in the colour range shown below. The cushions can be easily detached from the seating plate and stored or washed.



## DESIGN

- Dutch design with a dynamic and qualitative appearance
- Powder coated aluminium frames
- Unique 3 spoke wheel (large wheels)
- Put your own Zoof together by varying the colour and material of certain parts
- No loose parts when folding due to fully integrated design









### Modular: 4-in-1

Both The Classic and The Urban model are modular designed. This means that on the same frame you can install big wheels, small wheels or an electric driving system without any adjustments. Also you choose 4 different colours.



#### Electric

The manual wheelchair is fully adaptable to electric with a driving system, joy stick and push support for the person behind the wheelchair. Take of the electric driving module with the clickrelease system to easily take your Zoof anywhere.



	SPEC	FICATIONS		
		wheels	Large	wheels
	Urban	Classic	Urban	Classic
Seat width	450 mm / 17.7 in	450 mm / 17.7 in	450 mm / 17.7 in	450 mm / 17.7 in
Seat depth	480 mm / 18.8 in	480 mm / 18.8 in	480 mm / 18.8 in	480 mm / 18.8 in
Seat height	530 mm / 20.9 in	530 mm / 20.9 in	530 mm / 20.9 in	530 mm / 20.9 in
Overall width	670 mm / 26.4 in*	670 mm / 26.4 in*	670 mm / 26.4 in	670 mm / 26.4 in
Overall length	1120 mm / 44.1 in	1020 mm / 40.1 in	1120 mm / 44.1 in	1020 mm / 40.1 in
Overall height	980 mm / 38.6 in	980 mm / 38.6 in	980 mm / 38.6 in	980 mm / 38.6 in
Folded width	600 mm / 23.6 in	600 mm / 23.6 in	600 mm / 23.6 in	600 mm / 23.6 in
Folded length	480 mm /18.9 in	440 mm / 17.3 in	480 mm /18.9 in	440 mm / 17.3 in
Folded hight	790 mm / 31.1 in	790 mm / 31.1 in	790 mm / 31.1 in	790 mm / 31.1 in
Height of the backrest	310 mm / 12.2 in	310 mm / 12.2 in	310 mm / 12.2 in	310 mm / 12.2 in
Measurement wheels (diameter)	305 mm / 12 inch	305 mm / 12 inch	610 mm / 24 inch	610 mm / 24 inch
Pivot width	1150 mm / 45.3 in	1150 mm / 45.3 in	1150 mm / 45.3 in	1150 mm / 45.3 in
Carrying weight (without accessories)	10,5 kg / 23.2 lbs	10,8 kg / 23.81 lbs	10,5 kg / 23.15 lbs	10,8 kg / 23.81 lbs
Max. user weight	135 kg / 298 lbs	135 kg / 298 lbs	135 kg / 298 lbs	135 kg / 298 lbs
Max. weight on bag hook	5 kg / 11 lbs	5 kg / 11 lbs	5 kg / 11 lbs	5 kg / 11 lbs
Max. weight on storage module	4 kg / 8.8 lbs	4 kg / 8.8 lbs	4 kg / 8.8 lbs	4 kg / 8.8 lbs
Weight wheel (heaviest part)	1,8 kg / 3,97 lbs*	1,8 kg / 3,97 lbs*	2,23 kg / 4.92 lbs	2,23 kg / 4.92 lbs
weight wheel (neaviest part)	each	each	each	each
Sitting angle	110°	110°	110°	110°
Backrest angle	20°	20°	20°	20°
Seat to back angle	110°	110°	110°	110°
Seat plate angle	10°	10°	10°	10°
Adjustable color on: Wheelstripe;	Beach walk blue,	Beach walk blue,	Beach walk blue,	Beach walk blue,
Storage module stitches; Seat- and	Calm air grey,	Calm air grey,	Calm air grey,	Calm air grey,
backrest cushioning	Rose tea beige &	Rose tea beige &	Rose tea beige &	Rose tea beige &
bucklest cushioning	Zoof green.	Zoof green.	Zoof green.	Zoof green.
Frame colors	Aluminium grey	Creme	Aluminium grey	Creme
Footrest	Mono frame	Double frame	Mono frame	Double frame
Innovative design	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Easily foldable	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Push bar adjustable in height	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Enotract adjustable in beight				
Footrest adjustable in height	$\checkmark$	V	$\checkmark$	
Backrest adjustable in height	$\checkmark$	V V	V V	1
Backrest adjustable in height Bag hook on backrest		V V V		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest				
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat		V		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe		√ √		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake				
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	√ √ √ X		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake	Cer	√ √ √ X tification		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183		√ √ √ X tification		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing	Cer	√ √ √ X tification		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR	Cer	√ √ √ X tification		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE	Cer	√ √ √ X tification		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA	Cer	√ √ √ X tification		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE	Cer	√ √ √ X tification √ √ √ √ √ √		1
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested	Cer	v v v v tification v v v v v v v v v v v v v v v v v v v		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable)	Cer	√ √ × tification √ √ √ √ √ √ v cessoires		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels	Cer	√ √ √ × tification √ √ √ √ √ ¢ cessoires √ √		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels	Cer	√ √ √ × tification √ √ √ √ √ √ ¢ cessoires √ √		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module	Cer	√ √ × tification √ √ √ √ √ √ √ ¢ cessoires √ √		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module Parking brakes (large wheels)	Cer	√ √ √ × tification √ √ √ √ √ √ ¢ cessoires √ √ √ √ √		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module Parking brakes (large wheels) Hand brakes (large & small wheels)	Cer	v v v v tification v v v v v v v cessoires v v v v v v v v v v v v v v v v v v v		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module Parking brakes (large wheels) Hand brakes (large & small wheels) Elevating leg rest	Cer	v v v v tification v v v v v cessoires v v v v v v v v v v v v v		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module Parking brakes (large wheels) Hand brakes (large & small wheels) Elevating leg rest Belt	Cer	v v v v v v v v v v v v v v		
Backrest adjustable in height Bag hook on backrest Leather finish: push bar; armrest Storage module under seat Quick release ax wheels/subframe Hand brake Parking brake NEN-EN 12183 ISO 13485 Manufacturing MDR CE FDA SGS tested Cushions (washable) Large wheels Small wheels Storage module Parking brakes (large wheels) Hand brakes (large & small wheels) Elevating leg rest	Cer	v v v v tification v v v v v cessoires v v v v v v v v v v v v v		

The actual specifications can differ from the data in the table.

\* Subject to minor change

Available

✓ In development

X Not aplicable





www.go-zoof.com

Contact: Europe: derk@go-zoof.com Outside Europe: thomas@go-zoof.com